Meadowlark

A JOURNAL OF ILLINOIS BIRDS
Volume 15, Number 3 2006





Publisher Illinois Ornithological Society

Michael Hogg, President Sheryl De Vore, Chief Editor

Peter Weber, Vice-President

Alex Meloy, Treasurer

Geoffrey Williamson,

Membership Secretary

Board of Directors

Denis Bohm

Bob Fisher Michael Hogg

Marj Lundy

Travis A. Mahan

Alex Meloy

Jeffery Walk

Peter Weber

Dan Williams

Associate Editors

Steven D. Bailey

Paul R. Clyne, David B. Johnson Jeffery Walk

Photo Editor

Travis A. Mahan

Staff Photographers

Travis A. Mahan

Mary Kay Rubey • Eric Walters

Staff Illustrators

Peter Olson • Michael L. P. Retter

Eric Secker

Pre-Press Production

Kathy Ade

TKAde@aol.com

Printing

CityWide Printing

Des Plaines, Illinois

Editorial Advisory Board

Steven D. Bailey • Dale Birkenholz

H. David Bohlen • Kenneth J. Brock

Caleb Gordon • Mary Hennen

L. Barrie Hunt • Vernon M. Kleen

L. Dairie Huilt • Verilon W. Klee

Robert Montgomery

Scott K. Robinson • Robert Szafoni

Jeffery Walk • David Willard

Illinois Ornithological Society

President's Message

Dear Members:

In my last message I recognized the wonderful team who make IOS the highly regarded birding association that has so enriched the Illinois birding experience for all these years. IOS has sustained an enviable track record for over 15 years.

IOS was organized to fill the demand for a high-quality journal to record Illinois' birdlife. This issue of the *Meadowlark* has the report of 2005's CBCs just in time for you to check what was seen last year before some of the 2006 counts begin. The next issue will have the 2006 SBCs just in time for the May 2007 spring counts. The count reports, the seasonal Field Notes and the articles on the Illinois birding scene are what we all look forward to in each issue of the Meadowlark.

The Meadowlark, Wings Over The Prairie and the local bird clubs' monthly newsletters no longer serve as the primary source of birding information for many of us. IBET serves that function with its same day immediacy that no paper publication can match. What I find encouraging is the way in which the bird chat rooms like IBET encourage questions and debate about our birds, their identification, habits and occurrence in a forum in which we can all follow along and increase our own knowledge. I also find it gratifying that more and more IBET posters are citing the Meadowlark to inform the debate.

The Meadowlark also publishes the IORC Reports, the deliberations of the Illinois Ornithological Records Committee. This committee of expert, knowledgeable birders has what in many ways is a thankless task. Their job is to evaluate the documentation of rare bird sightings in Illinois and decide whether there is sufficient evidence to accept the sighting. I say that their task is thankless as for all the happy birders whose sightings are accepted, there are the sightings that are not accepted. These rejections have been known to generate some unhappiness.

Be that as it may be, IORC performs a valuable service in maintaining the official Illinois list. I for one look forward to their annual reports of rare and new to Illinois birds, and applaud their work in providing a credible record of the occurrence of species in Illinois. What would the serious lister do without IORC as the arbiter of rare bird sightings in Illinois?

Our thanks to the dedicated members of IORC: currently Doug Stotz, Dave Johnson, Bob Hughes, Dan Kassebaum, Keith McMullen, Paul Sweet and Mike Ward.

Good birding.

Michael Hogg, President MHKiwi@aol.com

Letter from the Editor

The gift of bird song

It starts with a slightly long, clear tone, then is followed by a series of higher, faster pitches, sometimes major, sometimes minor thirds repeated once or twice, some higher pitched than others – to my cars at least.

It's the song of the Hermit Thrush, which belongs to a family of some of the most beautiful songsters in the world.

Indeed, in Costa Rica and in Mexico, thrushes fill the forest with songs. Nightingale-thrushes, which are in the same genus as Gray-cheeked, Swainson's and Hermit Thrush, sing hauntingly beautiful melodies. And I've heard the Black-faced Solitaire in Costa Rica give its mellifluous series of several notes, sometimes followed by two notes at once, like I learned to play on the flute when I became more proficient on this instrument.

I've also heard the Townsend's Solitaire, a western species, which occasionally visits northern Illinois in winter. This species sang for my sister and me when we went to see it one year at Lyons Woods in Lake County.

I've only heard the Hermit Thrush sing in upper Michigan, echoing in pine woods and boggy woods, luring me into another dimension. But lucky Paul Clyne has heard the Hermit Thrush sing right here in Illinois. He writes about this wonderful surprise in this issue of Meadowlark – a little gift only for him.

Why and when birds sing is always fascinating to me – some sing during migration, some only when on their breeding grounds, and others even in fall and winter. White-throated Sparrows sang in my back yard all fall and now mostly are gone, taking their songs with them. If I'm lucky, on a Christmas Bird Count, I will hear the boisterous "Teakettle" of the Carolina Wren and the varied notes of the Song Sparrow. And come late winter, the American Tree Sparrow will offer its tinkling, love song before heading north.

This winter, listen for bird song and perhaps when the Hermit Thrushes come through in early spring, you may even hear one sing in Illinois, as Paul Clyne did.

Sheryl DeVore

MEADOWLARK

A JOURNAL OF ILLINOIS BIRDS Volume 15, Number 3 - 2006 ISSN 1065-2043

Visit Our Website at: http://www.illinoisbirds.org

Articles	
The love song of <i>Catharus guttatus:</i> Hermit Thrushes singing in Illinois – Paul R. Clyne	82
Juvenile Hermit Thrush in Chicago – Geoffrey A. Williamson	86
Memory Lane: The 1978 Chicago Ross's Gull - Carolyn A. Marsh	87
Photo Essays	
Bald Eagles in winter – Mary Kay Rubey	90
Winter birds of Illinois	92
- Mary Kay Rubey, Matt Fletcher, Chris Young	
Departments	
The 2005/2006 Illinois Christmas Bird Count – David B. Johnson	93
Field Notes: The 2005/2006 winter season – Kelly J. McKay	104

About Our Cover:

Peter Olson crafted our cover of a Hermit Thrush. Peter is a professional artist working at the Northern Illinois University Art Museum. He has twice been selected to show his works at the highly acclaimed Leigh Yawkey Woodson Museum Birds in Art exhibit in Wisconsin. His art work can be viewed at http://www.umarain.com/pete.htm.

© Copyright 2005 by the Illinois Ornithological Society. No part of this journal may be reproduced without the written permission of IOS and the chief editor, except brief passages of a paragraph or less in which attribution is made to the journal and author.

The love song of Catharus guttatus: Hermit Thrushes singing in Illinois

by Paul R. Clyne



"For I have known them all already, known them all:—

Have known the evenings, mornings, afternoons,
I have measured out my life with coffee spoons;
I know the voices dying with a dying fall Beneath the music from a farther room.

So how should I presume?"

—T. S. Eliot (1915), The Love Song of J. Alfred Prufrock

I was not actually engaged in existential quandaries when I stepped outside under the bleak winter skies of 14 December 2005. Actually, I was going grocery shopping, picking up some sundries for house guests who'd arrived that day. Yet a few steps outside my front door I was compelled to pause, as I was faintly hearing unknown music from a distant quarter. My first guess was a newly acquired antique music box, playing from behind closed windows of some farther room of a neighbor's flat. That, or maybe wind-chimes from a back yard — also unknown music in the familiar terrain of my front doorstep.

My next guess was perhaps a bird's song emanating from the rear courtyard of our block of buildings. Not, after all, a song I knew, but the distance was great and the audibili-

ty was weak: Some faint, tinkling, enchanting tones, so enchanting that I paused a bit more, scanning the roofs and few visible treetops. No birds, and in any event I was under pressure to get on with errands.

Five steps closer to the grocery store I found the music's source just fifteen feet to my left: A Hermit Thrush (Catharus guttatus) was whispering a song from a leafless bush in the tiny front yard of my neighbor's row-house. So ventriloqual and modest was its song that I'd supposed it had come from quite some distance, yet the bird was so close as to be clearly identifiable to the naked eye. Its rusty tail and

Above: Hermit Thrush at Kettle Moraine State Forest, South Unit (Walworth County) Wisconsin. 17 October 2004. Photo by Mary Kay Rubev.

rump contrasted with its plain brown back. It obliged me once or twice with its characteristic tail pump. Eventually, it also uttered its distinctive chup-note a few times, interspersed within its subdued song. Eventually, I reached the supermarket.

Groceries and errands consumed the better part of an hour, but on returning home at 3:40 in the afternoon, the Hermit Thrush was still engaged in subtle song. I dragged my binoculars and house guests outside to partake of this rare encounter. The guests remained polite for a moment or two before returning indoors. It was, after all, right about freezing, with scant snow flurries.

Several authors have remarked on how unusual it is to hear Hermit Thrushes singing outside their breeding grounds. Arthur Cleveland Bent, in his classic series on the life histories of North American birds, notes (p. 143) that neither Alexander Wilson nor John James Audubon-the two most venerated founders of American ornithology—was familiar with this bird's song. Bent himself grew up in central Illinois but never knew the song until he moved to Maine. However, Bent also includes (p. 159) accounts of Hermit Thrushes singing in winter, especially on arrival at, and just before departure from, their winterforests of central Alabama and on the "peninsula of Missouri." He continues,

"Many other observers have had similar experiences, of hearing the full song of the hermit in their winter haunts...," and he bluntly adds, "...this bird does not sing during its migration journey."

The Jones and Donovan fascicle on this species in the Philadelphia Academy of Natural Sciences series on North American birds notes (p. 9), "Generally does not sing on wintering grounds, though exceptions exist (Bent 1949, Stupka 1963, Potter et al. 1980, W. Gram pers. comm.)," and "...rarely sings during migration (Todd 1940, Bent 1949)." The datedness of the references is striking in this recent, comprehensive overview of the species. A Cornell Laboratory of Ornithology Web page on Hermit Thrush remarks that the song is "...heard rarely in winter and not at all during migration...."

Within Illinois, there are few published records of Hermit Thrushes singing at any time of year. Ridgway's founding monograph on Illinois birds back in 1889 includes a second-hand description of the song (from Dr. Thomas M. Brewer of Boston), and I don't suppose Ridgway—who was, as he put it (p. 3) "autoptically familiar only with the bird-fauna of the southeastern portion of the State"—knew the



ing grounds in the pine Hermit Thrush, Severson Dells Forest Preserve, forests of central Alabama Rockford, Winnebago County. 15 October 2005. and on the "peninsula of Photo by Mary Kay Rubey.

song in life. A century later, Bohlen's monograph notes only that the Hermit Thrush "rarely sings its beautiful flutelike song in Illinois." Robinson's (1996) study of southern Illinois birds remarks, under spring data, that "Sometimes, on cool, clear mornings, Hermit Thrushes will sing, but it is uncommon."

In their thorough monograph on the thrushes of Illinois, Graber, Graber and Kirk remark (p. 18), "We have never heard a hermit thrush sing in Illinois, though they do sing occasionally in the northern region of the state (Farwell 1919, and Craigmile 1945)." Farwell's encounter was in Lake Forest (Lake County) on 17 Apr 1912, when he was awakened at 5 a.m. by a song that "could not have been anything but the Hermit at so early a date." He adds, "I have not heard of its singing during migration in this locality before, neither had Mr. B. T. Gault, of Glen Ellyn, to whom I wrote." The Craigmile reference is to an Illinois Audubon Bulletin mention of a Hermit Thrush singing at Thatcher Woods in Cook County on 15 Apr 1944: "The rarest treat of the morning was the flute-like song of the hermit thrush on Edgewood lawns. He gave two encores. It seldom sings in migration...." These two citations are, in fact, the only

previously published concrete records, including date and site, of singing Hermit Thrushes that I've found for anywhere in the state.

In Jackson Park, Chicago, where I've done most of my birding, and where Hermit Thrushes attain some of their highest published numbers for anywhere in Illinois during migration, I have only one previous record of a singing Hermit Thrush. This was an individual that I saw issuing complete songs at full volume on Wooded Island on 11 Apr 1995.

On 15 Dec 2005, I posted a solicitation for further information on this topic to the ILbirds

Web site, and in March of 2006 I sent direct inquiries to several key, long-term Illinois birders. The feedback I received increased the number of concrete records from four to 25, along with several undated records, but only increased the number of birders with datable records from three to eight. Fifteen of the 25 concrete records are from a single observer in a single county; viz., H. David Bohlen in Sangamon County. Two additional modern observers provided undated recollections of hearing Hermit Thrushes sing in Illinois, and I assume that Robinson's remarks above reflect, at least in part, personal experience,

The six available fall dates are all somewhat to very late (11 Nov-14 Dec) in the season for apparent migrants and are consistent with the claim that Hermit Thrushes are prone to sing on arrival at their wintering grounds. In addition, Dale E. Birkenholz (pers. comm.) noted hearing Hermit Thrushes on several occasions over the years while deerhunting in southern Pope County in mid-November; the songs were issued in early evening under warm, clear weather.

The nineteen spring dates (15 Mar - 22 Apr, averaging 9 Apr) are clustered prior to peak passages of spring migrants. In most cases it is

impossible to say whether the individual birds were spring migrants as opposed to wintering residents (perhaps, in some cases, wandering a bit from their wintering turf prior to migration), although the three dates from Kankakee in 2006 suggest wintering, as they were all noted from a patch of honeysuckle where the species was also found in January of that year (Jed B. Hertz, pers. comm.). A high count of two

singing Hermit Thrushes comes from Lincoln Gardens in Springfield on 15 Mar 2006.

The Illinois data thus seem consistent with, albeit not directly supportive of, statements in Bent and elsewhere that Hermit Thrushes do not sing on migration.

Below are the concrete Illinois records of singing Hermit Thrushes that have come to my attention:

Date	Site	Obse	rver Source
15 Mar 2006	Sangamon Co (Lincoln Gardens, Spfld)	HDB	pers. comm.
20 Mar 2000	Jackson Co (Pomona)	KAM	pers. comm.
29 Mar 1998	Sangamon Co (Lincoln Gardens, Spfld)	HDB	Bohlen MS
4 Apr 2003	Sangamon Co (Washington Park, Spfld)	HDB	Bohlen MS
4 Apr 2006	Kankakee Co (Kankakee)	JBH	pers. comm.
6 Apr 2006	Kankakee Co (Kankakee)	JBH	pers. comm.
9 Apr 1989	Sangamon Co	HDB	Bohlen MS
9 Apr 2006	Kankakee Co (Kankakee)	JBH	pers. comm.
10 Apr 1998	Sangamon Co (Lick Creek)	HDB	Bohlen MS
11 Apr 1998	Vermilion Co	CBT	pers. comm.
11 Apr 1995	Cook Co (Jackson Park, Chicago)	PRC	pers. obs.
14 Apr 1976	Sangamon Co	HDB	Bohlen MS
14 Apr 1998	Sangamon Co (Lincoln Gardens, Spfld)	HDB	Bohlen MS
15 Apr 1944	Cook Co (Thatcher Woods)	EAC	Craigmile 1945
15 Apr 1980	Sangamon Co	HDB	Bohlen MS
15 Apr 1980	Sangamon Co (Boy Scout area)	HDB	Bohlen MS
15 Apr 1998	Sangamon Co (Lincoln Gardens, Spfld)	HDB	Bohlen MS
17 Apr 1912	Lake Co (Lake Forest)	EDF	Farwell 1919
22 Apr 2001	Sangamon Co (Round Inlet, Spfld)	HDB	Bohlen MS
11 Nov 2003	Sangamon Co (Lincoln Gardens, Spfld)	HDB	Bohlen MS
26 Nov 2004	Lake County (Lyons Woods)	KL	pers. comm.
27 Nov 2003	Sangamon Co (Woods by Lake Spfld)	HDB	Bohlen MS
2 Dec 1997	Sangamon Co (Round Inlet, Spfld)	HDB	Bohlen MS
9 Dec 1997	Sangamon Co (Lincoln Gardens, Spfld)	HDB	Bohlen MS
14 Dec 2005	Cook Co (Hyde Park, Chicago)	PRC	pers. obs.

Abbreviations: HDB = H. David Bohlen, EAC = Esther A. Craigmile, PRC = Paul R. Clyne, EDF = E. D. Farwell, JBH = Jed B. Hertz, KL = Karen Lund, KAM = Keith A. McMullen, CBT = Craig B. Thayer. Spfld = Springfield. MS = unpublished manuscript.

In addition to undated records above (Robinson, Birkenholz), Keith A. McMullen recalls at least one additional encounter in southern Illinois, after the spring arrival of Swainson's Thrushes, and Steven D. Bailey communicated, "I think that I have heard Hermit Thrushes in song no more than two or three times in my life in Illinois...."

My many thanks to the following observers for comments, including informing me of lack of encounters with singing Hermit Thrushes in Illinois: Steven D. Bailey, Dale E. Birkenholz, H. David Bohlen, Joel Greenberg, Jed B. Hertz, Robert D. Hughes, Dan M. Kassebaum, Karen Lund, Keith A. McMullen, Michael L. P. Retter, Kevin B. Richmond, Douglas F. Stotz, Craig B. Thayer, and Eric W. Walters. Joel Greenberg supplied me with the passage from Farwell 1919, for which I am most grateful. I also thank my neighbors, James E. Miller, Jr., and Kathleen Farley, for hosting the impetus for this study in their front yard; curiously, the preceding year they had asked me to comment on references to thrushes in lectures by T. S. Eliot in preparation for Miller's 2005 T. S. Eliot: The Making of an American Poet, 1888-1922, and a part of our correspondence included the anomaly of Hermit Thrushes singing away from their breeding grounds.

Literature cited

Bent, A. C. 1949 Life histories of North American thrushes, kinglets, and their allies. U.S. National Museum Bulletin 196. 454 pp.

Bohlen, H. D. 1989. The birds of Illinois. Indiana University Press, Bloomington, IN. 221 pp.

Bohlen, H. D. MS. A study of the birds of Sangamon County, Illinois. Illinois State Museum. In Press.

Butler, A. W. 1898. The birds of Indiana. 22nd annual report, INd. Dept. Geology and Natural Resources. Pp 575-1187. [p. 1156: "In the depths of the northern forests it finds its voice, lost there the year before, of which we of more southern latitudes know nothing."]

Cornett, R. H. 1956. The Hermit Thrush's song. Kentucky Warbler 32:20.

Craigmile, E. A. 1945. Bird walks in Thatcher Woods. In: Illinois Audubon Bulletin 54:3-7.

Dinsmore, J. J., T. H. Kent, D. Koenig, P.C. Petersen and D. M.

Roosa. 1984. Iowa birds. Ames: lowa State University Press, Ames, IA. 356 pp.

Farwell, E. D. 1919. Bird observations near Chicago. Chicago: privately printed.

Graber, R. R., J. W. Graber, and E. L. Kirk. 1971. Illinois birds: Turdidae. Illinois Natural History Survey Biological Notes 75. 44 pp.

Jones, P.W. and T. M. Donovan. 1996. Hermit Thrush (*Catharus guttatus*). In The birds of North America, No. 261 (A. Poole and F. Gill, eds.) The Academy of Natural Sciences, Philadelphia PA, and the American Ornithologists Union, Washington, D.C. 28 pp.

Ridgway, R. 1889. The ornithology of Illinois. Pt. 1, Vol. 1. State Laboratory of Natural History, Springfield, IL. 520 pp.

Robinson, W. D. 1996. Southern Illinois Birds: an annotated list and site guide. Southern Illinois University Press, Carbondale, IL. 432 pp.

Stupka, A. 1963. Notes on the birds of the Great Smoky Mountains National Park. University of Tennessee Press, Knoxville, TN. 242 pp.

Todd, W. E. C. 1940. Birds of Western Pennsylvania. University of Pittsburgh Press, Pittsburg, PA. 710 pp.

Whitney, N. R., B.E. Harell, B.K. Harris, N. Holden, J. W. Johnson, B.J. Rose and P.F. Springer. 1978. The birds of South Dakota: an annotated check list. South Da-kota Ornithologists' Union, Vermillion, S.D. 311 pp.

Annotated bibliography

This bibliography includes additional information from a variety of sources not referenced in the text of this article.

Baumgartner, F, M. & A. M. Baumgartner. 1992. Oklahoma bird life. University of Oklahoma Press, Norman, OK. 443 pp. [p. 284: "...it is silent during its season with us."]

Brown, D. R., P. C. Stouffer, and C. M. Strong. 2000. Movement and territoriality of wintering Hermit

Thrushes in Southeastern Louisiana. The Wilson Bulletin 112:347-353. [p. 349: "We heard singing in the form of soft, whispering song several times both with and without playback, usually soon after fall migration."]

Johnsgard, P. A. 1979. Birds of the Great Plains: breeding species and their distribution. University of Nebraska Press, Lincoln, NE. 539 pp. [p. 343: "sometimes its...song can even be heard in wintering areas, although it does not sing during migration."]

Mengel, R. M. 1965. The birds of Kentucky. American Ornithologists' Union Ornithological Monography 3, Lawrence, KS. 581 pp.. [pp. 362f.: "So far as known, the...song...is very rarely heard in Kentucky.... On the evening of April 3, 1938, I heard 2 singing... on a wooded hillside near Louisville." "Song...was heard briefly near Harlan, Harlan County, on December 4, 1955. (Cornett 1956:20)"]

Miller, L. 1947. Birds of the campus. University of California Syllabus Series, No. 300. University of California Press, Los Angeles, CA. 37 pp. ["...even his delicious 'whisper song,' which he gives in March from the thick shrubbery under my office window, can be heard only from a few feet away."] From Birds of Westwood Web site.

Miller, W. 1911. The notes of the Hermit Thrush. Bird-Lore. 13:99. ["The Hermit Thrush seldom sings while with us in the spring, and the song is so low as to be inaudible if one is more than a few yards from the singer. On March 19 [1910, near Plainfield, New Jersey], I was agreeably surprised to hear four or five of these thrushes singing through most of the afternoon, though it was raining at the time. The song of only one bird, however, was of sufficient volume to be heard at any distance."]

Mumford, R. E. and C. E. Keller. 1984. The birds of Indiana. Indiana University Press, Bloomington IN. 376 pp. [p. 234: "Hoosiers sometimes have the chance to hear the song of the hermit thrush in our state in spring migration," and "Many hermit thrushes spent the winter of 1954-55 in the Harrison State Forest (west of Corydon). At 5:30 AM on March 31, 1955, Mumford...became aware of at least four hermit thrushes in song."]

Oberholser, H.C. 1974. The bird life of Texas. University of Texas Press, Austin TX. 1069 pp. [p. 666: "...seldom sings away from its nesting territory."]

Potter, E. F., J. F. Parnell, and R. P. Teulings. 1980. Birds of the Carolinas. University of North Carolina Press, Chapel Hill, NC. 399 pp. [p. 275: "...rarely sings... while here. Apparently it sings only briefly just past sunrise and occasionally at dusk, doing so most frequently soon after arrival in fall and shortly before departing in spring."]

Robbins, S. D. 1991. Wisconsin birdlife: population and distribution, past and present. University of Wisconsin Press, Madison, WI. 702 pp. [p. 440: "To most Wisconsin observers the Hermit Thrush is an uncommon migrant..., silent except for an occasional barely audible "schuck"....]

Turcotte, W. H., and D. L. Watts. 1999. Birds of Mississippi. University Press of Mississippi, Jackson, MS. 432 pp. [p. 333: "I have heard it in song in Mississippi during the winter months only twice, once in the evening twilight and once at sunrise while duck hunting in Delta National Forest."]

Webster Groves Nature Study Society. 1998. Birds of the St. Louis area: where and when to find them. Webster Groves Nature Study Society, St. Louis, MO. 202 pp. [p. 127: "It rarely sings during its stay in the St. Louis area."]

> — Paul R. Clyne 5538 S. Blackstone Ave. Chicago, IL 60637 paulclyne 2000@yahoo.com

Juvenile Hermit Thrush in Chicago

By Geoffrey Williamson

On 9 October 2005 I was birding at the Jarvis Migratory Bird Sanctuary in Chicago's Lincoln Park, when a Catharus thrush landed about 15 feet away from me on the mulch path outside the fenced sanctuary. The bird was relatively tame and did not fly as I raised my binoculars to study it. The most striking features of the bird were the numerous feathers on the head and back that had buff spots. I also noted the reddish tail and uppertail coverts that contrasted with the gray-brown coloration of the remainder of the bird's upperparts. Clearly this bird was a Hermit Thrush (Catharus guttatus). The fact that the bird raised then slowly lowered its tail several times further supported this identification. I presumed at the time that the buff

spots in the head and back feathers meant that this bird was a juvenile, which was confirmed by information in Pyle et al. (1987) and in Jones and Donovan (1996).

Though I had seen countless Hermit Thrushes in Illinois, this was the first time I had seen a juvenile of the species, and I recognized this occurrence as rather unusual for Illinois. I endeavored to photograph the bird using my digital camera hand-held to my binoculars. Several of the resulting images, though blurry, enabled one to identify the bird as a Hermit Thrush and showed the extensive amount of buff spotting in the feathers.

Though the southern edge of their breeding range reaches the middle latitudes of Wisconsin, Hermit Thrushes have never bred in Illinois (IORC, 1999). During the Illinois Breeding Bird Atlas project from



Juvenile Hermit Thrush observed in Chicago's Lincoln Park, 9 October 2005. Note the extensive spotting on the head and back and also the wing coverts. Photo by Geoffrey A. Williamson

1986 to 1991, not one Hermit Thrush was observed (Kleen, Cordle, and Montgomery, 2004), and no occurrences of Hermit Thrush are included in the summer seasonal reports of

Meadowlark vol. 1–14. Therefore this bird was likely a migrant from outside Illinois.

In Hermit Thrushes, the first prebasic molt occurs from early July to early September and can be complete from August onward (Jones Donovan, 1996), and fall birds arrive in Illinois no earlier than mid-August. Thus, juvenile-plumaged Hermit Thrushes are quite rare in Illinois, with most young birds that reach the state in fall having already attained first

basic plumage. Robert Hughes has noted that in 25 years of birding in Chicago, he has never seen a juvenile Hermit Thrush (pers. comm.). H. David Bohlen commented that during many years of observation in central Illinois, he has never seen a Hermit Thrush with retained juvenal feathering on the head or back (pers. comm.). Among 20 hatching vear specimens of Hermit Thrushes in the Illinois State Museum collection, only three have a few light spots on the coverts and none have spots on the head or back (H. David Bohlen, pers. comm.). I examined Hermit Thrush skins in the Field Museum of Natural History's collection: none of the 207 specimens collected during August through November in Illinois showed spotting

in the head or back. Of these, at least 152 were noted as having less than 80% skull ossification and were likely immatures.



Adult female (bottom) and juvenile Hermit Thrush collected 29 July 1963 in Cheboygan, Michigan, from the holdings of the Field Museum of Natural History. Photo by Geoffrey A. Williamson

However, on 11 October 2005. just two days subsequent to my observation of the Lincoln Park bird, Paul Clyne noted two individual Hermit Thrushes on Wooded Island in Jackson Park, Chicago with varying amounts of retained juvenal plumage. One bird showed four to six long buff tips to the scapulars on either side as well as gray-buff spotting on the head (about 10 such spots on the right side of the head behind the auriculars through the nape; the left side of the head was not observed). The other showed at least nine long buff tips on the scapular and upper back feathers on the left side (the bird's right side was not seen, and views of the head were poor). Both birds were somewhat more advanced in plumage than the Lincoln Park bird but were strikingly juvenal nonetheless.

Acknowledgements

I would like to thank the Field Museum of Natural History and its bird collections manager Dr. David Willard for access to and assistance with the museum's collection, and Dr. Douglas Stotz of the Field Museum of Natural History for helpful discussions.

Literature Cited

Illinois Ornithological Records Committee. 1999. Checklist of Illinois State Birds. Illinois Ornithogical Society Special Publication No. 1.

Jones, P. W., and T. M. Donovan. 1996. Hermit Thrush (*Catharus guttatus*). In The birds of North America, No. 261 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C. 28 pp.

Kleen, V.M., L. Cordle, and R.A. Montgomery. 2004. The Illinois Breeding Bird Atlas. Illinois Natural History Survey Special Publication No. 26. 459 pp.

Pyle, P. et al. 1987. Identification Guide to North American Passerines. Slate Creek Press, Bolinas, CA. 278 pp.

— Geoffrey Williamson geoffrey.williamson@comcast.net

Memory Lane The Chicago Ross's Gull of 1978

Larry pulled a U-turn

in the middle of

Lakeshore Drive at

Division, in a blizzard,

with a traffic

cop furiously blowing

his whistle at us.

By Carolyn A. Marsh

When I was writing an article on Jackson Park birder, Dale Pontius, to celebrate his 100th birthday, I read in one of his bird notebooks: "Dec. 2, 1978, 7:00-1:00, North Avenue Beach. Watch for Ross's

Gull (Rhodostethia rosea) with Doug Anderson." I wondered if it was instead a Ross's Goose or the Ivory Gull.

However, back then, according to Chicago Area Birds published in 1984 by Steven Mlodinow, the Ross's Goose

was listed as a very rare vagrant and there was no record of it yet in Chicago. The Ivory Gull was considered hypothetical. The Ross's Gull was also marked a very rare vagrant, except there was a first record. These are the recollections of seven birders about the legendary bird and event in Chicago birding history.

Andy Sigler

I was birding at Gillson Harbor in Wilmette when I saw this small gull sitting in the lake. It was gray above and below on the wings with a white trailing edge. It didn't have much of a bill; it looked dinky because the dark feathering around the bill obscures it and makes it look tiny. The breast was pinkish. I asked a guy that was also bird watching, if he had a bird book. He did and lucky for me it was the Golden Field Guide as it was the only bird guide at the time that had the Ross's Gull in it. I didn't have a car then so once I realized it was the Ross's I ran all the way to the Baha'i Temple, up all of the stairs to find a public phone, but there was none. I then ran to the phone booth in the train station and called Larry Balch. He came and we spent hours in the harbor searching for the bird, but it never showed up again.

You have to remember the bird previously was considered totally a Siberian gull. Birders would go to Gambell, Saint Lawrence Island or Alaska to see Ivory and Ross's Gulls migrating through. It was found nest-

ing in small colonies in the Canadian Arctic and near Churchill, Manitoba in the early 1980s. I don't know what its status is today.

What's endearing about this sighting was that Larry and I had discussed this exact species just months before. I had mentioned to him that when I was living in New Jersey, I watched the evening news on television about a Ross's Gull found in Massachusetts. Larry declared that it was him on national television!

Larry Balch

This was not a life bird for me. A couple of years earlier I took a day off from teaching math and flew to see the Ross's Gull that was reported in Newburyport, Massachusetts. Thousands of birders were looking for it up and down the East Coast as it was the first North American sighting.

When I arrived, the group of birders already present did not see it at the usual place so I moved away to look for it by myself.

Miraculously, I did relocate it and had to go back to tell the group when I saw a NBC camera crew and called out, "The bird is over here." After I returned to Chicago I was very surprised to see myself in the lead story on NBC national news at 5:30 p.m. talking about the Ross's Gull.

About the Wilmette Ross's Gull, needless to say, I was skeptical, but despite my skepticism I went to Gillson Harbor and met Andy Sigler. After he described the bird, I then realized it could be the bird. However, it was not seen again for ten days, until Nov. 29, when I continued to check the Lake Michigan shoreline and accidentally ran into Lucy Gemlo and Walter Hopkins at Fullerton Street Beach. They described a bird that sounded to me like it could be the Ross's Gull.

The next day, along with Richard Biss, Dave Bohlen, David Johnson and Gerry Rosenband, I finally saw the bird in flight at North Avenue Beach; it was easy to pick out.

On Saturday, Dec. 2, there were at least 100 birders lined up on the beach, but no bird. The New York Times was there and interviewed Andy. A picture showing the line of birders on the beach was on the front page of the Sunday, Dec. 3, 1978 paper.

H. David Bohlen

I must have heard about the sighting of the small gull with pink underparts from Larry Balch. We were in contact those days about rarities. I tried to get someone to go to Chicago with me — but no one would go. I myself was indecisive. I awoke about midnight and thought "What else besides a Ross's Gull would have pink on it?" (Years later I actually saw a couple of Bonaparte's Gulls with pink blush.) So I jumped into my car and drove 3 1/2 hours to North Beach.

I remember it was still dark when I got there. And cold. As it got light I was standing on a park bench jumping up and down to keep warm. A Chicago cop stopped and inquired what I was doing – then joked about it when I told him. Richard Biss showed up and some others including Gerry Rosenband and said the gull had been seen out on a sand spit. We made the short walk out there. A few Bonaparte's Gulls were working low along the shore. Then the Ross's Gull flew in and joined them. It was very close and we

I finally saw the bird in flight at North Avenue Beach; it was easy to pick out.

could see the peaked head, the wedge tail and dark area around the eye. It was slightly pink also but the vividness of this changed with the light angles. After we watched it intently for quite awhile and Biss took several photos — the bird flew. We tried to follow it — but I think we lost it.

The main credit for finding and identifying the bird should go to Andy Sigler. I just lucked out going up to look when I did.

Richard Biss

I remember taking the photos through a regular camera attached to the back of my Questar. The field of view was very small, it was very dark in the viewfinder, and the bird was far away, so I was pretty sure that nothing would come out. I was totally amazed when I had the film developed that there was anything identifiable in the photos. These days with people's digital cameras they can instantly see the results of their efforts without having to wait to have film developed, and also without having to worry about whether they had their f-stops set correctly for the light conditions.

Dave Johnson had someone print out some T-shirts. We had two different types made up. One of them says Bird Chicago in print on the front, and Ross' Gull, 78 on the back. Another T-shirt has Bird Chicago in writing on the front, and Ross' Gull, 78 on the back, with a drawing of a pink breasted Ross's Gull. I still have them, but they have shrunk with the multiple washings, and now my daughter wears them sometimes. (Note that Ross's Gull was spelled Ross' Gull in 1978).

That was the same year I did an Illinois big year, ending up with 307 species. I know it was a lifer for me and most other birders that were there at the time, and we were all very excited.

Greg Neise

I was working at the Chicago Academy of Sciences that day, and Dr. William Beecher was called about the bird. He grabbed me and we walked over to North Avenue beach. There were already a number of birders strung out from Fullerton to North Avenue when we arrived. There was a northeast wind raising a good 3-foot chop on the lake, and hundreds of gulls, mostly Bonaparte's, were feeding in the algae that were being churned by the breakers.

We stood with others near the beach-house, but wandered north about 150 yards. I could see clutches of birders at Fullerton and North Avenue, all picking through the Bonies that were being tossed around like confetti by the increasing gales (remember that this was the day the great blizzard of '78 began). Beecher and I started ambling back toward the main group. As we got closer it became apparent that they had the bird, and as I ran up it was pointed out to me as a dot on the horizon headed out past Navy Pier.

At this point I was standing next to Larry Balch who grabbed his Questar and took off in pursuit. I'm not sure how, but I wound up in the front seat of his then-famous white Volvo wagon. He and Gerry Rosenband had "cop radios" that they used on Attu Island in Alaska, and I believe that Gerry was some-

place north of us, talking to Larry on the radio. Gerry said something, and Larry pulled a U-turn in the middle of Lakeshore Drive at Division, in a blizzard, with a traffic cop furiously blowing his whistle at us. We raced back north.... I never saw the bird...at least not a bird that I will count as a Ross's Gull.

Tom de Boor

I was one of the many birders who came down from Wisconsin the day after the last sighting. I heard about the bird from a friend, the great Wisconsin birder Randy Hoffman, who offered me a ride down to look for it. I was too young to drive yet. I remember calling the Chicago hotline a lot both before and after we went down. Got my life Brant and life Harlequin Duck that day, but was pretty much inconsolable. I was a kid and I'd read all the stories about the Newburyport bird that Roger Tory Peterson chased.

Eric Walters

I had just started birding and was 15 at the time, not old enough for me and my friends to drive, but incredibly excited about what was so tantalizingly near us. I do remember listening about the Ross's Gull on the hotline, the precursor to what IBET is now. Larry Balch founded the Chicago Rare Bird Alert and he was able to talk about the incredibly rare bird as nobody knew anything about them.



A group of birders enjoy views of the Ross's Gull at North Avenue Beach, Chicago, 2 December 1978. Pictured from left to right, Gerry Rosenband, Tom Pucelik, Penny Pucelik, Larry Balch, Richard Biss, Barbara Hickey (Balch), and second from right, Jeff Sanders. Photo by Dale Pontius.

— Carolyn A. Marsh 1804 Oliver St, Whiting, IN 46394-1725 cmarshbird at prodigy.net

Editor's Note: Ross's Gull is considered a species at risk by the Canadian government. Officials are working on a recovery strategy for this species, which should be completed in 2009. This species is a victim of predation by polar bears as well as collection of eggs by humans. A black market exists for the eggs.

For more information on this species in Canada, visit this Web site: http://www.speciesatrisk.gc.ca/search/speciesDetails_e.cfm?SpeciesID=59



Bald Eagles in winter

Photos by Mary Kay Rubey

Except for Alaska, Illinois holds the largest concentration of Bald Eagles during winter in the United States. Staff photographer Mary Kay Rubey visited the Rock River area in Winnebago County the winter season of 2005/2006 to photograph the eagles you see on these pages.






90







Volume 15, Number 3

Winter birds of Illinois





While winter may seem a dreary time, for birders, it can be exciting and rewarding. Birds like Harlequin Ducks and Northern Shrikes make their appearance in Illinois in the winter, with shrikes hanging around until March and an occasional Harlequin lingering through winter. Though most Tundra Swans migrate through Illinois, a few, even in small flocks, remain in some places such as Lake Chautauqua in the winter as well.

Featured on this page,
Tundra Swan,
8 January 2006
on the Rock River in
Blackhawk Park, Rockford
(Winnebago County)
by Mary Kay Rubey.
Northern Shrike, with vole
winter 2006 at Rollins
Savanna (Lake County)
by Matt Fletcher:
Harlequin Duck,
26 January 2006 at Lake
Decatur (Macon County)
by Chris Young.



The 2005/2006 Illinois Christmas Bird Count

by David B. Johnson

Weather wise, the 2005/ 2006 Illinois Christmas Bird Count practically mirrored the previous season (2004/ 2005). Cold and snowfall came very early to the state (around Thanksgiving time), pushing many waterbirds out of the state due to the many frozen bodies of water. The average low temperature was 23 degrees Fahrenheit and the average high temperature was 33 degrees Fahrenheit. The average snow depth was one to 2.5 inches statewide.

A total of 162 species were reported from 64

counts. Also reported were two forms ("Harlan's" Redtailed Hawk, and "Oregon" Dark-eyed Junco), and one unrecognized form (Ringed Turtle-Dove), as well as four count week species.


Where there was open water, waterfowl were observed in good and often record numbers. Amazing numbers of some geese, waterfowl, herons, wrens, thrushes, and sparrows were tallied on many counts.

Observers covered 21,895 miles in 3,608 party hours, plus spent 183 hours and 1,381 miles owling statewide. Rockford logged 8 hours and 12 miles by ATVs and cross-country skiis.

Three southern Illinois counts surpassed the century mark of 100 species: Arklands (103), Mermet Lake (109), and Rend Lake (101). The highest species total for a central Illinois count came from Crane Lake – Sangamon (92) with Springfield a close second (90), and the highest northern Illinois count was Lisle Arboretum (80). Fermilab-Batavia reported the highest number of field observers (101), and Waukegan had the highest number of feeder watchers (76). Table 1 lists the counts, their compilers and other pertinent count circle data. Map 1 shows the count circle locations. The remaining tables show the count species broken down into North, Central, and South regions of the state.

High Counts

Sixteen all-time state high counts were set for an individual species total recorded within a count circle.



Eastern Bluebirds at Rock Cut State Park, Rockford, Winnebago County. 25 December 2005. Photo by Eric Walters.

Union noted 27 Trumpeter Swans. There was an amazing mix of geese high counts: Arklands noted 15,266 Greater White-fronted, 99,080 Snow, and 200 Ross's Geese. Rend Lake tallied 6,755 Common Goldeneye and 903 Hooded Mergansers. 28 Cooper's Hawks at Fermilab-Batavia and Lisle Arboretum reflect

this species' population expansion. Arklands noted an impressive 10,023 American Coot. 2,142 Mourning Doves were at Thorn Creek. Calumet-Sand Ridge noted 201 Monk Parakeets. A remarkable 17 Eastern Phoebes, 72 Ruby-cowned Kinglets, 350 Eastern Bluebirds and 126 Hermit Thrush were at Horseshoe Lake. Three very tardy Gray Catbirds were at Fermilab-Batavia. Finally, Arklands tallied a remarkable 38 Pine Warblers.

The top 10 species with the most number of individuals (in order of abundance) were Common Grackle (1,048,601), blackbird sp. (659,766), Red-winged Blackbird (401, 612), Snow Goose (268,718), European Starling (244,525), Canada Goose (195,960), Mallard (183,301), American Crow (165,235), Ring-billed Gull (65,442), and House Sparrow (37,774). Close behind (11th spot) were Greater White-fronted Goose (35,716) and (12th spot) American Robin (32,330).

Geese through vultures

Greater White-fronted (35,716 in 21 circles), Snow (268,718 in 30 circles) and Ross's (254 in 8 circles) Geese were detected in outstanding numbers this season –mostly in southern Illinois. Trumpeter Swans (54 in 8 circles) are being noted with increasing frequency particularly along the Mississippi River Valley. Tundra Swans (19 in 7 circles) were barely detected this season. New to the state's CBC list was a Mottled Duck at Springfield (present as a count week bird last 2004/2005 CBC season). Crane Lake (1), Mermet (1) and Pere Marquette (1) recorded the only Blue-winged Teal.

Bald Eagle numbers continue to soar for the Illinois Christmas Bird Count. This photo was taken in March 2006 along the Mississippi River by Emil Martinec.



Northern Pintail (6,080 in 29 circles) were mentioned by several compilers as being in high count numbers. There was a good sprinkling of Canvasback (925 in 30 circles) and Redhead (297 in 19 circles) throughout the state though in small numbers. Decatur recorded a Harlequin Duck - always rare inland. The only scoter noted was a Black at Clinton Lake. A few Long-tailed Ducks (17 in 5 circles) were sprinkled around the state with 3 at Rend Lake and one at Union being rather far south. Hooded Mergansers (1,871 in 34 circles) were reported in good numbers. Ring-necked Pheasants (414 in 34 circles) and Northern Bobwhite (379 in 26 circles) were noted as being in low numbers whereas Wild Turkeys (1,726 in 47 circles) are being detected in often remarkable numbers. Rend Lake noted the only Common Loon and Eared Grebe. Davenport (1), Carlyle Lake (7), and Pere Marquette (153) detected the only American White Pelicans. Great Blue Herons (1,283 in 55 circles) were ubiquitous and often in high counts whereas Blackcrown Night-Herons (22 in 3 circles) were confined to Chicago's canal zones. Meredosia Island (1) and Pere Marquette (1) recorded the only Great Egrets. Black Vultures (295 in 7 circles), as always, were confined to southern Illinois. The northernmost Turkey Vultures were two detected at Kankakee.

Diurnal raptors through gulls

Eagles (3,281 in 47 circles) continue to be detected in record high numbers. Northern Harriers (532 in 51 circles) were widespread this season and often reported in high count numbers by several compilers. Cooper's Hawks (393 in 61 circles) continue their increase and presence statewide. Northern Goshawks are conspicuous by their near absence with Champaign (1), Crane Lake – Sangamon (1), and Jackson (1) noting the only individuals statewide. Red-shouldered Hawks (166 in 26 circles) were sparse in northern and central Illinois but were easily detected in southern Illinois (153 in 17 southern Illinois circles). The Harlan's form of Redtailed Hawk was reported from Pere Marquette(1) and Collinsville (1). The only Golden Eagle report was from Pere Marquette (1). Thirteen Merlins (in 13 circles) were noted statewide. For the 5th out of 6 seasons a Merlin has returned to winter at a Chicago urban cemetery. No Peregrine Falcons were detected in southern Illinois and Champaign (1) noted the only central Illinois Peregrine Falcon; Davenport (2), Lisle Arboretum (3), Chicago Urban (1) and Chicago Lakefront (1) tallied the remaining Peregrines in northern Illinois. Lisle Arboretum noted the only Virginia Rail. Rend Lake (2) and Thorn Creek (1) noted the only Sandhill Cranes. Rend Lake

94 Meadowlark

noted a tardy Spotted Sandpiper, pending review. Least Sandpipers were detected at Mermet Lake (12), and Pere Marquette (8). Mermet Lake recorded the only Dunlin. Arklands (3) and Mermet Lake (2) detected the only American Woodcocks. A Parasitic Jaeger was a rare find at Chicago Lakefront. Bonaparte's Gulls (714 in 9 circles) were nearly out of the state during the season with the northernmost gulls at Clinton Lake (9), Peoria (24), and Springfield (135). Unusual gulls were hardly detected this season. Carlyle Lake (3), Chillicothe (1), Crab Orchard (1), Mermet Lake (1), Rend Lake (1) and Springfield (2) noted Lesser Black-backed Gulls. Calumet Sand-Ridge (1) and Evanston (2) noted the only Glaucous Gulls. Three Great Black-backed Gulls were at Calumet Sand-Ridge.

Pigeons through kinglets

Eurasian Collared-Doves (246 in 21 circles) are on the move (apparently along railroad lines and grain elevators). The most remarkable owl find this season was in southern Illinois; a count week Burrowing Owl that was present for some time but not detected on count day at Arklands. Another owl that didn't count was a Snowy observed just before the Waukegan count. Short-eared Owls (91 in 13 circles) were rather wide spread this season whereas Long-eared Owls (22 in 10 circles) were hardly noted, and the only Northern Saw-whet Owls were detected at Barrington (1) and Middlefork (1). Red-headed Woodpecker (795 in 51 circles) numbers were low statewide. Sapsuckers (405 in 44 circles), Northern Flickers (2,146 in 64 circles), and Pileated Woodpeckers (512 in 38 circles) were reported in high count numbers for some circles. An amazing total of 60 Eastern Phoebes were in 9 extreme southern IL circles. A most outstanding flycatcher rarity was Crane Lake's solitary Say's Phoebe. Loggerhead Shrikes (25 in 8 southern Illinois circles) and Northern Shrikes (12 in 7 circles) were hardly detected this season. Middlefork

(1) tallied the southernmost Northern Shrike in central Illinois. A rare (for this season) Fish Crow was noted at Mermet Lake. Horned Larks (7,704 in 56 circles) were detected a bit easier along snow-swept roadsides. Horseshoe Lake noted tardy Tree (1) and Barn (1) Swallow. Union also noted 2 late Barn Swallows. Redbreasted Nuthatch (442 in 53 circles) numbers were supposed to fall this season—that did not happen—exactly. High counts of wrens and in some areas kinglets were noted. Carolina Wrens (2,022 in 58 circles) were often reported in high counts by some compilers. Winter Wrens (198 in 35 circles) seemed to be rather detectable. Solitary Marsh Wrens were tallied at Horseshoe Lake and McHenry. Union reported the only Sedge Wren. Golden-crowned Kinglets (1,151 in 43 circles) and Ruby-crowned Kinglets (207 in 20 circles) were a mixed-bag of noteworthy numbers with northern Illinois and some central Illinois compilers complaining of low counts for particularly Golden-crowned Kinglets.

Thrushes through buntings

Amazing numbers of Eastern Bluebirds (3,418 in 53 circles), Hermit Thrush (534 in 39 circles), and American Robins (32,244 in 54 circles) were tallied and reported by compilers statewide. The Gray Catbird (10 in 7 circles) and Brown Thrasher (56 in 12 circles; all but two confined to southern Illinois) numbers, though small, were noteworthy. The northernmost American Pipit (19 in 6 circles) was detected at Hennepin (1).

Arklands tallied an amazing aforementioned 38 Pine Warblers; others were noted at Cypress Creek (1), Horseshoe Lake (1), and Warbluff (6). Clinton Lake (1) and Marion (1) noted the only Common Yellowthroat.

Evanston (1) and Mermet Lake (1) noted Spotted Towhee. The only Vesper Sparrow was noted at White Pines (1) and Van Petten (1). Highly detected sparrows included: Savannah Sparrow (246 in 25 circles); Fox Sparrows (361 in 44 circles); White-throated Sparrows

(7,353 in 62 circles); and White-crowned Sparrows (1,893 in 53 circles). Arklands (5), Cypress Creek (5), Horseshoe Lake (5), Rend Lake (2), and Union (1) noted Le Conte's Sparrows—all in southern Illinois. Lapland Longspurs (2,912 in 42 circles) and 752 Snow Buntings (in 25 circles)



Say's Phoebe.
Crane Lake, Mason County,
during the Sanganois
Christmas Bird Count.
17 Decmber 2005.
Photo by Dennis Oehinke.

were often detected along snowy road edges and manure spreads this season with the southernmost individuals at Arklands, Baldwin, and Carlyle Lake. The only Indigo Bunting was a count week bird at Carlyle Lake.

Blackbirds through weaver finches

Western Meadowlarks were detected at Princeton-Camanche (1) and Mermet Lake (1). Some compilers felt mixed about Rusty Blackbird numbers (19,995 in 21 circles) and the detections at Arklands (16,022) and Horseshoe Lake (1,600) were numerous contradictions to other low or nil counts. Arklands (10) and Marion (2) reported the only Brewer's Blackbirds. Winter finches were almost non-existent: Chautauqua NWR (7) and Fermilab-Batavia (1) noted Red Crossbills. Carlyle Lake (1) noted the only Common Redpoll. Pine Siskins (116 in 21 circles) were sparse statewide. Evening Grosbeaks were at Clinton Lake (1) and Thorn Creek (17). Eurasian Tree Sparrows (1,776 in 15 circles) are marching up Illinois's river valleys with Peoria (13) now recording this species with regularity.

Wisconsin (LIN SCIL) (REE) (ISH) (ISH) (ISH) (ISH) (ISH) (INCL) (INCL

Corrigenda

The Henslow's Sparrow report at Carlyle Lake (2004) was not accepted by the Illinois Ornithological Records Committee and has been deleted from the CBC database.

Acknowledgments

Thanks to the compilers, observers, feeder watchers and friends who so kindly support the effort of data collection for one of the largest bird databases in Illinois ornithological history. Christmas Bird Counting is a grand tradition—thanks to all who participated and support this effort! Until next season—keep looking up—and listening, too!

— David B. Johnson 504 Crown Point Drive Buffalo Grove, IL 60089-1660 djohnsoda@comcast.net

Key to Tables

Code	Description
dd	details desired
ed	excellent details
gd	good <u>d</u> etails
he	high count for that circle
HC	all-time <u>H</u> igh <u>C</u> ount
nc	new species to that circle's count
NC	New to the state's Count species list
nd	no details
ps	present for some time
ph	<u>Ph</u> otographed
qd	questionable details
rn	remarkable number
rr	remarkable record
ud	unconvincing details
boldface	species/number/item of note.

Note: 2005/2006 CBC count circles

The empty circles did not report to the Illinois CBC. Some circles bordering Illinois report to other states.

Editor's Note:

The Kankakee Count Circle on the map to the left is placed erroneously mostly in Will County. It should be located farther south mostly in Kankakee County.

Illinois 2005/ 2006 Christmas Bird Count • Table 1

The color of the	Count Name	Map I.D.	Date	Т	T1 m		Tem		Snow	Water	Wind	Wind	Veloc	Field	Feeder	Feeder	Parties	Party	Hours	Hours	Party	Miles	Miles	Owling	Owling Compiler	Area
Hamming Control Cont				Begli	in	End	Low H	ich			Direction	Low	High	Obstv	Ohsev	Hours		Hours	on foot	byear				Hours	Miles	
Hamming Control Cont	Andelusia	AND.1	4-Ja	n 50	00	1700	35	40 Cloudy	0	Partly Froz	W	10	1 2	5 5	.0	.0	2-4	34,25	10.25	24	298.5	7.5	291	4.25	43 Kully J. McKag	
Company	Barrington	BARR	19-De	43	30	1600	-5	13 Cleur			174	4	1	0 29	6	9.5	14	7175	-1025	31.5	311	30.75	28025	1.5	1 Duane Heaten	
Cargo Carg	Calumet City-Sand Ridge	CALU	31-De	c 70	00	1630	28	38 Partly cloudy; cloudy	0	Partly Open	II.	6	1	2 25	10	-22	3.11	58.25	33.5	24.75	289.5	21.25	268.25	0	O Carolyn Marsh	
Camerian	Chicago Lukefron	CHIL	25-Do	c 70	00	1500	15	28 Cloudy	1-2	Partly Open	NE	1.5	3	0 10	. 0	0	4	19.5	17	2.5	57.3	14	+13,5	.0	6 Joel Greenberg	
Campaigness	Chicago (urban)	CHIU	1S-De	ec 33	30	1600	9	15 Partly/clear	2-8	Partly Open	W.	5	1	0 19	S	5	10	62	52	10	291	41	250	- 5	3 Jeffrey Sanders	
Designation Column Colum	Climonia	CLIA	15-De	c 43	30	1700	24		1 2	Frozen	SW'	1 0	2	0 9	- 0	. 0	- 4	31.25	5.5	25.75	277.25	3,25	274	5.75		
Section Company Comp							8				N.M.	1 10	1	5 20	27	36	7				552,25	11,25				
Programment books 1986 1986 20 20 20 20 20 20 20 2	DeKalb				15	1630	10		0 .	Partly Open	W			0 14	1			4525				26	419	6.5		
Figure F	Evansion (uprth shore)	EVNS			00	1630			1.0	Partly Open	VAR	0			30	713	10	106.75	83.75	23	349.5	76.5	273	3.5		
Transport Tran					15	1645	8	17 Panty cloudy	6-9	Partly Open	W	0		101	- 1			211	163.5	47.5	714	139	579	- 6	37 Jeff Charman	
Control of Control o	Freeport	FREE	17-D	e 50	00	1630	6		4-10	Partly Open	W	5	1	0 16	- 4	7	- 5	35,75	3.56	32.5	428.08	1.98	417	3.75	56 Richard Berning	N
The component	Green Island Lost Mound	GILM	16-D	e 51	15	1715	14				11/2	0	1	0 10	(1)	0	2-6	39,2	6	33.2	325.5	8,5	317	2.75	36 Dan Weton	
March	Illimi State Park	TLLI	IS-D	c 50	00	1645	8	15 Partly cloudy; Clear	.6	Partly Open	WNW	4	1	5 9	4	- 4		27.25	3	2425	285	4	281	1.75		0
Second Conference Conferenc		JOLI	17-Do	c 60	00	1730	15		3.5	Partly Open	SW	5		5 15	1	0,5	7.	-57	17	40	423	16	407	0	0 Greg Blahm	
Marchannes Casta 13,000 68 79 71 31 35 George 62 63 64 79 71 35 16 George 63 79 71 35 16 16 16 16 16 17 17 18 12 18 18 18 18 18 18						2030					WSW	5						71.5	43	28.5				S		R
Miles Mile	Kishwaukee									Partly Open	W.	2				8.3										
Section Sect											W.	1 8										105				T
Monte Monte Ministry 100 1-bit 700 160 31 31 31 500-007 10 10 10 10 10 10 10		MCHE					10				M.SM.	7														
March Corp. March Corp. March Corp. March Corp. Corp		1									E	1 4			_											H
Hamper Inferente Memory - Princente MEMORY 1.7 km								1.0 410.002			Isul	1 0	1 .	1.5		_		20112							o management of the	1
Francesconder P.C.A. So-Des Sto 1700 11 25 Clear 1 1 1 1 1 1 1 1 1							6			The second second second		2	-	_	-											
Marche March Mar							11					4														
Schegoride S. SEAR 3-Jun 700 1700 25 11 Figgrey consect 1.0 Partly Prize 1.0									_		1.000															
Scored Book Sane Prek Sign P 1-10 40 100 32 45 50 50 70 Party Free E 8 10 3 3 6 38 115 345 364 359 329 330 340 450						2000				r direct open	-	_	-	-				_								1
Theorems Plan Frees: 7.07F 3-July 390 800 35 45 County Spatrain 0 Party Free 5 18 33 13 35 8 51.73 325 303 31.73 2073 708 0.5 0 0 0 18 300 0 0 0 0 0 0 0 0												1 0	_													_
Washing VAND 240-06 509 700 51 35 Congregation 1 Freedom W 1 2 70 0.0 4 7.1 2 70 0.0 8 2 508 2 508 2 508 1.5 7 1.6 1.0									-		E	3	1				-									
Western West	ASSESSMENT OF THE PARTY OF THE								0				-			72		51,75								_
White Wilson Wi		1							1		111	1	1		_	0		31	-						2 4 Leading at 11 and 14 con-	
			100000								SE	1 0	1			187-5										
State Stat	White Panes	-			county stra	entrant sin	-		_		W	- 4			-	- 1	3-1				-				The state of the s	
Champaign Course	Bloomington-Normal							The state of the s					1			- 1										
Chantengran N.W. C. CLAM. Jobes 500 [46.8] 38 J. 50 party closely flower party closules of C. Darty Open. W. B. 10 16 1. 2 0 5.275 5257 27.5 57. 19 278 Canal Scient Approximate Entirementals C. CLAS. Jobes 70 (100 31) Approxy Codes platform of the Computer of Computer Comp							1.01				3,4,55	- 0		100		0	-				1			1		C
Chilleonide CHIL Chillouride CHIL Chill CHIL CHIL CHIL CHIL CHIL CHIL CHIL CHIL	Champaign County	CHAM														-										
Charles California Califo	Chautaugua N.W.R.		23-D							Partly Open	SW'															E
Crane Lask/Singamon CRLK 17-Dec 700 630 20 42 Clary ports closuly Party Froz N.W. 0 5 9 9 0 6 47.5 12 55.5 300 11 205 0 0 October familial	Chillicothe								0	Partly Open	1			-1.		2	7									
Decard D	Cimion Lake	CLLK	2+Jt	60	00	1700	45	60 Cloudy, clear; rain	0	Open	SE-NW	5	1	5 14	0	0	6	40	19,35			26.5	333	0.5	5 Myrna Desten	N
Element Kanger ERNX IT-Dec 500 1700 8 22 Clear 6 8 Partly Froz W 3 5 12 8 9 0 5 5 5 10 25 596.5 0.5 386 4 59 Fart Kengery For For Clear Fart Kengery Fo	Crane Lake-Sangamon	CRLK	17-D	c 70	00	1630	20	42 Clear; partly cloudy	0	Partly Froz	SW	0		5 9	0	-0	6	47.5	- 12	55.5	306	51	295	- 0	Robert Randall	
Figure Figure Figure Figure St. Dec 600 1800 1.6 33 Glear partly cloudy 1.5 Partly Open SW 0 10 12 0 0 7 5.8 44.03 13.55 318 5.0 279 3 2.5 Mariffelin F. Carrystell Middle Feek Name MFRV 14.05ee 1.0 17.15 2.0 3.0 1.0 Tarry Froz W 0 1.5 1.5 0 0 0 5 5 8 57.75 42.25 15.5 26.3 41 121.15 4.5 9.5 Stepach D. Mallet Feek Name MFRV 14.05ee 1.0 1.	Decatur	DECA	17-De	61	15	1630	13	30 Ocar	0	Parily Froz	VAR	2	1	0 9	4	- 8	2-7	36,25	22.5	13,75	198	19	179	. 5	10 Ross Thompson	T
Microbin Married MERE 15.Dec 630 170 30 41 Cater partie plear 0 party Froz SW 0 15 9 0 0 5 4 31 16 22 372 19 353 0 19 bary West Newton	Eastern Knox County	EKNX	17-D	ec 50	00	1700	8	21 Clear	6-S	Parily Froz	W	3.5	1	2 8	0	0	-5	35	10	25	396,5	105	386	4	50 Jim Mountjoy	
Misself Service Misself Missel	Forest Glen Preserve	FGPR	21-D	c 60	00	1800	16	33 Clear partly cloudy	1-3	Partly Open	21/2	0	1	0 12	0	0	7	54	+0.73	13.25	315	36	279	- 3	2.5 Marilyn F. Campiell	N.
PEOR 13-Dec 700 600 15 27 Clear party-cloudy 0-2 Party-Froz SW 6 64 14 10 15 50 330 14 3.25 0 0 1.8 Frimem		MERE	15-De	c 63	30	1700			0	Partly Froz	SW	0	1	5 0	- 0	- 0	5	43	16	27	372	19	353	0	0 Tony Wazil	
Quincy Quincy Park Park Face Sal 630 15 2.7 (Clear 0 Parky Froz SW 6 6 14 10 8.75 8 51 10 41 404 7 397 2 1.5 Ken Heinzer L.		MERV	14-Ds	c 13	30	1715	29		1.5	Open	ISE	1 0	1	4 12	5	- 5	8	57.75	4223	15.5	262.5	41	221.5	4.5	39.5 Steven D. Balley	Α
Quincy Quincy Quincy Purple Quincy Q	Peoria	PEOR	17-D:	c 70	10	1600	15	27 Clear: partly cloudy	0-2	Partly Open	W	2		5 22	3	- 6	. 8	66	13	53	339	14	325	. 0	OL H. Princes	
Raminal Rushi P. Dec 600 1800 22 35 Partly cloudy 0 Partly Open E 5 0 2 4 5 2 6 6 6 0 4 4 0 1 Hamold E. Headden	Ouincy	OUEN	17-De	53	sal	[630]			-	T 12	211.	6		6 14	10	8.75	B	51	10	41	404	7	397	- 3		I
Springfield SPFD IR-Dec 300 1730 S 20 Lefts sows partly clear I Partly Open NW 7 14 17 10 20 12 87 34 53 522 35 488 7 40 It. David Bohler											E	1 5		-								4	-0	1		
Western Marroer Co. WMER 18-Dec 500 1700 25 35 Cloudy 0 Partly Open W 5 10 11 0 0 3-5 44 6.5 37.5 33.5 33.5 8.5 222 6 65 Kelly J. McKay											NH	7	1	4 17	10			87			573					Ī
ARKL 25-Dec 630 1715 20 35 Cloudy 0 Open NV 5 8 5 0 0 0 5 46 18 28 360 17 342 225 36 Joseph F. Merlightsch Baldwin Lake-Kaskaskin BALK 17-Dec 415 1643 22 36 (Clear, partly cloudy 0 Partly Froz WW 5 10 12 4 8 58 40.5 2823 12.25 268.5 17.5 26 1 1 44.7 Tim Oever Bill District Control of the Co							25					1 3												6		
Radowin Lake-Kaskuskio By M.K. 17-Dec 415 1645 22 36 Clear, partly cloudy 0 Partly Froz W 5 10 12 4 8 5-8 40.5 28.25 12.25 258.5 17.5 236 1 44.7 Tim Dever					_			ACTUAL PLANTAGE OF THE PARTY OF			SILV	_	december 1	11	-					1		17				_
Bird Haven SanctOliney	The second secon	-									1	-	-	-					- 4.9							-
Carligle Lake CALK 14-Dec 900 1700 30 38 Cloudyrfoggarainsnow 4 Partly Open SW 10 15 14 0 0 5 5 58 24 34 482 25 457 7 140 Dan Rissecham Cellinaville COLL 29-Dec 500 1530 33 37 Cloudy 0 Open SE 0 25 12 0 0 5 5 5.75 16.25 36.5 334.4 8.2 25 457 7 140 Dan Rissecham Secretary 1.50 170 30 30 30 Clear partly cloudy 0 Partly Froz NW 0 7 17 0 0 5 5 5.8 24 34 482 25 457 7 140 Dan Rissecham Secretary 1.50 170 170 170 170 170 170 170 170 170 17																0										
Celimantille COLL 29-Dec 500 1530 333 57 Cloudy 0 Denn SE 0 Denn SE 0 25 12 0 0 5 52.75 16.25 36.5 33.43 18.5 316 0 0 Pank Holmes S Crab Orchard N.W.R. CROR 17-Dec 130 1700 30 30 Clear: party cloudy 0 Party Froz VAR 0 3 8 0 0 4 32.5 7.5 30 331 13] 318 5 SO Mike Brown County Lineala Field County JACK 1-Jun 20 180 20 180 20 20 20 20 20 20 20 20 20 20 20 20 20												1	1			0										1
Crab Orchard N.W.R. CROR 17-Dec 130 1700 30 39 Clear, partly cloudy 0 Partly Froz N.W. 0 3 8 0 0 4 52.5 7.5 30 33 13 31 31 55 50 Mike Brown											1-					0	-								Pro post recorded and	1 0
Cypness Creek CYCR 19-Dec 660 1706 15 32 Clear: partly cloudy 0 Partly Froz NW 0 7 17 0 0 5-8 102.25 62,6 39.75 459.5 49 410.5 1 1 Jeff tienser 0 OMary Jane Horf Henseshue Lake HSLK 29-Dec 50 1730 36 49 Cloudy 0 Open N 0 5-10 10 0 0 7-10 10 0 0 7-10 10 0 0 7-10 10 0 0 7-10 10 0 0 7-10 10 0 0 7-10 10 0 0 7-10 10 0 0 7-10 10 0 0 0 7-10 10 0 0 0 7-10 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0									-	the state of the s	NA.				_	0									North Control of the	- 2
Eliah ELSA 1.3 an 800 1400 41 83 Partly cloudy; Clear 0 Onen SE 5 10 6 1 1 4 15.25 22.55 13 76.4 3 73.4 0 0 Mary Jain- Hoff		-										-	-	4.	-	0										
Herseschine Lake HSLK 29-Dec 530 1730 36 49 Cloudy 0 Open N 0 Open N 0 Open N 0 5 16 0 0 7-10 79.5 37.5 42 39.4 31 36 37.5 42 39.4 31 36 36 32 52 52 52 52 52 52 52 53 53.6 1730 36 36 36 53 53 53 54 54 53 53 53 54 54 53 55 53 53 53 53 53 53 53 53 53 53 53									-		1	0	4.		.0	0						_			THE COURT OF THE C	0
Feckson Country JACK 1-Jan 230 1800 32 60 Cloudy 0 Open SE 6 16 14 1 2 6 64.75 23.25 41.5 390 16 374 8,75 103 Rhonds S. (Adonno) Rodrigold Clineal Trail State Park LINC 17-Dec 630 1500 36 20 Cloudy 0 Partly Froz Nrw 15 20 6 0 0 24 21.5 2.5 13 130 3.5 132.5 0 Opengary Barath Table Name of the Assays State Audubon NARI 19-Dec 630 1530 20 24 Partly cloudy; clear 0 Open Calm 0 0 12 1 1 7 76.5 23.5 47 394.5 12.5 377 4.5 38 Frank Gennett H Newton NewT 35-Dec 330 164.5 36 48 Partly cloudy 0-3 Partly Open S 5 15 16 0 0 4.7 42.75 28 14.75 19.5 24.5 16.7 2 20.6 16.75 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5		1				4 1 1					IOL	1 5			1		_	1							allowed come com	
Lincola Trail Since Park LDC 17-Dec 630 1500 36 20 Cloudy 0 Partly Froz Craim 0 0 12 1 0.5 4 15.5 2.5 13 136 3.5 132.5 0 0 Peggy Barnith T Marion Co. Kraskaskiski Audubon MARI 19-Dec 630 1630 20 24 Partly cloudy; clear 0 Partly Froz NW 15 20 6 0 0 2.4 21.8 6 15.8 148/5 3.5 145 0 0 Joseph E. Mersaldsuch Marinet Lake, Massac Co. MRLK 31-Dec 200 1800 36 50 Clear 0 Open Calm 0 0 12 1 1 7 7 0.3 23.5 47 394.5 17.5 145 0 OJoseph E. Mersaldsuch Memori Lake, Massac Co. MRLK 31-Dec 200 1800 36 48 Partly cloudy 0 Open Calm 0 0 12 1 1 7 7 0.5 23.5 47 394.5 17.5 17.5 45 18 Frail Gennett H Newton; NEWT 35-Dec 330 1645 36 48 Partly cloudy 0 O-3 Partly Open S 5 15 16 0 0 0 4-7 14.75 28 14.75 191.5 24.5 167 2 23 Frail Gennett H Perc Marquette Park PEMR 17-Dec 800 1630 23 47 Clear 0 Partly Froz W 0 5 21 0 0 8 55.25 23 32.25 277 15.5 261.5 0 0 Robert Thomas Read Lake R No. N. 17-Dec 800 1630 24 44 Clear 0 Partly Froz W 0 5 9 0 0 7 62 27 35 55 16 53 48 56 Keith A. Mashatlen Linion County UNION 30-Dec 530 1700 28 39 Cloudy; light train 0 Open E 0 5 20 0 0 40-13 98.25 48 157.25 48.3 32 431 2.5 4 Vernom Kleen Warbluff Valley Sonetuary: WRBV 18-Dec 630 1715 27 33 Partly cloudy 0 Partly Froz NE 0 2 13 1 2 7 65.75 30 33.75 2375 15.5 25.5 25.5 0 0 10 Autrea Deuglau 11.152												-	_	-					. 4. 7 . 54							J.J.
Marion Co, Kaskaskir, Audubon MARI 19-Dec 630 1630 20 24 Partly Cloudy; clear 0 Partly Froz NW 15 20 6 0 0 24 21.8 6 15.8 148 5 3.5 145 0 0 Descrip E, Merkelbach Marine Lake, Massac Co. MRLK 31-Dec 200 1800 36 50 Clear 0 Open Calm 0 0 12 1 1 7 9.5 23.5 47 394.5 17.5 377 4.5 Shrank Barnett H Newton										7.2.3.1		-														
Mammer Lake, Massuc Co. MRLK 31-Dec 200 1800 36 50 Clear 0 Open Calm 0 0 12 1 1 7 76.5 22.5 47 394.5 12.5 377 4.5 35 Frank Gennett H	Lincoln Trail State Park																		12.5		1					T
Newton: NEWT 23-Dec 330 1645 36 48 Partly cloudy 0-3 Partly Open S 5 15 16 0 0 4.7 42.75 28 14.78 191.5 24.2 167 2 20 24 12.00 0 2 24 12.00 0 0 8 5.825 23 32.25 277 15.5 261.5 0 0 Robert Thomas Rend Lake Roll 17-Dec 430 1700 24 44 Clear 0 Partly Froz W 0 5 21 0 0 0 8 5.825 23 32.25 277 15.5 261.5 0 0 Robert Thomas Rend Lake Roll 17-Dec 430 1700 24 44 Clear 0 Partly Froz W 0 5 9 0 0 7 62 27 35 55.2 16 36 4 56 kctih A Majdullen Linion County UNION 30-Dec 530 1700 28 39 Cloudy light rain 0 Open E 0 5 20 0 0 1613 98.25 41 57.25 463 32 431 2.5 4 Vernom Nices Warbfull Valley Sonetury: WRBV 18-Dec 630 1715 27 30 Partly cloudy 0 Partly Froz NE 0 2 13 1 2 7 65.75 30 33.75 27.75 18.25 25.3 0 0 0 Autrea Deuglas 22.563 33.3 1 1.152	Marion Co. Kaskaskia Audubon					-			_						- 77	- 51			- 6						The state of the s	
Perc Marquette Park PEMR 17-Dec 800 1630 23 47 Clear 0 Partly Froz W 0 5 21 0 0 8 55.25 23 32.25 277 15.5 261.5 0 0 Robert Thomas	Mermer Lake, Massue Co.																						377	4.5		11
Rend Lake RBLK 17-Dec 430 1700 24 44 Clear 0 Partly Frox SW 0 5 9 0 0 7 62 27 35 552 16 536 4 56 Keith A Makhillen Linion County UNION 30-Dec 530 1700 28 39/Cloudy; light min 0 Open E 0 5 20 0 0 10-13 98.25 4 57.29 463 32 431 2.5 4 Vennom Kleen Warhfulf Valley Sanctuary: WRBV 18-Dec 630 1715 27 39 Partly cloudy 0 Partly Frox NE 0 2 13 1 2 7 65.78 30 33.75 277.35 18.25 289.3 0 11-Andrea Designar 14-15 28 177.5 3008.8 170.3 189.25 218.5 289.3 20.357.7 18.2 8 1851.4	Newton	NEWT	23-D			1645		48 Partly cloudy	0-3	Partly Open	S	5			0	0	417	42.75			191.5	24,5	167	2	23 Jeffers W. Walls	
Rend Lake RBLK 17-Dec 430 1700 24 44 Clear 0 Partly Frox SW 0 5 9 0 0 7 62 27 35 552 16 536 4 56 Keith A Makhillen Linion County UNION 30-Dec 530 1700 28 39/Cloudy; light min 0 Open E 0 5 20 0 0 10-13 98.25 4 57.29 463 32 431 2.5 4 Vennom Kleen Warhfulf Valley Sanctuary: WRBV 18-Dec 630 1715 27 39 Partly cloudy 0 Partly Frox NE 0 2 13 1 2 7 65.78 30 33.75 277.35 18.25 289.3 0 11-Andrea Designar 14-15 28 177.5 3008.8 170.3 189.25 218.5 289.3 20.357.7 18.2 8 1851.4	Pere Marquette Park	PEMR	17-De	e 80	00	1630	23	47 Clear	0	Partix Froz	W	0		5 21	.0	0	S	5525	23	32.25	277	15.5	2013	0	O Robert Thomas	
Warbluff Valley Senetuary: WRBV 18-Dec 630 1715 27 39 Partly cloudy 0 Partly Fresh NE 0 2 13 1 2 7 65.75 30 33.75 277.75 15.25 259.3 0 10 Andrea Douglas 22.563 33.3 11.152 1401 285 517.5 3608.6 170.3 189.18 23.95 1525.0 20357.7 182.8 1387.4	Rend Lake	RDLK	17-De	c 43	30	1700	24	+1 Claur	0	Partly Froz.	24.	0	+		0	Ü	7.	62	27	35		16	536	4	56 Keith A MeNtallen	
22,563 33.3 1.152 1401 285 517.5 300k.6 17013 1891.8 23.995 1525.6 20357,7 182.8 1307.4	Linion County	UMION	30-D	c 53	30	1700	28	39 Cloudy, light min	0	Open	E	0		5 20	0	- 0	10-13	98,25	41	57.25	463	32	431	2.5	4 Vernon Kloen	
22,563 33.3 1.152 1401 285 517.5 300k.6 17013 1891.8 23.995 1525.6 20357,7 182.8 1307.4	Warbluff Valley Sanctuary	WRBV	IS-D	c 63	30	1715	27	39 Partly cloudy	0	Partly Froz	NE	0		2 13	- 1	. 2	7	63.75	- 30	33.75	177.75	18,25	259.3	0	II Andrea Dougia	
						1.2								1101	285	517.3		3688.8	178[3	189 L8	21895	1525.6	20357.7	182.8		
					-	4.			1				1	-	-	The second		-	3	_	The second second	Total	Total	Totul	Total	

HENN TOTALS	0	-1	1668 he 90289	+	0 0	2	Đ:	311	M 20075	10	^ =	210	ii.	3	-19	4176- 411	H	함	*	1540	1568	1941		133	40 he 322	30	10	67	0 435	-	131	99 4	28	12	200	20 22	+	75 hc 1030		7		Ari -	188	æ	# 54	NC LS	H	472 5568 R	5	nn	Н	37	
WTPN H		+	2715 166	H	1		+	+	2					N	+	19	L				D			3	40			H		1				**			+	111	-		-		ł	H	1	7	Н		+	+	H	+	
FREE	H	ľ	+	H			+		-	+	+	-		7		-	ŀ			1	ľ	-	+		le.	+	+		+	+	9			H	-		+				-	-	+	H	+	+		8	-	-		308	
2			0 193	H	+		1			1	+	-			+	l	-				10		-	61 hc	40 hc	-	+	H		+	, m	**	+	**			+	0 4	-	0	-	+	-		-	-				+	100		
1	H	+	3500	H	+	Н	9	+	1	-	+	-	1		1				-	3417	39.		1	L	15	+	-	H	14	-		T)	91	7	-		4	4		20.50		4	Ļ	Ц		1	023	1198	1	+	000	100	
KISH		1001	9555		-	**		M .	1786	1	1	210			1	o ho	_		2	3 6			*	TIC	90	1	-	Ц	24	ļ	其	08	91	216.	0	-		1 20		94				Ц	-	9	13	271		1	-	THE .	
ROCK		100	1378			7	1	91	703										-	2				43	31	9		Ц	*		0		6	+	* =	-		200	-				L	Ц		1	**	6	Ц		1,000	9	
3		Š	1407			-		- 95	\$23				er	11 hc					1	14M	R			99	32			15	92		2	set.		*	~			p -					m				150	8			100	dat	
MOWI			3370	£-			E.	32	1224							*				2 +	M	101		ń	29	4	٥	*-	*		-		-	13	- She	310		2 -					33				122				761	130	
DEKA			1901						1001															311	123	I			-					*	11 12			7													643	260	
KANK		Ī	38.70	-,	-		100	25	803	es.		Ī	-			10					3	n		6	10	n	Ī		15	r	es		-	5	- 0.50	8		26 he		**		Ī			Ī	l	145 hc	23 H			074	100	
TIOF		1	132	4	6.00		135	ī	1439 he						1				-	- Lange	ñ		Ī	10	w	Ī	Ī	1.	m				Ī		10 hr	10.00		87 -		:		T	-		-	Ī	10S	0		Ī	190	100	100
TCPF	-	1	0964	46,	T	П		t	197						T	T			Ī	ı			İ	-		Ì			-	T		1	Ī	7	n 11			3	T				1	-	İ	İ	507		Ī		381	350	
TST			2,3622	16.14	t	-	Q.	- 1	1091	-					Ī	t			1	7 1	61		t	11		Ī	ľ	H	15	İ		1	Ī	S hc	15 hc	-		55 +		ç		44	· e		*	,	355			t	n	2542	
FERM	Ħ	90	15900	H	H	**	1	6.0	757	_	ri -				i					1 -			+	7		-	-		11					H	TK HC	\vdash	1	8 -		70		H	-	H	4		161	+	ACD.	T	20		
	H	1	1 562	3		H	1		35		+	-			1	Ī	-		+	0	-	+	+	-					2	ł		+	t	H	2 o bc	+	+	z -				+	t				Ð.				9	1	
MCHE BARR		1	1 6521		+	.64	10	1	20	+		-		-	14		-		+	1.		Н	+			-			1	+		+	+	S hc	+	Н			H		H		-	H	+	+	20		+		200	1	
\vdash		-		H	0	Н		+	H		+	-			+	2 4	0						+		H	1	+	H		-		-	+	Н	+			<u> </u>	H					H	-	+				-	4	+	
L CALU		1	1532	+	E CC	**	2		192	-	-	-	*		-	205	100		-	8 5	H	32	+			-	1	>0	0	1	3 pc	*1		H	F4 2/			ti.	H	9			65	Н	-		H		H	1	0.00	TING	
CHILE		-	745	H			1	-	194	1	ļ					4 4	-		81	*	833	25	1				L	Ц	1			-	1		ľ			"	Ц	,		-	31	Ц	-	1 pg 1	305	7 7			5	1	
сшо			689			-	-	- 1	1243	1	-		-	n		4			*	-		22				1			10	,				-	14 hc		11	n		-	-	-	'n				267	=			854)	1000	
IVNS			502	ш		**	11	14	1332					z	-	570		×	7	0	**	513					4		×	-				44	==		-	-		+							328	200			240	1444	
WAUK			10748	A			61	199	1323	-	-			102	-	1197		ri.	33	40	133		N hc					13	*				S	· ·	es r		-	7		19	1		×				594	120		4	123	422	
Species Change Wills-frensed Goose	Smm Gent	Rein/a Genne	Catalogue Georg	Mare Swan	Tundes Swim	Wood Duck	Clidwill	American Black Duck	Mallard	Nuchen Shreet	Commencial Total	duck sp.	Curranback	Richead	Reng-mented Dark	Geographics Scorps	Wanth sp.	Lamp-tailed Duck	Buffebeud	Manied Manager	Common Merganser	Red-breasted Merganser	Ruddy Duck. Am. Black Duck X Mallad	Ring-neckee Pheasant	Wild Turker	Northern Bohwhite.	Harmal Grebe	Double-crested Comorant	Grant Blue Horen	Sinck-crowned Might-Herne Torbey Veltuse	Bald Taple	ndalts	UNIQUEDUM.	Northern Humber	Sharp-shinned Hawk	Acciptor up.	Red-shouldered Hawk	Red-Hiller Hinns	Butcom	July King	Merfin	Percentile Falcon	American Coor	Suudhill Crane	Killider Witness Same	Paradite Jacque	Ring-billed Chaff	Herring Gull Thayer's Gull	Seeined Guill	Great Black-backed Gulf	gulling.	Thismed Terriba Date:	LPLEGgrad Chataffermore,

Illinois 2005/ 2006 • North CBCs

Second S	Species	MAUN EVINS															,				
	ing withte-monda chasse		+			-		Ī		-							H				
	7 Golden															Н					
	ling Geoic	_	-	+	-	14	0	26	3			+	+	+	+	-	-		60	Towns of the last	13
	da Gopes	-	-	+	1532	4279	130	13990	17971		1927	+	+	-	+	+	-	0 103	5315	166K bz	90,21
	College States	+	-		4.80		7		10.00	+	4	0.4			+		+	-			
	indra Swan							Ī	r		She	-	H	H	-	H	-	-			
	and Durk	17	-		**	-01		n	ř						- 2						
	dwall.	-	_		14	5			27		_	М	-	-			9				7
	rican Wigeon	+	+			,		Ī	-		+	1	1	-	+	7	+				
1	resn Black Duck	+	+	+		-		6	-	-					+	+	1			-	
	Did.	+	+	ł	26.	1	100	4.75	101	+		503	190	+	+	+	1		20	31	2007
1	and Salmeria									-	1			-			-				
1	watered Test		-								ŀ						-				
1	The second secon				1.0							-	ŀ	+	-			-			
1	ashart.		>			,				-		-	-								
1	The second secon	1	-					T			+					-	-	-			1
1	THO.	-	1	-					1			-	+			+			4		
1	docked Discis	-				27			1	1	+	6		+	+	+	+				7
1	r Scaup	1916			120				1			-				-	+	1			79
1	# Sobuth	11	eti.	77:	302	9						#				cı	0			20	45
1	\$ 10°.				100																2
1	dalled Dack	40									-		-	-	-		_				
1	shead	_	**	27	173																ň
14 10 10 10 10 10 10 10	non Goldensys:				09		10	400	+	Ĭ		11							3	43	1540
1	ed Merginser	_	7	1	11	7		+			20 hc			-	_	-	1 0				61
14 15 15 15 15 15 15 15	non Mercanser			1033	19		-	=	***		199	3					10		- 4	1	1
1	preasted Mercanser		H	H	38			İ	**		-	-			-	-					375
1	withork	╀	ŀ	H							-		-	-	-					-	L
1	Work Oneb N Malland	-	-					T	T		+		l	-							
	DOLLA DOLLA STREET		-						,	-	+	ł	-	+	+	+		17.49			
1	Special City and		1				1			+	+	+	+	+	+	+	+	t		1000	1
1	D. D. L. L.	-	-						1	t	-			+	+	+	+	+		30.00	
1	SELECTION OF SELEC	-								-	-							-			
1	HAN STORE	-	1						1	l	t	-	1		+	+	-				
1	u viene	1	1						1		,		1	,		1					
1	Detring Common	,						-	,								+	-		7	
The control of the	Dine Herrin	n			0				4	-		0	1		9		+	-			
No. No.	Arthward Naght-Berron		*					1	1		1		1	1	+	+	+				
1	y Vulture								1		-		1		-	+	_	+			
Marie Mari	alike				3 hc						1				1	+	4	+		Z.	745
Marie Mari					**						-		_				_	**		11	(65
State 1	Unites		_		#				-	-	-	-		1		H	21	1		1	
1	thur.																			1	
No. 2	en Harrier	-	=			A)	-	04	S be-	יי	-		-				7	ņ			
1 1 1 1 1 1 1 1 1 1	Change March	-			ě				15 ha	+	-		-					-			
1 3 1 1 1 1 1 1 1 1	CHINADA HAVE	+	+	,		7		-	200	Ť	+	+	4					,			1
sight. 1 3 1 2 2 4 4 64 45 <td>r's Have</td> <td>1</td> <td>+</td> <td>78</td> <td>8</td> <td>A Int</td> <td>26</td> <td>28 H.C.</td> <td>78 85</td> <td>+</td> <td>+</td> <td>+</td> <td>4</td> <td>2</td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td>-</td> <td></td>	r's Have	1	+	78	8	A Int	26	28 H.C.	78 85	+	+	+	4	2				1		-	
1	Where up.								1		+	+	+	+	+	-	+	+			
4	HOUSEDE HOWE	-	+	+						ł	-			+		+	-	ł		10000	
A	ded Hawk	-	-	2	F.,	52	100	96	119	+	9	l hc	+			-	4	+	3.8	12.50	2
Fig. 17 1 2 20 20 21 21 21 22 20 21 21	Hagged Hawk	7					-	**	**		-	-	-	**		**		5	2	20	
1	dico						I		1		1	1	-				-	-			
No. No.	cup.		_										+	-		-	+				
1	icim Xmirel	N .	-		20	-	-	ži.		5		n	×	82		-	+	u u	+	÷	"
S4 S4 S4 S4 S4 S4 S4 S4								1			1	1	1		1	1	+				
S4 S4 S4 S4 S4 S4 S4 S4	ribe Falken			-					-			1					7.1				
S44 S4 S4 S4 S4 S4 S4 S	nia Rudi								-												
Secondary Seco	Tuga Cool	35	90	31	F	#			6	3		160	8.5	13							-
Sept. Size	till Crabe																				
State Stat	-										_	-								17	
Sign Sign	ary Snipe	_						77	*	-	_	_	_	_		1				4.34	
Sept. Size	Hie Jaeger			1 gd								-	-								
1 1 2 2 2 2 2 2 2 2	officed Guiff	_		-	146	117	121	130	355	- 48	-	5 hc	-	-		_	_			99	3300
1 2 2 2 2 3 4 4 4 4 4 4 4 4 4	nt Chall	L	_	_	1130		1	340	69		8 4	Fhc.		_		_		ta	333	472	SSGI
1	Th Gulf	178	*	**	**																
1	d Out							200			-	-			-	-					-
4.33 6.49 1750 57 1187 23.0 23.0 23.0 23.0 23.0 23.0 23.0 23.0	oos Cuff	1 1			1				l	-	-	H	-	-	H	-	ŀ				
4.55 6449 17540 52 1187 23.6 322 307 3342 339 352 760 523 136 106 1234 144 230 382 308 208 208 208 208 208 208 208 208 208 2	Block Shotted Coll		-		e		Ī		l				H			l	L	-			
433 649 1750 32 1187 23.6 232 397 3.42 310 382 760 523 136 106 1254 184 370 382 308 318 6 106 1254 184 370 382 308 318 6 108 1254 184 370 382 318 6 108 1254 184 370 382 318 6 108 1254 184 370 318 318 318 318 318 318 318 318 318 318	HIGHWOOD STAIL							t	4.0	110	+	-	+	-	+	-	-	-			
433 6896 227 1357 23.0 23.2 23.7 1177 66.6 23.0 179 88 100 173.2 23 34 296 213	44	+	+	+		****	8		a	+	-				1	-	+	+			
s 768 696, 227 747 352 227 4177 646 2346 159 88 109 1322nc 239 34 296 213	- dinam	+	+	1	/81	-30	1	20.5	2500	+	275	000	-	30	92	5	+	+	200	8	2
700 700 700 700 700 700 700 700 700 700	red urthe-Dave)	-	-						-	+	200	-	-	+		-	-	-			
755 886 227 352 247 1177 966 2442.RC 466 350 179 88 (60) 1732.hc 219 34 296 213	an Collared-Dove	4	+						7 hc									-		4 be	13
	ing Dave				34.0	2000				l		+			1		1	1			ĺ

Totals 681	32 32 19 19	r = 25.1	173	1 - 111 100 150 151 151 151	e: 62	19 3894 3986 3986	20 23 30 140	100 +109	7521 1700 1779 285	國际 2011	499 397 397	25 26 26 26 21 21 21 21 21 21 21	59
BUSH	- 8						55	-			8 - 2		96
MERE	106 3249 hp	306 hc	7518	103 hc	- P	m rs rs = 3	Q (2 to)	the tal	10 25 (4	28 he 6 he	-8-8-	1.54 bc	158
SPFD	46 2635 8	01.6	343	10 10 10 10 10 10 10 10 10 10 10 10 10 1	S.	4 2 2 2 P	R=2=6-	62 bc	4 m	13 bd	33 30	8 - 850	388
CRLX	F 52 40	358 hc	12.00	- 22 4 2 4 5	7	6	프로드	72	82 hc 36	od to at the	1116	-+9 2	100
CHAC	706 hc 10511 14	re - 85	20	== 1423		0 11 12 13 13 13 13 13 13 13 13 13 13 13 13 13	→ E 28	- 86	森立式	2 4 E	548-	20 3 kg	150 hc 33 hc
EKNX	- 200	15	4		4	33 = 3	- R#2h	- 21	<i>-</i> 1	ri - +	6 - 3	7	a z
PEOR	2014	33	4		gi-	E + 85			25 0	- m ==	4 m 21 -	5 5 24 13323 550	9951
CORRE	5851	ri	1263	30		2106	- 09	F19	455	r+ r+ -	2 2	2 2 3956 185	- 3 %
DECA	1974	9 -	\$00	1-2	4 1 ph. ps	- 115	2 (1 4)	21	ri		p ±	121 23	8 2
	83 83	3.5	13800	⊋ % Ct +	-= -	191 A 24 A 24 A 24 A 24 A 24 A 24 A 24 A 2	. 9	n#	riei	- eres	-2-6	88 88 #	23 25
N I	3504	ļ., l.	6101			St	322	4	n - =	2 de 6	81 - 21 -	F 69	233 80
СНАМ	11.15 %	-	354 ho				2	m		3 13 he	- 2 2 -	. g	1156
FGPR	3450	-	m				表	11		n e	ngne		98 K
MERC	23 hr 1903 4 hr	m	1182	10 hc 0 bc 15		-	7 13 7	2	ić .		13 fc 3 fc	9	300
MUTA	-2	Ш	132	40 40	22	116	8	92	292 182 110	r+ + +	8-8	- 0	209
VNDA	364 hc	c)	100	34 34 34 34 34 34 34 34 34 34 34 34 34 3	23 ke		43 hc	34.90	336 bc 85 49 202	F	23 – 39 E	11 6 L	100
DATA	2025		202	- H	=	200	29 -	10.55		o nin	⊕ - = <i>r</i>	*- 625 -	99 619
PCIA	85 ×		118	- 61	+	520	-1222		434 200 8	rim	2 -		11 34
+	ts ==	es es	15	rt rt	21	E ere	5 8 B	01	28 8 E C		15 12 51	4	381
GILM CLIA	821	Ш	23			in in	< +-		138	PR PN	2-=-		86 23
SCHA							81		30 G F1		tr 10 83		312
VANP	137	- 8	= \frac{\pi}{2}	rs	ret:	9 6	ci e		∞ * M -	(e) =	858-	102	158
Species Greater White-fronted Goose Snow Goose	116. 50.	Hundra Swan Wood Dark Gadwall	American Stack Duck Multard Mandad Duck	The State of the S	Greater Scoup Lesser Samp Harlequin Duck Black Stoeer	Facilities of Common Guidency Common Guidency Common Merganiser Comman Merganiser Reckbreased Merganiser	Neutro Vision Wild Turkey Northern Bobwitte Publishiled Grebe Henred Syste	Double-created Cortiverant Great Bibe Heron Great Egret	Bald Engir Bald Engir adults immanues unisiown	Northern Harrier Sharr—shirmed Hawk Coopsel's Hawki Northern Goulawk	Red-shouldered Hawk Red-silved Hawk Red-silved Hawk American Kestrel American Kestrel Martin		Lesser Black-backed Gall Rock Pigeon Eurasian Collared-Dove Mournan Dove

Illinois 2005/ 2006 • North Central CBCs

Tucafa	103	103	** **	130	1731	1478	239	12	-	+	148410		2027	1073	-1	900	No.	1984	7 10	34	2 0	940	27.00	P+	95	54619	F 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	70		111189	-	n it	132	161	100	11236	149	4034	1887	-	100	453	2005	312	+	3139		13173		453329
BUSH	ri			23	42	46	5	-			14.		3005	15		24	32	71	20.07			10	.0		71	1,00				301			43		-	359	127.50	201	-				1	21		999		3086	97	0.00
MERE	1	e		-11	345	- 8	13	34		. 400	201		507	177		30	12	0	6		2	133	et 17		4	lop		- 001		SES		9	207	111	7	265	-	171	440		1	10	-	= =		102		330	06	17575
0.44S	4	-61		7 0	HH	173	10	E 10			936		303	111		5 2	100	C) /	100	in the	0	z	0	4	-	10403	4	23		320		r	39	- 15	101	246		20 FO9	200			131	35	11.14		248		1250	86	24539
CRLK	27)	-		24.00	127	16	30	8.71	I ph. rr. ps		343. hc		971	1691		8 1	3	114	41 16	96 1	0.11	130 be	10 hc		71	1011	0			1376 hr		-	158	:1=	53	177	1.	263	107			5	3	1 2		336		12K	33	18675
CHAU	-	79		14 lic	NY IIC	57	6	20			200		30	17		55.07	12	n.	2			32	e4 =		0	1174				597		o he	146	ELE	116 hy	392	6	107	. 22			**	8.1	- BI	т-	127		551	87	57040
IKNX	9	x2	<u>-1</u>	-=	40	35	ire	1 7			100		20%	112		55	32		4			I.N.	-			335		4		399			0			466		126	8 +			Ç.	9	44		16		220	69	5634
PEOR	- Ab	4		01.7	37	71	0	. K			542		121	500		2 +	76	4:		-		93	r 1 7			3416	100	-		625			08	Si.	Q Q	070		333	7				-	+ 00		270		089	69	15133
Counts Cim.	-			w c	83	28	13	P. PI		1.600	120		35	316		3	115	44 3	4			25	103			6250	17	4	1000	146			16	re 2	0.00	302	2	1,12	0			6	-	100		123		300	69	2000
Contrast DECA	- 61	6		2 11	33	9	7	El ho		200	06		5	bs		20	35	e .	ri ei			91	0.		er	8591		-		430			92.	2 1/4	Б	851		150				-10		- 1		183		196	100	2199
CLLK	i e	9		0174	3	-40	r-	230		444	402		- 05	126		1	1	10 m	200	+		35.95	4年		**	1400	10.0	e c	101	305		-	33	8 19		:683		17	138		16	XI.	136	123		121		101	96	25114
BLOM		She		10 PE	238	3 46	-	<u>e</u>		400	3270		256	S.			C.	14	00.00			×	- 32		-	696	74	9		572		1	33	2000		379	11	150	FI -	0		10	.2	114		99		258	109	\$2068
СНАМ	N -9			×1	96 hc	10 hc	44	W		1,41	408		910	15 he		9 17 17	47	12 5	40	ra	4	· m	0 7			1720	1 95			147		13 %	(6)	250	146 hc	537	-	30x				-1	- 1	92.1		141		1163	29	11372
FGPR	e w	=		200	101	96	=	08 23		414	190063		200	158		136	127	111	29.00			65	e he		-	1350	++			330			1001	4.3	15	155		301	-	4		220	**	100		201		101	94	27926
MERV	0 -	10	-	18 ho	81	TO.	0.0	16		Total Control	114000		291	101		36 =	12	m S	7		FEE	31	2 5	I bo. us		168	1000	t		c)		She	89	z ş	-	999	1 "	260	-,			11	-	33		130		Ħ	14	131861
vias	16	77		m/m	2	06	共	n w		3	200		51	150		25	107	13		e e		72	- 6			1952	31	31		it			61			224		189	ri					12		160		281	99	6892
Vany	n wa	M		m 35	49 FB	88	19 hc	10		1	# E		13	111		31	94	200	0 00	316		Sign	1 30	Las.		4128	13.5.15	116		985年		12 hc	36	THE PERSON	20.00	911 be	1 11	347 ho	36			m	17	MO ho		39		540	9	10450
DATA	_	12		en en	2.9	(2)	10			1000	1134		139	377		7.	1112	16.4	86	_,		=	27 64			7619				192			66	- 1	96	720	707	420	277		en	8	1583	24		253		2711	11	23223
PCIA	niri	rir			370	36	9	00		199	7.8		501	156		di. r	46	**				e)i				565				943		-	2	m -	1.5	1100	17	168	1.5	-			**	10		775		269	19	2012
Chumb	13	.9		r- m	27	-188	0	20 4			339		- 400	188		26	- E	***	0	15		19	e4 e			2523	707	40.		101			110	se e	12	576	-	221	207	7	-	12	335	61 64		1:0		\$23	50	R3:40
SCHA GILM CLIA	e (*	+4		011	ų	× 75	91	2+		100	174		485	191		07	1	-,	n	-	-	75 bc	,,			1920		14		526			9			562	. 98	190				e	-49	95 to		- 12		719	10	6830
SCHA	5			-	35	36	7.1	12 111		0.0	220		116	112		H.,	45	7				41	90	440		1057	40.	940		236		,	rı			1.1		909	7					6		199		707	43	3308
NAN .	\$2	0 4		9	18.	o la	ш			III.	1751		500	123		=	#	15					n.	4	1/2	1886	15		1 1	H	-		44	ne		187	9	Į.	-					7		99		846	- 29	12114
Species	Great Homed Owl	Barrol Owl Long-sared Owi	Short-cared Owl Northern Saw-what Owl	Belteil Kingflaher Red-hunded Woodpucker	Red-bullied Woodnecker	Yellow-bellied Sapurgler Downy Woodbester	Hutry Wondpecker	Northern (Yellow-shafted) Flicker Pileated Woodbecker	Say's Phoche	Northern Strrike	Amorican Crow	Fich Crow	Homed Lank	Black-camed Chichadee	chickades sp.	Tuffed Titmouling	White-breasted Nuthairb	Brown Creeper	House With	Winter Wron	Colden-crowned Kinglet	Eastern Muchini	Hermit Tärush	Cray Cuthed	Northern Meckingbird	Brown Imader European Starting	Amorican Pipit	Vellow-curred (Mertic) Warbler	Cummon Vellawthroat	American Tree Sparrow	Yespar Sparrow	Sevatinal Sparrow Fox Sharrow	Song Sparrow	Swarttp Spartow	White-crowhod Sparrow	Part-evel (State-colored June	Snow Builting	Northern Cardinal	Red-writing Blackhird	Western Mendowlark	meadowlask ip.	Common Gracule	Brown-handed Cowbird	Purple Finch	Red Croubill	Pine Siskin Americas Goldfings	Evening Orosheak	House Spattery	Total Species	Total Individuals

1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	23.7.8.7.8.7.8.8.8.9.9.1.1.1.0.2.9.8.8.8.8.8.8.8.8.8.8.8.8.8.8.8.8.8.8
20 00 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 t
23.5. EECSAN 23.5.	1. 16
PROME PRO	1302.7 7302.7 7302.7 7302.7 7302.7
TOO T E	3300
NORTH NORT	400 FI FI FI FI FI FI FI FI FI FI FI FI FI
HSELK 2500	25 25 25 25 27 27 27 27 27 27 27 27 27 27 27 27 27
UNION 182900 182900 182900 182900 18300 18	2
Country Coun	25 26 2770 2 26 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
2000 200 200 200 200 200 200 200 200 20	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
10 10 10 10 10 10 10 10	315 114888 11488 11488 11488 114888 114888 114888 114888 114888 114888 114888 114888 114888 114888 114888 114888 1
AACK 250 13 14 15 15 15 15 15 15 15	31 74 74 74 74 74 74 74 74 74 74 74 74 74
80 18 18 18 18 18 18 18 18 18 18 18 18 18	5.6 2.2 2.2 2.3 6.11.7 6.13 6.13 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4
20026 129666 1 129666 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 3 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	7 - 38 - 5 - 7 E
ARKCL PASSAS HE	23 HC 110023 HC
New New	23 40 100 2 4
n 3n n n e ma	R 6 55
N	14 to 25 kg - a to
MARIE WATER 120 - 20 12 12 12 12 12 12 12 12 12 12 12 12 12	第一 v - BC版vo C
Control Control WYRER	- n o
And Some	Autroit Bernard Bernard Bernard Autroit Bernard Autroit Bernard Autroit Bernard Autroit Bernard Autroit Bernard Autroit Bernard Autroit Bernard Autroit Bernard One Enternation College State Bernard One

Illinois 2005/2006 • Central South CBCs

		Central			Lanca Div			1			-		Sunthern		- and							
	RUSH	WMER	QUIN	LINC	NEWT	DIRD	ARKL	MARI	BALK	RDLK	JACK	CROR	CYCR	CALK	UNION	HSLK	MRLK	COLL	PLMR	ELSA	WRBV	Total
Long-cared Owl		1			38		2					2									I.	68
Short-cared Owl		_		_	. 38		- 7	- 4	- 2		- 2		15				-2		-			14
owled Site(fisher	_	4	-	_	-	1	3	1	4	-	4	-		-	-	-	.0	~	71			112
Rod-headed Woodpocker	- 5	-	100	21	5	1:	3	-	8		- 1	3	34		03	99	50	1	33	18	27	301
Red-bullied Woodpecker	7	- 12	83	24	71	9	7,3	34	5.9		55	19	112	70	177	201	134	32	103	43		1017
Yellow-bellied Sapuncker	-	(5	- 65	11	- 11	3.33	- 1	1 1	3.7	- 22	7.00	11 3	34	3	61	62	70.	- 50	11.0	3 1	1=	200
Desay Woodpecker	10	56	1101	34	99	70	57	37	45	- 40	- 45	97	96	75	IGD	121	70	10	6.0	03	10	1454
Hairy Woodpecker		13	11	- 4	II	31	20	15	9		1)	11	18	TÍ.	31	30	30	6	15	16	8	315
Northern (Velloys-sharted) Flicker		17	44	23	33	16	- 35	39	29		20	-13	66	50	162	146	90	22			41	E H.St.
Pilesied Woodpecker		- 6	2.	3	-	14	3	3:	9		- 6	- 00	72	- 4	66	6	70		34	20	3	36.3
woodpecker sp.						7																1
Edatum Phasibo						3 3			1	1	1 -	7	10		0	17 HC	.0		(1)		3	ii()
Layer Alsa Shirte					- 5	6	3					1	3	1.			- 5				4-	115
Blue Jay	30	SS	=229	1,2	96 -	245	155	166	117	170	117	39)	271	178	250	291	18.5	51	15.0	71	321	STILL
Antonia Crow	22	169	120	255	42	55	95	5416	83	155	23:	191	[45	161	:187	E37.	40	396	172	34	1.45	6,196
Fish Crew																						
Horned Lark		31	48	157	118	331	149	1.7	38	12	38		46	224	113	441	- 91		29	- 6	31	1947
True Swallow																						1
Since Sweet law															X							3
Cumino Chickedee				35	SI	136	1/D	1.4	18.8	265	188	195	314)	230	+03	768	123	94			190	3046
Mark-supped Chickdeles	37	135	86								3								128	63		34.1
chickadoc sp.		- 41			-	1	-				-			711	100		200		-	77.	790	4100
Tuffed Timinism	21	28	57	14	49	76	95	III	102		102	75	179	111	268	197	IId	[9	20	61		2185
Red-bransted Nuthatch	100		20	10	12	40	- 4	3	4		4	25 :	12	- 5	101	97	1,670	-	4	1	17	140
White-breasted Naircoch	14	18	117	IS	97	52	31	95	54	15	-54	40	109	16	194	43	102	0	10	45	35	1434
Strawn Creeces Cartollad West	-	.5	14	15		- 3	36		50		50	3 S4 H						2				
House West	- 31		14	15.	-38	-3		58	50	- /3	30	24	80	100	185	196	162	361	No	24	-12	1416
Winner Winn					- 1		-		2	1	- 1		12	- :	-59	40	12 1		- 9			136
Sedge Wres					-	-	-		-		_		-12		1 ed	47	-		-			1
Marsh Wron												- Secretary			110							
Guiden-cowned Kingles		74.			14	- 7	12	31	23	37	- 23	31.3	- 112	Sh.	115	123	62	.5	4-		1365	16JK
Rubs-cowned Flored	(- 5				- 4		1	3		1	25	- 41	27	72 HC	20		1		9	198
Fastern Bluebird	-4	31	100	6.2	- 23	- 86	36	He	44		44	147	139	52	365	350 HC	219	38	103	36	131	2474
Lemma Therigh					1		0	6	.5		5	10	30	10	60	126HC	42		ő.	2	18	308
American Robin		30	SI	30	26	41	102	200	108	293	1108	584	1147	238	1201	REID	212	274	52	184	303	16527
Gost Cabird								1700	1				- 1									4
Northern Mackinghird	3		1.		- 4	1.	11	33	12	17	12	13	26	13	18	3	86	97	g.	71	13	35.8
Bouwn Thranher					1		6,			- 5		2	TI.		5	17/	- 5	-		1 3		54
European Starling	T	25(17)	1353	1318	מעיינ	301.3	10369	5087	619.1	1668	6191	4335	728al	2713	250.0	9600	(2504	2738	2.454	2702	771	136(1)1
American Pipit														14			4				-	16.
Cedat Waxwing		87	216	140	19	-10	19:	39	28		-25	188	32	171	69	20	218	12	48	1.6	217	1026
Yellow-camped (Myrtle) Warbler		- 4	1.		_	4	9	10	13	- 1	13	93	147	29	228	276	95		5		79	1325
Pine Warbiet							38 HC RN						-1								6 m	46
Commo Yellon thrum								1														
Spotted Towhee					1 .		127	4.0					70	1			1				-	1 11
Eastern Towher		165	79	10	234	45	182	77	69	13	69	14	30	10	1S 41	30	85 84	149	57	1	48	312
American Tree Sparrow	15	155	/9	21	12	1 4		17	7		7.	- 6	117	40.1	61		128	147	7	-		
Field Sparrow	12			- 21	1 4		70	1 1	2		2		40		26	63	10	4	12		109	800
Savannah Sparrow Le Conse's Sparrow					- 7	_	4	-		3		-	40	-	20	21	100	-	14		-	1 18
For Storetow					-		0	2	- 6		6:	2.	25		13	47	-5		- 4		19	163
	18	27	26	24	1,14	42	213	-63	50		10	114	474	217	229	267	204	60	84		171	2662
Song Sparrow Lincoln's Sparrow				-65.	1,100	7-	=12	- 42	30	1.00		100	- 174		-24.0	8.01	-	-17		1	119	400
Swamp Sparrow		12			- 6	1	56	23	49	31	49	411	101	95	103	1.13	211	2	-		10	1155
White-flavourd Sparrow		6	18		di.	48	245	115	126	231	136	97	391	167	S14	1082	965	97	- 31	38	JAK	3413
White-colwood Sportow	11		22	12	37	35	33:	55	114	6	114	.0	169	7-1	417	35	251	57	73		16	1136
spacrow sp.						6																0
Obriger val (Oregon) James																2						- 2
Dark-eyed (Slate-colored) Juneo	43	301	428	213	203	293	375	274	200	416	209	469.	496	448	617	947	480	123	F12	91	0.23	3917
Lagrand Langspur					23	38	15		1		L.		2	915	95	1	- 4				3	1 13
Sincox Bunting							2							1		3						5
Nimphon Continol	10	220	214	102	1.1	349	191	219	162	291-	162	TH	305	314	374	485	365	183	213	23	1827	5/197
Indigo Bunting														W2					150			110
Hid-wheel Blackfird		- 7			33	34	208356	87	80	16892	80	AHRE	11614	[9]	298	6000	142269	10 m	2	10	[612]	394010
Ealitem Mediam little					326	89	(,0	107	29	25	29	-57	181	27	67	FI	(.70)	26			-41	uls
Weston Alcolowark					_												-1					
meaderschirk sp.						1															-	1
RuslyBlackbini		- 6				7.	16022	ĽΩ				51.	U.S	a	1	1600	2043		15		24	10007
Hower's Blackbird					-		10		1	war to		100				1000	100000		-			13
Common Grack le	_			38.	9 1	149	SD4452	404	1546		1546	13104	1994	31	320	1000	145514	501	16	351	5475	1043610
Brown-besded Cowlini		3			-	1	2505		27		27	(3)5	50	166	13	160:	123	5-1		200	Ž1	16332
hlackbird sp.	-		- ,.	-	40	5	67000	4220	50		50	12702	840	-		-	5(3500=)	28843	-	9	6793	£516A5
Purple Finch	. 6	22	11	1	-	135	- 2	1	2		- 10	5	15	5	1	100	- 1				29	195
House Finch	22	51.	92	-33	7	-6-6	3	88	39	22	- 14	- 10	- 33	65	21	135	16	46	31	10	33	933
Carpadacus xp.						2:								1m								1
Common Rednoll					-		-		- 2		-	-		1.0					-			1
Pine Sislan	881	1744	120	1.00	57	200	- 4	103	2	1,845	100	119	116	70.0	197	700	17*		75	-58	750	2846
American Goldfisch	69	132	139	148	1 50	90	41	1020	100	1116	100	.119	130	284	197	315	17%	169	73	:23:	126	21(44)
forming Growbeak	-10	453	538	110	Igs.	1573	151	170	153	62	163	- 13	-84	1502	-36	168	201	2019	216	63	NX	6251
		423	339	110	152	127.6	151	1.79	192	- PLi	163,5	13	54	134-	20	100	201			71.7	- 66	The Till
	16	717	40															11500	116 1			853
House Spurrow Furnish Tree Spurrow Total Species	15	237 67	40 62	49	87	8.0	103	73	55	IDI	92	96	91	93	92	93	100	186	116	-45	71	594



Field Notes drawing of Great Horned Owl by Peter Olson,

by Kelly J. McKay

The winter of 2005-2006 showed temperatures well below normal early and late in the season, but well above normal for most of the season. Illinois experienced six substantial winter storms with a variety of precipitation (rain, ice, snow), depending on the temperature at the time. Bird diversity was low compared with recent years, at 168 species compared with 177 species encountered in each of the previous two winters.

Temperatures in the first 2/3 of December were among the coldest in the last half-century, and were accompanied by significant precipitation. Light snowfalls (up to 1-2 inches) were recorded across much of Illinois on 1, 3, 6, 12, and 15 December. The first of two winter storms in this period, on 8 December, dropped 4-8 inches of snow. This was followed on 14 December by a storm producing 2-4 inches of snow and very strong winds with bitterly cold wind-chills. Conditions moderated in the last 1/3 of the month, resulting in temperatures substantially above normal by the last week of December.

January 2006 was one of the warmest on record, with several days in the 50s to low 60s across Illinois. For the most part January was fairly dry, but for 3 major storms. The first occurred on 2 January, as strong thunderstorms passed through the northern portion of the state, producing 1-2 inches of rain. The second moved through the state on 20 January under near-seasonal temperatures. This storm precipitated 3-6 inches of snow over northern Illinois, 4-8 inches of snow across the central third, but rain in the south. The third storm, on 27-28 January, dropped up to an inch of rain over most of the state.

Most of February continued the seasonal to slightly above normal temperatures, with only minor precipitation, but there were significant weather systems at mid-month. On 10 February, southern Illinois received 2 inches of snow and some freezing rain. The following day, 1-2 inches of snow fell over most of the state. Then on 15-16 February, the northern edge of the state was grazed by a front bringing

about an inch of snow with ice and sleet, while the rest of the state experienced heavy rains. This front continued southward under high winds and very cold temperatures, with windchills at -20 to -30 F, and by 19 February it reached extreme southern Illinois, where it left 1-2 inches of snowfall.

While bird diversity was low this season, most of the expected wintering birds, along with a variety of lingering migrants and several "semi-hardy" species were encountered. Additionally, several species typically found only in the southern section of the state were also found further north. Comparatively few uncommon and accidental species were reported this winter, and very little early spring migratory movement was noted, even in late February.

Reduced numbers were generally reported for upland game birds, various waterbirds, shorebirds, gulls, owls, blackbirds, and "winter" finches. Several scarce but regularly occurring species went unreported, including White-winged Scoters, Gray Partridge, Red-throated Loon, Black-legged Kittiwake, White-winged Crossbill, and Evening Grosbeak. By contrast, most woodpeckers, thrushes, "semi-hardy" species (but see Johnson 2006 this issue), and sparrows were found in greater numbers. Some species groups, such as waterfowl, doves, and the non-migratory residents, showed roughly equal numbers of increases and declines across various species.

WATERFOWL TO VULTURES.

Thirty-four species of waterfowl were found in Illinois this winter. About half the species showed increases over recent years, and the other half appeared in smaller numbers. Greater White-fronted, Snow, and Ross's Geese continued to increase and were more widespread, particularly within southern concentration sites and/or the Chicago area. Canada and Cackling Geese were considerably less numerous this winter at their typical central and southern wintering grounds. Mute and Trumpeter Swans were slightly more common and widely distributed, while Tundra Swans occurred in considerably reduced numbers this winter.

104 Meadowlark

With a few exceptions, puddle ducks again showed lower populations as compared to the recent past. There were, however, some noteworthy concentrations of Mallards and Northern Pintails in the south; see details below.

There were no reports of notably large numbers of any "diving ducks" this season. Nevertheless, three notable species were documented. An ongoing Mottled Duck in Springfield, an adult female Harlequin Duck at Lake Decatur overwintered, and three Harlequin Ducks were documented on Lake Michigan. A documentation of a female Tufted Duck in Richland County is pending IORC review.

Four species of upland gamebirds were noted this season, none in particularly good numbers. Northern Bobwhite went unreported from the central portion of the state. Only one report of Greater Prairie-Chickens was turned in from Prairie Ridge State Natural Area. There were no reports of Gray Partridge for the second consecutive winter.

There were no reports of Red-throated Loon this season, and Common Loon was found in sub-normal numbers. A single Eared Grebe at Rend Lake provided the sole noteworthy occurrence within its family. Both American White Pelican and Double-crested Cormorant were found in substantially lower numbers and were less widespread than in recent winters. Herons were also poorly represented, however, a Great Egret in northern Illinois in January was noteworthy. Only three reports for Black Vulture were submitted, while Turkey Vulture was found in fairly typical numbers.

DIURNAL RAPTORS TO GULLS.

Among the 13 species of diurnal raptors recorded this season, numbers were fairly typical. Although Bald Eagle concentrations were smaller this year, notable counts were obtained along the Mississippi River. Other noteworthy raptor numbers included good tallies of Northern Harriers at the Arklands Reclamation Area and Prairie Ridge State Natural Area, and up to 13 Cooper's Hawks in Champaign County.

American Coots were slightly more abundant this winter, but concentrations were confined to the south. Sandhill Cranes were considerably less numerous, especially in northeastern Illinois. The only sizable numbers were at the onset of spring migration.

Shorebirds were well represented during the period, with six species reported, with a rarely reported CBC species, **Spotted Sandpiper** (pending IORC review) being the most notable. Among these, Killdeer were substantially less common and widespread. There were no reports of Killdeer in the north, and five records of nine total American Woodcock, all in the south. By contrast, Wilson's Snipe was more numerous and widespread this winter. The only other relatively unusual shorebird identified this year was a late December **Dunlin** at Mermet Lake.

Gulls in general were in comparatively low numbers statewide, although Ring-billed, Herring, and Thayer's Gulls were found in respectable numbers in the north, and Carlyle Lake hosted up to 60,000 Ring-billed Gulls at mid-winter. There were very few records of the scarcer arctic gulls outside northern Illinois, while Bonaparte's Gull went unrecord-

ed north of Clinton Lake in central Illinois. The most unusual species found this winter was **California Gull**, with singles at Carlyle Lake and Lake Michigan.

PIGEONS TO KINGLETS

Rock Pigeon numbers were somewhat lower this year, but this may not be significant for this under-reported species. Eurasian Collared-Doves showed essentially stable numbers, but with gradually expanding distribution. Mourning Doves occurred in greater abundance, particularly in the northern and central sections of the state. Reports of Monk Parakeets were confined to the Chicago region.

A **Burrowing Owl** at Pyramid State Park in Perry County since mid-October remained much of the winter. Snowy Owls staged an impressive showing, especially across central Illinois, bringing up the southern vanguard of a very large invasion to the north, east and west of Illinois. Other species of owls were noted in fairly typical numbers, but with some increase in Short-eared Owl populations. There were no reports of Barn Owls this season. Woodpeckers were found in typical to slightly above-average numbers, and Red-headed Woodpecker seemed more widespread this season.

A **Say's Phoebe** was documented at Crane Lake in Mason County 17-20 December. Another **Say's Phoebe**—possibly the same individual—came from Cass County, about ten miles distant from the Crane Lake sighting. Loggerhead Shrike numbers were somewhat down this winter, and confined to the south, while Northern Shrikes staged yet another impressive invasion, although most records were confined to the northern third of the state, especially the Greater Chicago region, with only a few birds making it to central Illinois.

American Crow and Black-capped Chickadee remained in somewhat reduced numbers this winter, saved for the large, annual roosts in central Illinois while numbers for allied permanent residents were typical (Carolina Chickadee) to above-average (Blue Jay, Tufted Titmouse, White-breasted Nuthatch). However, all these common residents are doubtless under-reported. Red-breasted Nuthatch showed one notable count of 23 individuals at Champaign County.

One Tree Swallow was reported this season, but two extremely late **Barn Swallows** were in Union County on 30 December with one there 28 December. Carolina and Winter Wren numbers were healthy this winter. Since House Wrens often go entirely unrecorded in winter, a total of four individuals this season was high. Marsh Wrens have become almost annual in recent years, so this year's two reports come as no surprise, but the **Sedge Wren** at the Union County Conservation Area was somewhat rarer. Both Kinglets were in good numbers in southern Illinois but were sparingly reported elsewhere.

THRUSHES TO WEAVER FINCHES.

The three expected species of thrushes found this winter were widespread in good to excellent numbers. Hermit Thrush numbers were among the highest on record, and a roost of 8000 American Robins in Cook County was quite exceptional. Mimids were typically scarce, except for an amazing 12 (!) Gray Catbirds throughout Illinois, mirroring increased winter reports throughout the midwest. Since few observers bother to count European Starlings, a tally approaching 60,000 birds in Massac County is noteworthy. Populations for the erratic Cedar Waxwing were strong this season.

Three species of warblers were encountered. Yellowrumped Warblers appeared in extremely good numbers in southern Illinois in particular. In addition, Orange-crowned Warbler was found at two sites, while Pine Warblers were reported from only two southern Illinois locations.

Seventeen species of sparrows were reported this season. Most species were found in fairly typical numbers, with increased numbers overall from last year, although numbers for Song Sparrows were somewhat reduced. Scarcer species included single Spotted Towhees at two sites, two Vesper Sparrows in Lee County, seven Le Conte's Sparrows at four locations, three Lincoln's Sparrows, and one Harris's Sparrow. No large concentrations of Snow Buntings were noted, but a few individuals made it to far southern Illinois. Notable high counts among the sparrows included 25 Eastern Towhees, 985 American Tree Sparrows, 150 Swamp Sparrows, 475 White-throated Sparrows, and 1500 Lapland Longspurs.

As a printing aid, the following abbreviations have been used throughout this report:

MC	=	maximum counts from	Ark.	_	Arklands Reclamation Area (Perry Co)
		representative areas of the state	Carl.L	-	Carlyle Lake (Clinton & Fayette Cos)
*	=	documented observation	Chinquapin Psv	_	Chinquapin Bluffs Nature Preserve
m.ob.	=	many observers			(Woodford Co)
<	=	late fall departure	Chi	=	Chicago and vicinity (Cook Co)
>	=	early spring arrival	Clin.L	=	Clinton Lake (De Witt Co)
n.d.	=	no documentation	Cyp Crk	-	Cypress Creek NWR
ad.	=	adult	Сурстк		(Johnson and Pulaski Cos.)
imm. 1 st/2nd/3rd		immature	(L) Decatur	_	(Lake) Decatur (Macon Co)
		first-/second-/third-winter plumage	East Fork L		
Co(s)		County (Counties)			East Fork Lake (Richland Co)
CP FP	=	County Park Forest Preserve	Fermi	=	Fermilab National Accelerator Laboratory
					(Du Page Co)
LOD	=	Lake	Green Wing Lab	=	Green Wing Environmental Laboratory
L&D		Lock and Dam			(Lee Co)
NWR	=	National Wildlife Refuge	HL	=	Horseshoe Lake (Madison Co)
P	=	Park	HLCA	=	Horseshoe Lake Conservation Area
R	=	River			(Alexander Co)
SF SF SF SF	=	State Forest	IBSP	=	Illinois Beach State Park (Lake Co)
SF&WA	=	State Fish & Wildlife Area	JP		Chicago's Jackson Park (Cook Co)
SNA	=	State Natural Area			. ,
SNP	=	State Nature Preserve	LCal	-	Lake Calumet and vicinity (Cook Co)
SP	=	State Park	Chau	-	Chautauqua NWR (Mason Co)
Twp	=	Township	M.Arb.	=	Morton Arboretum (Du Page Co)
WA	=	Wildlife Area	Mermet L	=	Mermet Lake (Massac Co)
Information	on c	ounts greater than one individual,	Miss, R	-	Mississippi River (various Cos)
		of observed hirds is included when	Oakwood Rtms	_	Oakwood Bottoms (Jackson Co)

sexes, and/or ages of observed birds is included when available; no number indicates single birds. This information is followed by the location of the observation, date(s) of observation, and the observer(s) who made the report. Noteworthy dates of occurrence, remarkably high counts, and/or locations for the state as a whole, or for particular regions of the state, are underlined and boldfaced. Headings for species of extremely unusual occurrence in Illinois during the winter are CAPITALIZED. Headings for species requiring review by the IORC are **CAPITALIZED** AND UNDERLINED. Records pending IORC review are enclosed in square brackets []; see forthcoming IORC reports in this journal for further details.

Laboratory o) n Area ke Co) ok Co) Cook Co) (02 Co) Oakwood Bottoms (Jackson Co) Oakwood Btms Pr.Rdg Prairie Ridge State Natural Area (Jasper Co) QC "Quad Cities" (Rock Island/Moline area) (Rock Island Co) Rend L Rend Lake (Franklin and Jefferson Cos) Rockfd Rockford and vicinity (Winnebago Co) Sand Rdg Sand Ridge State Forest (Mason Co) SRock Starved Rock State Park (La Salle Co) **UCCA** Union Co C.A. (Union Co) Urbana Champaign-Urbana (Champaign Co)

Waukegan and vicinity (Lake Co)

Winthrop Harbor (Lake Co)

Maximum counts are provided, where available, from each of the three regions of Illinois (north, central, and south) as mapped out in H. David Bohlen's 1978 Annotated check-list of the birds of Illinois. Representative high counts from subsections within these regions are included for many species. Additional data reflecting the progress of the season are noted, when available, for species and areas of special interest. The species accounts below follow the taxonomy and nomenclature of the 7th edition of the American Ornithologists' Union's Check-list of North American Birds, through its 47th (2006) Supplement.

Wauk.

Winthrop H

106 Meadowlark

Northern Cardinal numbers were slightly higher than last year, although, as with other common resident species, available data are largely confined to Christmas Bird Count results. Single wintering Indigo Buntings were found at two sites in southern Illinois.

Blackbird numbers were lower for most species over much of the state, but huge concentrations occurred in the south, especially at the Arklands Reclamation Area in Perry County, at Massac County, and at Rend Lake. The most staggering high count was of 16,000 Rusty Blackbirds at Arklands. A tally of 326 Eastern Meadowlarks at Jasper County is among the highest ever recorded for this species in Illinois.

It was not a flight year for "winter finches," and both numbers and diversity among finches were unimpressive. House Sparrow populations appeared to be fairly typical, while Eurasian Tree Sparrow showed slight increases.

ACKNOWLEDGMENTS.

The foundation of this summary is the detailed information regarding wintering avian populations as submitted directly to the compiler by field observers throughout the state.

I gratefully acknowledge the helpful recommendations and editing assistance provided by Paul Clyne and Sheryl DeVore in the preparation of this manuscript, I would also like to especially thank all the contributors whose data made this report possible. Cited observers are listed here, arranged by initials: Cindy Alberico, Charlene K. Anchor, Cornelius P. (Connie) Alwood, Danny Akers, Edward A. Anderson, Jill S. Anderson, Les Allen, Louise Augustine, Brian L. Blevins, Cheryl Brooks, Dale Bowman, Frank K. Bennett, H. David Bohlen, Margaret L. Baker, Michael J. Baum, Nancy P. Bent, Ray F. Boehmer, Richard G. Bjorklund, Steven D. Bailey,

Sigurd N. Bjorklund, Vonna Bley, William A. Bertrand, Mike Brown, Angelo Capparella, Elizabeth J. Chato, Gary Cole, Jeff D. Chapman,

Winter 2005-2006 Field Notes

Greater White-fronted Goose

MC: 15,000, Ark., 25 Dec (KJM); 7,500, UCCA, 30 Dec (KJM, HDB);

4,314, Chau, 20 Jan (RGB, SNB); 4,000, Carl.L, 20 Feb (DMK); 3,800, HLCA, 29 Dec (SDB, HDB); 425, Macon Co, 21 Jan (TAM); 54, River Bend FP (Champaign Co), 19 Feb (CA); Others (north & east): 38, Kennekuk CP (Vermilion Co), 23 Feb (BL); 25, Clin. L, 6 Feb (RD); 16, La Salle L (La Salle Co), 12 Feb (EWW); 9, Aroma P (Kankakee Co), 14 Jan (*EWW); 3, Fairmount (Vermilion Co), 31 Jan (BP); New Milford (Winnebago Co), 1 Jan (DTW); Long Grove (Lake Co), 19 Feb (CSF). Widespread with continued increases, particularly in southern and westcentral regions.

MC: 300,000, Carl.L, 22 Jan (DMK); 90,000, Ark., 25 Dec (KJM); 50,000, Rend L, 24 Feb (KAM); 37,714 (24,588 white

Co), 26 Feb (CSF).

Karin M. Cassel, Paul R. Clyne, Scott Cohrs, Stephanie Crandall, Donald R. Dann, Jarret M. Dyer, John Duran, Jon J. Duerr, Myrna F. Deaton, Sheryl L. DeVore, Tim Dever, Patricia A. Durkin, Roger Digges, Danielle Ebersole, Mary Jane Easterday, Bob Erickson, Carolyn S. Fields, Donald Fish, Karen Fisher, Matt Fraker, Matthew Fletcher, Richard C. Funk, Robert E. Fisher, Sue Friscia, Steven M. Freed, David A. Frey, Dave Goodnard, Teresa Good, Urs W. Geiser, Liza Gray, Bradley Heller, C. Leroy Harrison, Cary Hillegonds, Frank R. Holmes, Jeff Hoover, Karen Harvey, L. Barrie Hunt, Larry L. Hood, Robert D. Hughes, Steve B. Hager, Steve Huggins, Trevor Hinckley, Wayne Hochstetler, Yvonne Homeyer, Stacy Iwanicki, Rhetta L. Jack, Steve Juhlin, Charlene Knudten, Dan M. Kassebaum, Mike Klag, Randy Korotev, Sonja Kassal, Tim L. Kuesel, Vernon M. Kleen, Bud Lewsader, Craig J. Litteken, Gregory S. Lambeth, Karen M. Lund, Thomas Lally, Vicki Lang, Anita L. Morgan, Carolyn A. Marsh, Cynthia K. McKee, David Mott, Joe Merkelbach, John D. McKee, James P. Malone, Jeffrey S. Maharry, Keith A. McMullen, Kelly J. McKay, Michael A. Madson, Paul Massey, Robert A. Morgan, Sherry McCowan, Tim Murphy, Travis A. Mahan, Walter J. Marcisz, Randy Nyboer, Helen Parker, Brock Price, Adam M. Reyburn, Kevin B. Richmond, Karen Rotschafer, Phil Reyburn, Roger C. Reason, Ross Riger, Rhonda Monroe Rothrock, William C. Rowe, Alan F. Stokie, Bill Stephens, Brad Semel, Chris Swisegood, Darrell J. Shambaugh, Eric E. Secker, Janelle Swanberg, Jim O. Smith, Jacob S. Spendelow, Lisa Stephens, Richard Sayles, Robert E. Shelby, Ryan T. Schmitz, Stan Stec, Wesley S. Serafin, Alice Topping, Craig A. Taylor, Craig B. Thayer, Dave Thomas, Ernie Topping, Tim Wallace, Chris M. Van Wassenhove, Amy Williams, Bernie Wiltshire, Dan G. Wenny, David Wiechers, Daniel T. Williams, Eric W. Walters, Mike Ward,


Geoffrey A. Williamson, Jeffrey W. Walk, Kenneth R. Wysocki, Peter Weber, Tom Williams, Betty Zarwell, James P. Ziebol, Ric Zarwell, and Walter Zuurdeeg.


Snow Goose, left, and Ross's Goose, right, flying over Montrose Point, Cook County. 18 February 2006. Photo by Emil Martinec.

morph, 13,126 blue morph), Chau, 27 Jan (RGB, SNB); 20,000, Grand Chain (Pulaski Co), 19 Dec (SDB, MW); 10,000, Macon Co, 25 Feb (TAM); 7,700, HLCA, 29 Dec (SDB, HDB); 1,400, UCCA, 30 Dec (SDB); 28, Chi, 25 Feb (UWG); 27 (23 white morph, 4 blue morph), Burnham (Cook Co), 19 Feb (CAM, WJM, PAD). Others (central & north): 250, Clin.L, 6 Feb (RD); 200, Pontiac (Livingston Co), 18 Feb (DJS); 80, Fairmount (Vermilion Co), 31 Jan (BP); 24, La Salle L (La Salle Co), 12 Feb (EWW); 3 (white morph), Long Grove (Lake

Ross's Goose

MC: 200, Ark., 25 Dec (KJM); 23, UCCA, 18 Jan (KAM); 12, Clin. L., 25 Feb> (GSL et al., fide SDB); 6, Coles Co, 15-16 & 20 Jan (LBH, RCF); 5, Chi, 19 Feb (CAM, RDH, PM, PAD, m.ob.).





Others: 6, Kinkaid L (Jackson Co), 1 Jan (KJM, VL, SJ); 4, Mermet L, 31 Dec (KAM, DMK); 4, Carl.L, 18 Feb (DMK); 3, Macon Co, 25 Feb (TAM); 2, Rend L, 17 Dec (DMK, KAM); 2, Chau, 8 Jan (KAM); 2, Urbana, 28 Feb> (GSL); Rockfd, 2-4 Dec (DTW); HLCA, 28-29 Dec (SDB, HDB); Beall Woods SP (Wabash Co), 29 Dec (CLH); JP, 7 Jan (JSM, KMC); Wolf L, LCal, 7 Jan (WJM); Flora (Clay Co), 8 Feb (CLH). More abundant this winter, and more widespread in the Chicago area.

Canada Goose

MC: 4,615, Chau, 20 Jan (RGB, SNB); 4,500, Rockfd, 31 Dec (DTW); 4,100, Ark., 25 Dec (KJM); 3,840, Mercer Co, 28 Dec (KJM, m.ob.); 2,400, Oregon (Ogle Co), 24 Dec (EWW); 2,400, Grundy Co, 22 Jan (KAM); 2,100, UCCA, 30 Dec (KJM, HDB); 2,000, Winthrop H, 2 Dec (KAM); 1,964, QC, 18 Dec (KJM, m.ob.); 1,950, Vermilion Co, 14 Dec (SDB, m.ob.); 1,750, Clin.L., 6 Feb (RD); 1,350, Glacial P (McHenry Co), 21 Jan (EWW). Reduced numbers again, especially at traditional southern and central concentration sites.

Cackling Goose

MC: 300, Carl.L, 11 Dec (DMK); 175, Rockfd, 2 Dec (DTW); 85 & 100, UCCA, 30 Dec & 18 Jan (SDB, KAM resp.); 67, Rend L, 17 Dec (KAM); 62, Ark., 25 Dec (KJM); 55, HLCA, 29 Dec (SDB, HDB); 45, L Decatur, 17 Dec & 2 Jan (TAM). Others: 12, Urbana, 17 Dec (fide EJC); 12, Lee Co, 24 Dec (CK, TG, KJM); 8, Chau, 13 Jan & 24 Feb (RGB, SNB); 7, JP, 26 Feb> (PRC); 6, O'Fallon (St. Clair Co), 22 Jan (DMK); 5, Aroma P (Kankakee Co), 14 Jan (EWW); 4, CypCrk, 19 Dec (SDB, MW); 3, Bushnell (McDonough Co), 29 Jan (LLH); 3, Mundelein (Lake Co), 13 Feb (SDB); 2, Port Louisa NWR (Mercer Co), 28 Dec (KJM, SBH, DA); 2, Aurora West FP (Kane Co), 29 Dec (UWG); 2, Fermi, 4 Feb (UWG); Wilmington (Will Co), 1 Jan (CA). Considerably less numerous this winter,

Mute Swan

MC: 44, Wolf L, LCal (Cook Co), 7 & 19 Jan (WJM, CAM); 28, Channahon (Will Co), 8 Jan (UWG); 19, Spring L (Tazewell Co),



Ross's Goose, above left and right, at Palos, Cook County on 28 February 2006. Photos by Jerry Kumery.

Ross's Geese (two in foreground) and Snow Geese at Montrose Point, Cook County. 18 February 2006. Photo by Emil Martinec. These birds were present for some time and seen by many.

2 Jan (KAM, CJL); 12, Third L (Lake Co), 2 Jan (EWW); 10, JP, 1 Jan (PRC, KMC). **Others:** 8, L Decatur, 11 Feb (TAM); 7, HL, 26 Dec (FRH); 4, Kickapoo SP, (Vermilion Co), 13 Dec-11 Jan (SDB); Wolf Lake (Union Co), 30 Dec (SDB).

Trumpeter Swan

MC: 20 ad., Oakwd Btms, 27 Dec (DG); 19, Wolf L (Union Co), 30 Dec (SDB, m.ob.); 12 (10 ad., 2 imm), Homer (Vermilion Co), 26 Feb> (JOS); 8 ad., Miss. R (Rock Island Co), 20 Dec (*KJM, RTS); 4 ad., Miss. R (Carroll Co), 15 Dec (*EAA, DGW); 4, Chau, 6 Jan-16 Feb (RGB, SNB). Others: 2, Rock R (Rock Island Co), 18 Dec (*KR); 2, Miss. R (Hancock Co), 27 Dec (PR, AMR); 2, Alexander Co, 29 Dec (KJM); 2, Wolf L, LCal, 30 Dec-19 Jan (*CAM, WJM, m.ob.); Wauk., 3 Dec (AFS); imm., Macon Co, 15-21 Jan> (TAM, SDB).

Tundra Swan

MC: 30, Chau, 1 Jan-28 Fcb (RGB, SNB); 6, Cook Co, 4 Dec (AFS); 4, UCCA, 30 Dec (KJM, HDB). Others: 3, East Fork L, 12-16 Dec (CLH, RES); 2 ad., Thomson Causeway (Carroll Co), 15 Dec (*KJM, RTS, MK); 2 ad., Macon Co, 21 Jan> (TAM); Jasper Co, 23 Dec (CLH); Gaskin L, 19 & 26 Jan (CLH). Greatly reduced numbers, with no concentrations.

Wood Duck

MC: 97, Alexander Co, 29 Dec (KJM); 20, Carl.L, 18 Feb (DMK); 15, Little Black Slough SNA (Johnson Co), 19 Dec (SDB, MW); 11, UCCA, 30 Dec (SDB); 4, Chau, 24 Feb (RGB, SNB); 3, Danville (Vermilion Co), 14 Dec (SDB); 2 female, Rock Cut SP (Winnebago Co), 25 Dec (EWW); 2, Milan Bottoms (Rock Island Co), 4 Jan (BLB); Urbana, 17 Dec (SDB,GSL); Langley Bottoms (Vermilion Co), 21 Dec (SDB).

Gadwall

MC: 400, Wilmington (Will Co), 1 Jan (CA); 326, Chau, 20 Jan (RGB, SNB); 200, Mermet L, 31 Dec (KJM, RMR); 200, Carl.L, 20 Feb (DMK); 174, UCCA, 30 Dec (SDB).

American Wigeon

MC: 460, HL, 29 Jan (KAM); 117, UCCA, 30 Dec (KJM, HDB); 10, Macon Co, 12 Feb (TAM); 2 (pair), Downers Grove (Du Page Co), 30 Dec (REF, KDF). Few other reports outside southern Illinois.

Northern Pintail/Mallard hybrid at Waukegan Beach, Lake County. 1 January 2006. Photo by Eric Walters.

American Black Duck

MC: 85, Carl.L, 12 Dec (KAM); 49, Alexander Co, 29 Dec (KJM); 34, Chau, 27 Jan (RGB, SNB); 21 & 23, Danville (Vermilion Co), 14 Dec & 11 Jan resp. (SDB); 14, Miss. R (Whiteside Co), 15 Dec (KJM, RTS, MK); 14, Fermi, 3 Jan (EES). Others: 13, Rockfd, 26 Dec (DTW); 12, Ark., 25 Dec (KJM); 11, Rock R (Lee Co), 24 Dec (KJM); 10, Rend L, 17 Dec (KAM); 8, UCCA, 30 Dec (KJM, HDB); 8, L Decatur, 2 Jan (TAM).

Mallard

MC: 150,000, Carl.L, 3 Dec (DMK); 80,000, Carl.L, 8 Jan (DMK); 15,969, Chau, 27 Jan (RGB, SNB); 3,982, Mercer Co, 28 Dec (KJM, m.ob.); 1,342, Rock R (Lee & Whiteside Cos), 24 Dec (KJM, m.ob.); 1,182, Vermilion Co, 14 Dec (SDB, m.ob.); 1,168, QC, 18 Dec (KJM, m.ob.). Others: 19,150, Ark., 25 Dec (KJM); 16,502, Rend L, 17 Dec (KAM); 10,600, UCCA, 30 Dec (SDB); 3,000, HLCA, 29 Dec (SDB, HDB); 800, Fermi, 3 Jan (EES); 425, Macon Co, 15 Jan (TAM, SDB); 354, Champaign Co, 17 Dec (EJC, m.ob.). More abundant this winter, especially in the south.

MOTTLED DUCK

Springfield (Sangamon Co), 18 Dec (HDB, fide SDB). Likely the same bird that has been present off and on for some time.

Blue-winged Teal

male, Mermet L, <u>31 Dec</u> (KAM, DMK); male, Carl.L, 25 Feb (DMK); Crane Lake (Mason Co), 17 Dec (fide SDB); Pere Marquette (Jersey Co), 17 Dec (fide SDB).

Northern Shoveler

MC: 2,000, Carl.L, 3 Dec (DMK); 72, UCCA, 30 Dec (KJM, HDB); 40, HLCA, 29 Dec (SDB, HDB); 33, Chau, 3 Feb (RGB, SNB); 25, Clin.L, 6 Feb (RD); 20, Long Grove (Lake Co), 8 Jan (CSF); 10, Danville (Vermilion Co), 14 Dec (SDB).

Northern Pintail


MC: 2,625, UCCA, 30 Dec (SDB); 1,500, Carl.L, 14 Jan (DMK); 1,100, Rend L, 9 Jan (KAM); 782, Chau, 10 Feb (RGB, SNB); 675, HLCA, 29 Dec (SDB,HDB). Others: 10, Macon Co, 15 Jan (TAM, SDB); 6, Vermilion Co, 14 Dec (SDB); 6, Milan Bottoms (Rock Island Co), 4 Jan (BLB). Slight increases, but overall numbers still lower than in recent past.

Green-winged Teal

MC: 350, Rend L, 9 Jan (KAM); 250, HL, 3 Dec (FRH); 200, Jasper Co, 11 Jan (CLH); 108, HLCA, 29 Dec (SDB, HDB). Others (central & north): 3, L Decatur, 25 Feb (TAM); 2, Chau, 9 Dec (RGB, SNB); 2, Miss. R (Whiteside Co), 15 Dec (KJM, RTS, MK); 2, Hidden L FP (Du Page Co), 22 Jan (UWG); male, Kickapoo SP (Vermilion Co), 13 Dec (SDB); male, Rock Cut SP



Volume 15, Number 3



(Winnebago Co), 27-30 Dec (DTW). Reduced numbers outside of south.

Canvasback

MC: 4,000, Miss. R (Hancock Co), 15 Jan (KJM); 500, Carl.L, 20 Feb (DMK); 350, Rend L, 9 Jan (KAM); 115, L Decatur, 11 Feb (TAM); 58, Chau, 10 Feb (RGB, SNB). Others (central & north away from Miss. R): 15, Wolf L, LCal, 31 Jan (CAM); 11, Channahon (Will Co), 8 Jan (UWG); 7, Rock Cut SP (Winnebago Co), 27 Feb (DTW); 2, Seneca (La Salle Co), 10 & 18 Dec (DJS, TW, AW).

Redhead

MC: 200, Carl.L, 20 Feb (DMK); 72, Winthrop H, 15 Jan (EWW); 36, Macon Co, 18 Feb (KAM); 26, UCCA, 30 Dec (KJM, HDB). Others: 20, HL, 17 Jan (JPZ); 14, Chi, 2 Dec (CAM); 13, Chau, 24 Feb (RGB, SNB); 11, Seneca (La Salle Co), 18 Dec (DJS, TW, AW); 5 (3 male, 2 female), JP, 29 Jan (PRC); 5, Rock Cut SP (Winnebago Co), 27 Feb (DTW). Slightly less common, but widespread.

Ring-necked Duck

MC: 3,302, UCCA, 30 Dec (KJM, HDB); 3,000, Mermet L, 31 Dec (KJM, RMR); 2,150, Rend L, 17 Dec (KAM); 2,150, Pyramid SP (Peny Co), 20 Jan (KAM); 1,500, Miss. R (Hancock Co), 15 Jan (KJM); 533, Chau, 3 Feb (RGB, SNB). Others (central & north): 75, Macon Co, 12 Feb (TAM); 5, Kane Co, 29 Dec (UWG); 5, Channahon (Will Co), 8 Jan (UWG).

TUFTED DUCK

Richland Co, 16 Dec]

Greater Scaup

MC: 764, IBSP, 1 Jan (GAW); 100, Chi, 31 Jan (CAM); 30, Carl.L, 3 Dec (DMK); 12, East Fork L, 16 Dec (CLH). Others (away from L Michigan): 6, Mermet L, 31 Dec (KAM, DMK, FKB); 2, Rend L, 9 Jan (KAM); 2, Miss. R (Rock Island Co), 15 Jan (SMF); male, Decatur, 26 Dec (UWG); HL, 1 & 29 Jan (FRH); female, L Decatur, 11-12 Feb (TAM).

Lesser Scaup

MC: 5,000, Carl.L, 3 Dec (DMK); 3,000, Miss. R (Hancock Co), 15 Jan (KJM); 468, Chau, 10 Feb (RGB, SNB); 302, Little Calumet R, LCal, 31 Dec (WJM, JSA, MLB); 200, Mermet L, 31 Dec (KJM, RMR). Widespread in good numbers.

HARLEOUIN DUCK

MC: 3 (1 male, 2 female), Chi, 7 Feb thru 8 Apr (JSS, *UWG, m.ob., photos). Immature molted into full alternate plumage by late Feb. Others: ad. female, LDecatur, 17 Dec-25 Feb (*TAM, *UWG, *HDG, *GCL, m.ob.) – see 12th IORC report in last issue.

Male Harlequin Duck, North Ave. Beach, Chicago Cook County, 22 February 2006. Photo by Emil Martinec.

Surf Scoter

2 (pair), Winthrop H, 26 Feb (AFS); fcmale, L Decatur, 11 Feb (TAM, m.ob.).

Black Scoter

Clin.L, 2 Jan (*fide SDB).

Long-tailed Duck

MC: 19, Wauk., 28 Jan (AFS); 3, Rend L, 17 Dec (DMK). 2 (females), Winthrop H, 11 Feb (SDB, SLD). Others: Illini SP (La Salle Co), 11 Dec (DJS); Miss. R (Hancock Co), 27 Dec (PR, AMR); UCCA, 30 Dec (KJM, HDB); Miss. R (Rock Island Co), 11 & 15 Jan (SMF); female, L Decatur, 10-12 & 18 Feb (MFD, TAM, KAM);). Poor numbers.

Bufflehead

MC: 58 & 30, Winthrop H, 2 Jan & 11 Feb (EWW & SDB, SLD resp.); 40, Crab Orchard NWR (Williamson Co), 24 Feb (KAM); 30, Carl.L, 3 Dec (DMK); 25 (14 male, 11 female/imm.), JP, 15 Jan (PRC); 6, Chau, 27 Jan (RGB, SNB); 6, L Decatur, 12 Feb (TAM). Rather low numbers.

Common Goldeneye

MC: 5,000, Rend L, 17 Dec (DMK); 2,000, Carl.L, 14 Jan (DMK); 1,500, Miss. R (Hancock Co), 15 Jan (KJM); 265, Chi, 25 Dec (GAW); 250, Macon Co, 2, 15 & 21 Jan (TAM, SDB); 160, Winthrop H, 17 Feb (KAM); 157, Chau, 10 Feb (RGB, SNB); 136, Rock R (Lee Co), 24 Dec (KJM, m.ob.). Slightly more numerous in the south; poor numbers in north.

Hooded Merganser

MC: 850, Rend L, 17 Dec (KAM); 107, Chau, 13 Jan (RGB, SNB); 50, Carl.L, 3 Dec (DMK); 50, Clin.L, 6 Feb (RD); 15, Miss. R (Hancock Co), 27 Dec (PR, AMR); 15, Macon Co, 21 Jan (TAM); 10 (3 male, 7 female), Wauk., I Jan (EWW); 8, Wauk, 8 Jan (SDB, SLD); 8, UCCA, 30 Dec (SDB).

Common Merganser

MC: 1,545, Chau, 16 Feb (RGB, SNB); 823, Chi, 25 Dec (GAW); 750, Miss. R (Rock Island Co), 20 Dec (KJM, RTS); 600, Woodford Co, 25 Feb (DJS); 500, Miss. R (Hancock Co), 15 Jan (KJM); 300, JP, 14 Feb> (PRC); 200, Carl.L, 9 Dec (DMK); 125, Clin.L, 6 Feb (RD). Considerably less abundant this winter.

Red-breasted Merganser

MC: 1,100, JP, 11 Jan (PRC); 862, Chi, 12 Jan (GAW); 300, Carl.L, 26 Feb (DMK). Others: 104, Wolf L, LCal (Cook Co), 5 Feb (WJM); 8, Rend L, 17 Dec (DMK); 7, HL, 6 Feb (KAM); 3 male, East Fork L, 10 Feb (CLH); 2 (pair), L Decatur, 11-12 Feb (TAM); 2, Clear L (Mason Co), 24 Feb (RGB, SNB); female, Kickapoo SP (Vermilion Co), 13 Dec (SDB); female, L&D #15 (Rock Island Co), 18 Dec (*TM, MK, RS). More numerous in the north, and slightly less abundant in the central and south.

Ruddy Duck

MC: 300, Carl.L, 26 Feb (DMK); 175, HL, 6 Feb (KAM); 112, Chau, 3 Feb (RGB, SNB). Others (central & north): 6, Macon Co, 12 Feb (TAM); 2 (pair), Miss. R (Rock Island Co), 20 Dec (KJM, RTS); LCal (Cook Co), 11 Dec (CAM); JP, 14 Dec< (PRC). Considerably less abundant throughout the state.

Ring-necked Pheasant

MC: 20, Reilly (Vermilion Co), 17 Jan (SDB); 13, Urbana, 17 Dec (SDB,GSL); 12, Whiteside Co, 20 Dec (KJM, RTS); 11, Macon Co, 17 Dec (TAM); 8, Oregon (Ogle Co), 24 Dec (KRW, JD); 7, Urbana, 17 Dec (RD). Others: 6, Mercer Co, 28 Dec (JS, DF, m.ob.); 5, Carroll Co, 15 Dec (KJM, RTS, MK); 4, Clin.L, 1 & 9 Jan (RD); 2, Ark., 25 Dec (KJM); Bolingbrook (Will Co), 18 Dec (UWG); Henry Co, 21 Jan (SBH); Carl.L, 18 Feb (DMK). First winter reports from south since January 1999; low numbers elsewhere

Greater Prairie-Chicken

52, Pr.Rdg, 23 Dec (JWW, m.ob.)—the only report.



Long-tailed Duck at the Gull Frolic. Winthrop Harbor, Lake County. 11 February 2006. Photo by Eric Secker.

Wild Turkey

MC: 183, Wayne Co, 25 Feb (RES); 122, Vermilion Co, 14 Dcc (SDB, m.ob.); 53, Mercer Co, 28 Dec (KJM, m.ob.); 43, Milan Bottoms (Rock Island Co), 4 Jan (BLB); 42, Rock Island & Whiteside Cos, 20 Dcc (KJM, m.ob.); 34, Mermet L, 31 Dec (KJM, RMR); 15, Bushnell (McDonough Co), 17 Dec (LLH). Others: 33, Blaine (Boone Co), 25 Dec (EWW); 28, QC, 18 Dec (KJM, SBH, SC); 22, Rend L, 17 Dec (KAM); 16, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 13, Carroll Co, 15 Dec (KJM, RTS, MK); 9, Green Wing Lab, 27 Dec (SBH); 7, Cyp Crk, 19 Dec (SDB, MW); 4, Urbana, all winter (RD, EJC, m.ob.); 3, Herrick L FP (Du Pagc Co), 4 Feb (UWG). Less abundant statewide.

Northern Bobwhite

MC: 29, Carroll Co, 15 Dec (KJM, RTS, MK); 18, Whiteside Co, 20 Dec (RN, EAA); 17, Jasper Co, 3 Feb (RES); 13, Edwards Co, 5 Dec (RES). Others: 12, Carl.L, 14 Dec (DMK, KAM, CPA); 10, Mermet L, 31 Dec (KAM, DMK); 8, Grassy Slough Preserve (Johnson Co), 19 Dec (SDB, MW); 7, Ark., 25 Dec (KJM); HL, 29 Jan (FRH), Less abundant and widespread overall; no reports from central Illinois.

Common Loon

6, Carl.L, 3 Dec (DMK); 2, Rend L, 9 Jan (KAM). Unusually few reports.

Pied-billed Grebe

MC: 26, Ark., 25 Dec (KJM); 22, HL, 3 Dec (FRH); 4, Clin.L, 6 Feb (RD); 2, Grundy Co, 15 Jan (AFS). Others: 15, Rend L, 17 Dec (DMK); 10, Oakwd Btms, 1 Jan (KJM, VL, SJ); 6, Carl.L, 3 Dec (DMK); 2, Vermilion Co, 14 Dec (SDB); O'Fallon (St. Clair Co), 4 Dec (DMK); JP, 4 Dec< (PRC); LCal, 11 Dec (WJM); Chau, 16 Dec (RGB, SNB).

Horned Grebe

6, Rend L, 17 Dec (DMK); 4, Carl.L, 3 Dec (DMK); HL, 4 Dec< (FRH); Jasper Co, 10 Feb (CLH); Gaskin L (Clay Co), 28 Feb (CLH). Considerably less common this winter, and confined to the south.

EARED GREBE

Rend L, 17 Dec (*DMK).

American White Pelican

MC: 350, Carl.L, 26 Feb (DMK); 153, Pere Marquette (Jersey Co), 17 Dec (fide SDB); 100, Madison Co, 10 Feb (FRH); 13, Clear L (Mason Co), 24 Feb (RGB, SNB). Others: 14, Carl.L, 14 Jan (DMK); 2, Miss. R (Rock Island Co), 11 Jan (SMF); Miss. R (Rock Island Co), 18 Dec (*KJM, SBH, SC). Less numerous and widespread this winter.

Double-crested Cormorant

MC: 28, Rend L, 24 Feb (KAM); 20, Carl.L, 12 Dec (KAM); 19, LCal, 17 Dec (WJM); 10, Wauk., 1 Jan (GAW). Others: 8, Miss. R (Rock Island Co), 5 Jan (SMF); 5 (1 ad., 4 imm.), Des Plaines Conservation Area (Will Co), 5 Feb (AFS); Winthrop H, 2 Dec (KAM); East Fork L, 12-17 Dec (CLFI); Clin.L, 26 Dec (UWG); HL, 15 Jan (FRFI). Far less abundant and widespread this winter.

Great Blue Heron

MC: 98, Chau, 24 Feb (RGB, SNB); 55, Carl.L, 14 Dec (DMK); 31, HLCA, 29 Dec (KJM); 13, Andalusia Slough (Rock Island Co), 3 Jan (KJM, CB); 13, Milan Bottoms (Rock Island Co), 4 Jan (BLB); 11, UCCA, 30 Dec (SDB). Others (central & north): 10, L Vermilion (Vermilion Co), 14 Dec (SDB); 5, Macon Co, 17 Dec (TAM); 5, Clin.L, 6 Feb (RD); 3, L&D #13 (Whiteside Co), 15 Dec (KJM, RTS, MK); 3, Champaign Co, 17 Dec (EJC); 2, Rock R (Lee Co), 24 Dec (KJM); JP, 4 Dec< (PRC). Less numerous overall this winter.

GREAT EGRET

Channahon (Will Co), 8 Jan (*UWG), Meredosia Island (Cass/Morgan Co), 15 Dec (fide SDB); Pcre Marquette (Jersey Co), 17 Dec (fide SDB).

Black-crowned Night-Heron

MC: 17, L Cal (Cook Co), 31 Dec (fide SDB); 4, Chi, 18 Dec (fide SDB). Other: Evanston (Cook Co), 26 Dec (fide SDB).

Black Vulture

All records: 26, Cyp Crk, 19 Dec (SDB, MW); 25, Mermet L, 31 Dec (KAM, DMK); 8, Alexander Co, 29 Dec (KJM). Low numbers.

Turkey Vulture

MC: 72, Alexander Co, 29 Dcc (KJM); 63, Edwards Co, 11 Feb (RES); 24 & 5, Kickapoo SP (Vermilion Co), 13 Dec & 10 Feb resp. (SDB). Others: 35, Jasper Co, 23 Dec (CLH); 32, Mermet L, 31 Dec (KAM, DMK); 15, Cyp Crk, 19 Dec (SDB, MW); 14, Carl.L, 7 Jan (DMK); 7, Richland Co, 31 Dec (RES); 4, Clay Co, 27 Jan (CLH); 4, Du Page Co, 1 Feb (REF, KDF); HL, 15 Dec< (FRH); Henderson Co, 15 Jan (KJM); Urbana, 4 Feb> (GSL).

Bald Eagle

MC: 626 (333 ad., 270 imm., 23 unknown), Miss. R (Rock Island Co), 14 Jan (KJM); 470 (257 ad., 200 imm., 13 unknown), QC, 18 Dec (KJM, SBH, SC, m.ob.); 403 (205 ad., 198 imm.), Miss. R (Rock Island Co), 20 Dec (KJM, RTS); 376 (205 ad., 171 imm.), Miss. R (Hancock Co), 15 Jan (KJM); 295 (115 ad., 178 imm., 2 unknown), Miss. R (Mercer Co), 16 Jan (KJM). Others: 78, Bureau, Putnam & Marshall Cos, 25 Feb (DJS); 38 (15 ad., 23 imm.), Chau, 31 Dec (RGB, SNB); 20 (10 ad., 9 imm., 1 unknown), Miss. R (Henderson Co), 15 Jan (KJM); 12 (7 ad., 5 imm.), Rend L, 17 Dcc (KAM); 8 (2 ad., 6 imm.), HLCA, 29 Dec (SDB, HDB); 8 (7 ad., 1 imm.), Miss. R (Alexander Co), 29 Dec (KJM); 8 (3 ad., 5 imm.), Carl.L, 25 Feb (DMK); 8, Woodford Co, 25 Feb (DJS); 7 (1 ad., 6 imm.), Heidecke L (Grundy Co), 15 Jan (AFS); 6 (1 ad., 5 imm.), Union Co, 30 Dec (KJM, HDB); 6 (ad.), UCCA, 30 Dec (SDB); 3 (2 ad., 1 imm.), East Fork L, 11 Dec (CLH); 3 ad., Ark., 25 Dec (KJM); 2 (1 ad., 1 imm.), L Decatur, 17 & 29 Dec (TAM); 2, Saganashkee Slough (Cook Co), 25 Jan (REF, KDF); 2 ad., Lawrence Co, 31 Jan (CLH); 2 ad., Gaskin L (Clay Co), 31 Jan (CLH); ad., Langley Bottoms (Vermilion Co), 21 Dec (SDB); ad., Volo Bog SNA (Lake Co), 13 Feb > (SDB). Reduced numbers along Miss. R.

Northern Harrier

MC: <u>56</u>, Ark., 25 Dec (KJM); <u>40</u>, Pr.Rdg, 23 Dec (JWW, m.ob.); 7, Cyp Crk, 19 Dec (SDB, MW); 7, Rockfd, 17 Dec (DTW); 7 (3 ad. male, 4 others), Rollins Savanna (Lake Co), 16 Jan (EWW); 5, Mercer Co, 28 Dec (WAB, KH, m.ob.); 5, Union Co, 30 Dec (SDB). Others (central & north): 4, St. Anne (Kankakee Co), 3 Jan (SDB); 3, QC, 18 Dec (KR, m.ob.); 3, Chau, 20 Jan (RGB,

SNB); 3, Glacial P (McHenry Co), 21 Jan (EWW); 2 (pair), Nachusa Grasslands (Lee Co), 24 Dec (EWW); 2, Woodford Co, 6 Jan (MF); JP, 4 Dec< (PRC); male, L Decatur, 17 Dec (TAM); Clin.L, 17 Dec (RD); ad. male, Scott Co, 12 Feb (EWW); McDonough Co, 22 Feb (LLH).

Sharp-shinned Hawk

MC: 3, Whiteside & Carroll Cos, 15 Dec (KJM, m.ob.); 3, QC, 18 Dec (KR, m.ob.); 3, Ark., 25 Dec (KJM); 2 (1 male, 1 imm. female), Bushnell (McDonough Co), 3 Jan & 20 Feb (LLH). Others: 2, HL, all winter (JPZ); 2, Rend L, 17 Dec (KAM); 2, Lee Co, 24 Dec (CK, TG, KJM); 2, Red Hills SP (Lawrence Co), 7 Jan (CLH); 2, Carl.L, 22 Jan (DMK); 2 (1 ad., 1 imm.), M.Arb., 12 & 19 Feb (UWG). Widespread as singles elsewhere.

Cooper's Hawk

MC: 13. Champaign Co, 17 Dcc (EJC, m.ob.); 4, Vermilion Co, 14 Dec (m.ob. fide SDB); 4, Lee & Whiteside Cos, 24 Dec (AT, ET, m.ob.); 4, Ark., 25 Dec (KJM); 3 (2 ad., 1 imm.), River Forest (Cook Co), 4 Dcc-27 Feb (JSA); 3, Rend L, 17 Dec (KAM); 3, Mercer Co, 28 Dec (KJM, m.ob.); 3, St. Anne (Kankakee Co), 3 Jan (SDB). Widespread as ones and twos.

Northern Goshawk

imm., Urbana, 8, 10 & 17 Dec (EJC, RD & SDB, GSL resp.), seen stooping on pheasants (SDB); imm., Jackson Co, 1 Jan (KJM, *VL, SJ); Menard Co, 6 Jan (EES); ad., La Grange Highlands (Cook Co), 21 Feb (RCR, NPB); imm., Madison Co, 24 Feb (JPZ).

Red-shouldered Hawk

MC: 6, Oakwd Btms, 1 Jan (KJM, VL, SJ); 5, UCCA, 30 Dec (SDB). Others: 4, Cyp Crk, 19 Dec (SDB, MW); 4, Marion Co, 26 Dec (KJM, TH); 3, Rend L, 17 Dec (DMK); 3, Mermet L, 31 Dec (KJM, RMR); 3 ad., Richland Co, 6 Jan (CLH); 3 (2 ad., 1 imm.), Clay Co, 11 Jan & 21 Feb (CLH); 3, Carl.L, 12 Feb (DMK); 2 imm., HL, all winter (JPZ); 2 (1 ad., 1 imm.), Klehm Arboretum (Winnebago Co), 2 Dec (DTW); 2, HLCA, 29 Dec (SDB, HDB); 2, Loud Thunder FP (Rock Island Co), 4 Jan (KJM); 2 ad., Beall Woods SP (Wabash Co), 30 Jan (CLH); Langley Bottoms (Vermilion Co), 21 Dec (SDB): Chau, 23 Dec (RGB, SNB); ad., Palatine (Cook Co), 25 Dec-19 Feb (CSF); ad., Oregon (Ogle Co), 26 Dec (DTW); Red Hills SP (Lawrence Co), 21 Jan (CLH); Blackwell FP (Du Page Co), 4 Fcb (UWG); Geneseo (Henry Co), 12 Feb (SBH); Champaign Co, 13 Feb (RD). Somewhat more numerous and widespread.

Red-tailed Hawk

MC: 41, Champaign Co, 17 Dec (EJC, m.ob.); 38, McDonough Co, 17 Dec (LLIH); 38, Lee & Whiteside Cos, 24 Dec (AT, ET, m.ob.); 35, QC, 18 Dec (KJM, m.ob.); 34, Bureau Co, 17 Dec (DJS, TW, AW); 26, Lake Co to Iroquois Co, 3 Jan (SDB); 18, Johnson & Pulaski Cos, 19 Dec (SDB, MW); 18, Jackson Co, 1 Jan (KJM, VL, SJ); 16, Massac Co, 31 Dec (KJM, RMR)15, Rend L, 17 Dec (KAM); 15, Urbana, 17 Dec (SDB, GSL); 15, Woodford Co, 14 Jan (MF); 13, Vermilion Co, 14 Dec (SDB, m.ob.); 13, Marion Co, 26 Dec (KJM, TH). Others: "Krider's Hawk," Pyramid SP (Perry Co), 20 Jan (KAM); ad. dark morph, Madison Co, 22 Jan (JPZ, SM); dark morph, Logan Co, 22 Jan (KAM); ad., intermediate, rufous morph "Western," Urbana (same location as previous two winters), 9 Feb (SDB). More numerous this winter.

Rough-legged Hawk

MC: 10, Whiteside & Carroll Cos, 15 Dec (KJM, m.ob.); 5, Lee & Whiteside Cos, 24 Dec (KJM, AT, ET); 4, Mercer Co, 28 Dec (TM, m.ob.); 3, Woodford Co, all winter (MF); 2, St. Anne (Kankakee Co), 3 Jan (SDB). Others (south & central): Carl.L, 3 Dec (DMK); Johnson Co, 19 Dec (SDB, MW); Pyramid SP (Perry Co), 7 Jan (TAM, DMK); Chau, 13 Jan (RGB, SNB); Champaign Co, 28 Jan (DT); Clin.L, 6 & 13 Feb (RD); Menard Co, 13 Feb (KAM). Numbers similar to last year.

Golden Eagle

imm., Carl.L, 10 & 12 Dec (*DMK, KAM, MAM, AFS); imm., Two Rivers NWR (Calhoun Co), 17 Dec (*WCR, *RK); imm., Chau, 31 Dec (RGB, SNB); ad., Crab Orchard NWR (Williamson Co), 24 Feb (KAM).

American Kestrel

MC: 23, Cyp Crk, 19 Dec (SDB, MW); 22, Rock Island Co, 4 Jan (WZ, m.ob.); 21, Mercer Co, 28 Dec (WAB, KH, m.ob.); 20, Perry Co, 12 Dec (KAM); 20, Lee & Whiteside Cos, 24 Dec (KJM, m.ob.); 15, Marion Co, 26 Dec (KJM, TH); 15, Mason, Fulton & McDonough Cos, 8 Jan (LLH); 13, Woodford Co, 31 Dec (MF); 11, Bureau, Putnam & La Salle Cos, 31 Jan (DJS); 10, Carl.L, 22 Jan (DMK); 9, Urbana, 17 Dec (SDB, GSL); 8, Clin.L, 13 Fcb (RD); 7, Macon Co, 15 Jan (TAM, SDB).

Merlin

Clinton Co, 14 Dec (TAM, JPM); Two Rivers NWR (Calhoun Co), 17 Dec (*WCR); male, Chi, 18 Dec (AFS); ad. male, Rock Island Co, 20 Dec (*KJM, RTS); ad. male, Green R WA (Lee Co), 24 Dec (*KJM); Ark., 25 Dec (*KJM); Henderson Co, 28 Dec (*WAB, KH); Henderson Co, 28 Dec (*WAB, KH), Cockfd, 1 Jan (DTW); Menard Co, 6 Jan (EES); Butterworth P (Rock Island Co), 11 Jan (SMF); Champaign (Champaign Co), 26 Jan (RFB fide SDB); HL, 5 Feb (FRH).

Peregrine Falcon

MC: 2, JP, all winter (PRC, KMC); 2, Normal (McLean Co), 13 Feb (AC); 2, Rock Island (Rock Island Co), 24 Feb (SMF). Others: Urbana, (imm., possible 'Peale's' race; banded), 12 Dec-27 Feb (EJC, RD, SDB, GLS, m.ob.); ad., Saganashkee Slough FP (Cook Co), 18 Dec (WJM, WSS); ad., Rockfd, 26 Dec (DTW); East St. Louis (St. Clair Co), 10 & 27 Jan (KAM); imm., Downers Grove (Du Page Co), 21 Jan (REF, KDF); LCal, 4 Feb (CAM, TLK, CAT). Reported in typical low numbers.

PRAIRIE FALCON

Savoy (Champaign Co), 22-23 Jan (*GSL, *RLJ fide SDB).

VIRGINIA RAIL

Hidden Lake FP (DuPage Co), 18 Dec (*JDC, *LG fide SDB).

American Coot

MC: 10.000, Ark., 25 Dec (KJM); 600, Carl.L, 11 Dec (KAM); 82, Chau, 10 Feb (RGB, SNB); 26, LCal, 1 Dec (CAM); 22, Clin.L, 6 Feb (RD); 13, JP, 4 Dec (PRC). Others: 400, Mermet L, 31 Dec (KJM, RMR); 275, HL, 29 Jan (KAM); 71, Kinkaid L (Jackson Co), 1 Jan (KJM, VL, SJ); 15, Macon Co, 15 & 21 Jan (TAM, SDB); 10, Third L (Lake Co), 2 Jan (EWW); 6, Vermilion Co, 14 Dec (SDB); 5, Rock Cut SP (Winnebago Co), 6 Dec (DTW).

Sandhill Crane

MC: <u>240</u>, East Fork L, 28 Feb (CLH); 50, Du Page Co, 27 Feb (UWG); Others: 12, Danville (Vermilion Co), 16 Feb> (BL); 2, Rend L, 17 Dec (KAM); 2, Lake Co, 25 Feb> (AFS); Kickapoo SP (Vermilion Co), 31 Dec (DT, et al.); Thorn Creek (Will Co), 2 Jan (fide SDB); Pyramid SP (Perry Co), 7 Jan (TAM, WSS, CA, SF, nn.ob.); Logan Co, 22 Jan (KAM). Considerably lower numbers this winter, especially in the northeast.

Killdeer

MC: 30, Carl.L, 26 Feb (DMK); 21, HLCA, 29 Dec (KJM); 15, Pyramid SP (Perry Co), 3 Dec (EES); 10, UCCA, 30 Dec (SDB); 10, Massac Co, 31 Dec (KJM, RMR); 6, HL, 26 Jan (FRH); 5, Cyp Crk, 19 Dec (SDB, MW); 4, Chau, 16 Feb (RGB, SNB); 3, Marion Co, 27 Jan (CLH); 3, Macon Co, 25 Feb> (TAM). Less abundant overall this year; no reports from north.

ISPOTTED SANDPIPER

Rend L, 17 Dec] If accepted, this apparently would be only the third winter record for Illinois.

LEAST SANDPIPER

12, Mermet L, 31 Dec (*FKB fide SDB).

DUNLIN

Mermet L, 31 Dec (KAM, DMK, FKB).

Wilson's Snipe

MC: 33, HLCA, 29 Dec (KJM); 10, Madison Co, 16 Dec (FRH); 5, Mercer Co, 28 Dec (JS, DF, m.ob.); 4, Grassy Slough Preserve (Johnson Co), 19 Dec (SDB, MW). Others: 3, L&D #13 (Whiteside Co), 15 Dec (KJM, RTS, MK); 3, Urbana, 17 Dec (GSL, SDB); 3, Hidden L FP (Du Page Co), 18 Dec (RAM,

Lesser Black-backed Gull at the Annual Gull Frolic. Winthrop Harbor, Lake County. 11 February 2006. Photo by Eric Secker.

Adult California Gull, Lake Calumet, Cook County on 4 February 2006. Photo by Robert Hughes.



ALM); 3, Mason Co, 23 Dec (LLH); 2, UCCA, 30 Dec (KJM, HDB); 2, Kinkaid L (Jackson Co), 1 Jan (KJM, VL, SJ); Milan Bottoms (Rock Island Co), 4 Jan (BLB). More numerous and widespread this winter.

American Woodcock

3, Ark., 25 Dec (fide SDB); 2, Mermet L, 31 Dec (fide SDB); 2, Edwards Co, 26 Feb (RES); White Co, 17 Dec (RES); Clay Co, 24 Feb (CLH).

PARASITIC JAEGER

Chi, 25 Dec, (*SH fide SDB).

Bonaparte's Gull

MC: 300, HL, 4 Dec (FRH); 100, Clin.L, 9 Jan & 26 Feb (RD); 50, Wabash R (Wabash Co), 15 Feb (CLH); 40, Olmstead (Pulaski Co), 19 Dec (SDB, MW); 30, Rend L, 9 Jan (KAM); 16, Carl.L, 14 Dec (DMK); 12, O'Fallon (St. Clair Co), 4 Dec (DMK). Low numbers; no reports from north.

Ring-billed Gull

MC: <u>60,000</u>, Carl.L, 14 Jan (DMK); 5,000, Rend L, 17 Dcc (DMK); 3,500, Tazewell Co, 8 Jan (KAM); 3,500, L Decatur, 21 Jan (TAM); 1,600, SRock, 10 Dec (DJS); 1,500, St. Clair Co, 6 Feb (KAM); 1,009, Chau, 24 Feb (RGB, SNB); 700, Clin.L, 6 Feb (RD); 598, QC, 18 Dec (KJM, m.ob.); 438, Chi, 7 Dec (GAW).

112 Meadowlark



Glaucous Gull at Annual Gull Frolic, North Point Marina, Lake County. 11 February 2006. Photo by Eric Secker.

CALIFORNIA GULL

1st, Carl.L, 3 Dec (*DMK); ad., Chi, 4 Feb (*WJM, RDH, CAM).

Herring Gull

MC: 3,500, Winthrop H, 11 Feb (GAW); 2,400, SRock, 10 Dec (DJS); 1,280, QC, 18 Dec (KJM, m.ob.); 1,100, LCal (Cook Co), 31 Dec (WJM, JSA, MLB); 600, Tazewell Co, 8 Jan (KAM); 576, Rock R (Lee Co), 24 Dec (AT, ET, m.ob.); 200, Carl.L, 14 Jan (DMK); 200, Rockfd, 22 Dec (DTW); 60, Rend L, 17 Dec (DMK).

Thayer's Gull

MC: 10 (7 ad., 2 1st, 1 2nd), Winthrop H, 11 Feb (GAW); 6 (3 ad., 3 1st), Miss. R (Rock Island Co), 12 Feb (SMF). Others: 2 (1 ad., 1 2nd), Chi, 25 Dec (GAW); 2 ad., SRock, 28 Dec (DJS); 2 (1 ad., 1 1st), LCal, 31 Dec (WJM); 2nd, Miss. R (Rock Island Co), 5 Jan (SMF); 1st, Carl.L, 20 Feb (DMK)—the only report outside northern Illinois.

Iceland Gull

2 ad., Winthrop H, 25 Feb (AFS); 2nd, Winthrop H, 1 Jan (EWW); 1st, Tazewell Co, 8 Jan (KAM); 1st, Kane Co, 29 Jan (GAW); 1st, Winthrop H, 11 Feb (SDB, m.ob.); 1st, Miss. R (Rock Island Co), 24 Feb (SMF); ad. "Kumlien's," LCal, 25 Feb (WJM).

Lesser Black-backed Gull

MC: 4 (1 ad., 1 lst, 2 2nd), Carl.L, 4 Dec (DMK); 4 (3 lst, 1 ad.), Winthrop H, 1 Jan (EWW); 4 (3 ad., 1 2nd), Winthrop H, 11 Feb (GAW, SDB). Others: 2, SRock, 23 Dec (DJS); 2 (1 ad., 1 lst), Miss. R (Rock Island Co), 5 Jan (SMF); 2 ad., Rock Cut SP (Winnebago Co), 8 Feb (DTW); 3rd, Winthrop H, 3 Dec (AFS); ad., Geneva (Kane Co), 8 Dec (DJS); ad., Rend L, 17 Dec (KAM); 2nd, Miss. R (Rock Island Co), 28 Dec (SMF); 1st, Tazewell Co, 8 Jan (KAM); ad., L Decatur, 15 Jan-12 Feb (TAM, m.ob.); 3rd, Miss. R (Rock Island Co), 12 Feb (SMF). Fairly typical numbers reported.

Glaucous Gull

MC: 4 (1 ad., 2 1st, 1 3rd), Miss. R (Rock Island Co), 5 Jan (SMF). Others: 2, IBSP, 1 Jan (GAW); 2 ad., Winthrop H, 11 Feb (GAW, SDB); ad., SRock, 26 Dec (DJS); 1st, Winthrop H, 2 Jan (EWW); 2nd, Winthrop H, 25 Feb (AFS); ad., Wolf L, LCal, 25 Feb (WJM). Rather low numbers and confined to the north.

Great Black-backed Gull

ad., Miss. R (Rock Island Co), 1 Jan (DA, RZ, BZ, m.ob.); 1st, Miss. R (Rock Island Co), 7 & 15 Jan (SMF); ad., Chi, 22 Jan (AFS); ad., Winthrop H, 29 Jan (AFS); 1st, Winthrop H, 11 Feb

(GAW, SDB,UWG). Very low numbers and confined to L Michigan and northern Miss. R.

Rock Pigeon

MC: 3,000, Cook Co, 18 Dec (WJM, WSS); 823, Lee & Whiteside Cos, 24 Dec (SBH, m.ob.); 750, Urbana, 17 Dec (SDB, GSL); 75, Carl.L, 7 Jan (DMK); 62, Mercer Co, 28 Dec (TM, m.ob.); 54, Rend L, 17 Dec (KAM); 50, Macon Co, 21 Jan (TAM).

Eurasian Collared-Dove

MC: 46, Oakley (Macon Co), 26 Dec (TAM); 33, Forest City (Mason Co), 23 Dec (LLH); 16, Madison Co, 7 Jan (FRH); 13, Massac Co, 31 Dec (KAM, DMK); 8, Henry Co, 21 Jan (*SBH); 4, Marengo (McHenry Co), 19 Feb (DTW). Others: 12, Edwards Co, 29 Jan (*RES); 10, Carl. L, 14 Dec (DMK); 8, Perry Co, 12 Dec (KAM); 7, Aroma Park (Kankakee Co), 31 Dec (UWG); 5, Henning (Vermilion Co), 17 Jan (SDB); 4, Wolf Lake (Union Co), 30 Dec (SDB); 3, Bolingbrook (Will Co), 18 Dec (UWG); 3, Tazewell Co, 2 Jan (KAM); 3, Jacksonville (Morgan Co), 12 Feb (EWW); 2, Shelby Co, 5 Dec (KAM); Tolono (Champaign Co), 31 Dec (SDB). Numbers were somewhat similar to last year as this species continues to expand throughout Illinois.

Mourning Dove

MC: 1,772, Rockfd, 17 Dec (DTW); 1,531, Lcc & Whiteside Cos, 24 Dec (AT, ET, m.ob.); 916, McDonough Co, 17 Dec (LLH); 375, Urbana, 17 Dec (SDB, GSL); 214, Mercer Co, 28 Dec (WAB, KH, m.ob.); 200, Carl.L, 22 Jan (DMK); 125, Macon Co, 21 Jan (TAM); 105, Marion Co, 26 Dec (KJM, TH); 182, Chain-O- Lakes SP (Lake Co), 28 Jan (EWW). Others (south): 103, Alexander Co, 29 Dec (KJM); 75, Reilly (Vermilion Co), 17 Jan (SDB); 72, St. Clair Co, 25 Jan (KAM); 70, Ark., 25 Dec (KJM), High numbers, particularly in the northern and central regions.

Monk Parakeet

121, LCal (Cook Co), 9 Jan (CAM); 53, JP, 15 Feb (PRC).

Eastern Screech-Owl

MC: 15, northern Vermilion Co, 14 Dec (SDB): 14, Lee Co, 24 Dec (KJM); 5, Mercer Co, 28 Dec (KJM, m.ob.). Others: 5, Champaign Co, 17 Dec (fide SDB); 5, Rend L, 17 Dec (KAM); 5, Alexander Co, 29 Dec (KJM); 5, Massac Co, 31 Dec (KJM, RMR); 4, Jackson Co, 1 Jan (KJM, VL, SJ); 4, Loud Thunder FP (Rock



Eastern Screech-Owl, gray phase, Morton Arboretum, DuPage County. 21 January 2006. Photo by Emil Martinec.

Snowv Owl, Oswego, Kendall County. 12 January 2006. Photo by Eric Secker.

Island Co), 4 Jan (KJM); 3, Carl.L, 14 Dec (DMK); 3, Whiteside Co, 15 Dec (KJM, RTS, MK); 3, Waterfall Glen FP (Du Page Co), 18 Dec (GAW); 3, UCCA, 30 Dec (KJM, HDB, SDB); 2, Olive Branch (Alexander Co), 29 Dec (SDB, HDB); 2 (1 red morph,1 gray morph), Klehm Arboretum (Winnebago Co), 31 Dec (DTW); 2, Zion (Lake Co), 1 Jan (EWW); HL, 1 Jan (FRH); M.Arb., 22 Jan (CA); Volo Bog SNA, 13 Feb (SDB). Fairly typical numbers reported.

Great Horned Owl

MC: 15, Lee & Whiteside Cos, 24 Dec (KJM, SBI-I); 13, Massac Co, 31 Dec (KJM, RMR); 11, Whiteside & Carroll Cos, 15 Dec (KJM, m.ob.); 5, Ark., 25 Dec (KJM); 5, Mercer Co, 28 Dec

(WAB, KH, m.ob.). Others: 4, Jackson Co, 1 Jan (KJM, VL, SJ); 4, Rock Island Co, 3 Jan (KJM, CB); 3, Rend L, 17 Dec (KAM); 3, Hidden L FP (Du Page Co), 18 Dec (RAM, ALM); 3, Carl.L, 20 Feb (DMK); Urbana, 15 Dec (RD); JP, 7 Jan (KMC); M.Arb., 22 Jan (UWG). Numbers were fairly typical and similar to last year.

MC: 3 (1st 2 Jan, 2nd 7 Jan, 3rd 18 Feb; ad male., 1 imm. male, 1 imm. female), La Salle Co Nuclear Power Plant, all three seen same day within 1-2 miles of one another on several dates 18 Feb-thru period (DJS, JDM, CKM, SDB, m.ob., photos); 2 (1 ad., 1 imm.), Gridley Twp (McLean Co), 11-28 Feb (LAl, SDB, m.ob., photos); 2 (1st 31 Dec, 2nd 3 Jan; 1 ad. female, 1 imm.), St. Anne (Kankakee Co), (DB, m.ob., photos), both seen (within 1 mile of one another) 3-15 Jan (SDB, et al.), but ad. thru

2 Feb (EWW). Others: Darien (DuPage Co), 29 Nov (fide EES); Toulon (Stark Co), 29 Dec (JWW); Winthrop H, 31 Dec (BE, DW, fide SDB); Wauk., 31 Dec & 6-8 Jan (BE, DW, m.ob.); Highland Park (Lake Co), killed by car, 10 Jan (RR, fide SDB); imm.,

Oswego (Kendall Co), 12 Jan (DE, REF, KDF, EES, m.ob., photos); ad. female, Morton (Tazewell Co), 21 Feb thru period (WH, m.ob. fide SDB); Towanda (McLean Co), 21-26 Feb (MFD, BW, fide SDB); Nekoma (Henry Co), 27 Feb (BS, LS, MJB, fide SDB). Above average invasion especially downstate. Unusual number of multiple birds at several locations.

BURROWING OWL

Pyramid SP (Perry Co), 1-2 & 12 Dec, 9 Jan (DMK, KAM, MAM, AFS). Present since 15 Oct and continuing into early spring. See the 12th IORC report in the preceding issue of Meadowlark.

Barred Owl

MC: 13, Mercer Co, 28 Dec (KJM, m.ob.); 13, Rock Island Co, 4 Jan (BLB, m.ob.); 12, QC, 18 Dec (TM, m.ob.); 9, northern Vermilion Co, 14 Dec (SDB); 6, Langley Bottoms (Vermilion Co), 21



Dec (SDB); 4, UCCA, 30 Dec (SDB); 4, Jackson Co, 1 Jan (KJM, VL, SJ); 4 (2 pr), Allerton P (Piatt Co), 14 Jan (SDB); 4 (2 pr), Middlefork SF&WA (Vermilion Co), 17 Jan (SDB). Others: 3, Urbana (locally vary rare) mid-Dec-19 Jan (GSL, SDB); 3, Cyp Crk, 19 Dec (SDB, MW); 3, Alexander Co, 29 Dec (SDB, HDB); 3, Lee & Whiteside Cos, 24 Dec (CK, TG, m.ob.); Mermet, 31 Dec (KJM, RMR); Carroll Co, 15 Dec (EAA, DGW, m.ob.); 2, Rend L, 17 Dec (DMK); 2, Ark., 25 Dec (KJM); 2, Carl.L, 22 Jan (DMK); Aroma P (Kankakee Co), 31 Dec (UWG).


Long-eared Owl

MC: 5, Green R WA (Lee Co), 24 Dec (KJM); 4, Henry Co, 29 Dec (BH); Urbana, 1 Dec- 31 Jan (2) & 1-24 Feb (3) (RLJ, SDB, m.ob.). Others: 2, Henry Co, 21 Jan (SBH); Mercer Co, 28 Dec (KJM, SBH, DA); Stickney Run FP (McHenry Co), 8 Jan (SDB, SLD); Evanston (Cook Co), 9 Jan (AFS); Volo Bog SNA (Lake

Co), 13 Feb (SDB); Bartel Grasslands (Cook Co), 19 Feb (AFS). Reports mainly confined to northern half of the state.

Short-eared Owls at Rollins Savanna, Lake County. 8 March 2006. Photo by Jim Solum.

Short-eared Owl taken at Rollins



Short-eared Owl

MC: 38, Pr.Rdg, 23 Dec (JWW, m.ob.); 11, Glacial P (McHenry Co), 21 Jan (*EWW); 7, Rollins Savanna FP (Lake Co), all winter (SDB, SLD, EWW, m.ob.); 7, Ark., 25 Dec (fide SDB). Others: 4, Richland Co, 22 Dec (RES); 4, Marion Co, 26 Dec (KJM, TH); 3, Grassy Slough Preserve (Johnson Co), 19 Dec (SDB, MW); 2, Durand (Winnebago Co), 16 Dec-10 Jan (DTW); Urbana, 19 Dec (EJC); Ark., 25 Dec (KJM); Wayne Co, 30 Dec (*RES); Reilly (Vermilion Co), 17 Jan (SDB); Ferrin (Clinton Co), 20 Feb (DMK). Less numerous in the south and more numerous in the north.

Northern Saw-whet Owl

M.C.: 2, see below, 13 Dec (SDB). Others: Kennekuk CP (Vermilion Co), 13 Dec (SDB); Middlefork SF&WA (Vermilion Co), 13 Dec-17 Jan (SDB); Barrington (Cook Co), 19 Dec (fide SDB); Green R WA (Lee Co), 24 Dec (KJM); M.Arb., 29 Dec & 21-22 Jan (MAM, KAM, UWG, AFS, CA); Carl.L, 22 Jan (DMK); Allerton P (Piatt Co), 5-28 Feb (GSL, SDB, m.ob.).

Belted Kingfisher

MC: 18, Vermilion Co, 14 Dec (SDB, m.ob.); 10, Lee & Whiteside Cos, 24 Dec (KJM, m.ob.); 5, Jackson Co, 1 Jan (KJM, VL, SJ); 3, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 3, Mercer Co, 28 Dec (KJM, m.ob.). Typical scatter of reports of 1-3 birds statewide.

Red-headed Woodpecker

MC: 40, Oakwd Btms, 1 Jan (KJM, VL, SJ); 37, Alexander Co, 29 Dec (KJM); 25, Beall Woods SP (Wabash Co), 27 Dec (CLH); 23, Goodenow (Will Co), 2 Jan (GAW); 15, UCCA, 30 Dec (SDB); 15, Rock Island Co, 4 Jan (KJM, m.ob.); 12, Vermilion Co, 14 Dec (SDB, m.ob.); 12, McDonough Co, 17 Dec (LLH); 9, Lowden SP (Ogle Co), 23 Dec (EWW); 7, Little Black Slough SNA (Johnson Co), 19 Dec (SDB,

(EWW); 7, Little Black Slough SNA (Johnson Co), 19 Dec (SDB, MW); 5, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 4, Mercer Co, 28 Dec (JS, DF, m.ob.); 4, Aroma P (Kankakee Co), 31 Dec (UWG, EES). Somewhat more numerous and widespread.

Red-bellied Woodpecker

MC: 81, Vermilion Co, 14 Dec (SDB, m.ob.); 63, Rock Island Co, 4 Jan (BLB, m.ob.); 61, Mercer Co, 28 Dec (TM, m.ob.); 48, Ogle & Lee Cos, 24 Dec (EWW, KRW, JD); 42, McDonough Co, 17 Dec (LLH); 42, Jackson Co, 1 Jan (KJM, VL, SJ); 31, Alexander Co, 29 Dec (KJM); 30, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 36, Lake Forest (Lake Co), 26 Dec (GAW).

Yellow-bellied Sapsucker

MC: <u>21</u>, Little Black Slough SNA (Johnson Co), 19 Dec (SDB, MW); <u>16</u>, Champaign Co, 17 Dec (EJC, m.ob.); <u>16</u>, Alexander Co, 29 Dec (SDB, HDB); 9, UCCA, 30 Dec (SDB); 9, Oakwd Btms, I Jan (KJM, VL, SJ); 7, Urbana (South Farms), 17 Dec (SDB, GSL);

5, Beall Woods SP (Wabash Co), 15 Dec (CLH); 3, Decatur, 17 Dec (TAM); 3 (1 ad. male, 1 imm. female, 1 imm. male), JP, 11, 17 Dec & 26 Feb (KMC, PRC). Others (central & north): 2, Vermilion Co, 14 Dec (SDB, EJC); 2, Carroll Co, 15 Dec (EAA, DGW); 2, QC, 18 Dec (KJM, SBH, SC); 2, Lee Co, 24 Dec (KJM, SBH); 2, Mercer Co, 28 Dec (KJM, SBH); La Salle Co, 18 Dec (DJS, TW, AW); Lowden SP (Ogle Co), 24 Dec (KRW); Wilmington (Will Co), 1 Jan (CA); Henry Co, 21 Jan (SBH). Much more common and widespread.

Downy Woodpecker

MC: 70, Vermilion Co, 14 Dec (SDB, m.ob.); 64, QC, 18 Dec (KJM, m.ob.); 58, Rock Island Co, 4 Jan (BLB, m.ob.); 54, Mercer Co, 28 Dec (TM, m.ob.); 46, McDonough Co, 17 Dec (LLH); 40, Jackson Co, 1 Jan (KJM, VL, SJ); 35, Alexander Co, 29 Dec (KJM); 32,

Long-eared Owl in McHenry County. 16 January 2006. Photo by Eric Walters.



Say's Phoebe, Panther Creek SF&WA, Cass County. 12 February 2006. Photo by Eric Walters.

Langley Bottoms (Vermilion Co), 21 Dec (SDB);p 28, Lake Forest (Lake Co), 26 Dec (GAW); 19, Macon Co, 17 Dec (TAM); 19, Union County, 30 Dec (SDB); 17, Carl.L, 14 Dec (KAM, CPA); 17, Kane Co, 17 Dec (EES).

Hairy Woodpecker

MC: 19, Rock Island Co, 4 Jan (KJM, m.ob.); 13, Lake Forest (Lake Co), 26 Dec (GAW); 12, Green Wing Lab, 27 Dec (SBH); 11, Mercer Co, 28 Dec (KJM,

m.ob.); 10, Vermilion Co, 14 Dec (SDB, m.ob.); 8, HLCA, 29 Dec (SDB, HDB); 8, UCCA, 30 Dec (SDB); 8, Massac Co, 31 Dec (KJM, RMR); 7, Marion Co, 26 Dec (KJM, TH); 6, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 3, Macon Co, 17 Dec (TAM); 3, Chinquapin Psv, 22 Dec (MF); 3, Carl.L, 18 Feb (DMK).

Northern Flicker

MC: 51, Champaign Co, 17 Dec (EJC, m.ob.); 41, Jackson Co, 1 Jan (KJM, VL, SJ); 32, HLCA, 29 Dec (SDB, HDB); 23, UCCA, 30 Dec (SDB); 21, Massac Co, 31 Dec (KJM, RMR); 18, Cyp Crk, 19 Dec (SDB, MW); 17, Mercer Co, 28 Dec (KJM, m.ob.); 16, QC, 18 Dec (KJM, m.ob.); 15, Marion Co, 26 Dec (KJM, TH); 14, Goodenow (Will Co), 2 Jan (GAW); 13, Bureau Co, 25 Feb (DJS).

Pileated Woodpecker

MC: 16, Vermilion Co, 14 Dec (SDB, m.ob.); 11, Oakwd Btms, 1 Jan (KJM, VL, SJ); 10, Alexander Co, 29 Dec (SDB, HDB); 10, Union Co, 30 Dec (KJM, HDB); 8, Cyp Crk, 19 Dec (SDB, MW); 8, Langley Bottoms (Vermilion Co), 21 Dec (SDB): 8, UCCA, 30 Dec (SDB); 5, Mercer Co, 28 Dec (TM, m.ob.); 5, Milan Bottoms (Rock Island Co), 4 Jan (BLB); 3, Carroll Co, 15 Dec (EAA, DGW). Others: Rock Cut SP (Winnebago Co), 25 Dec (EWW);

Carl.L, 14 Jan (DMK).

Eastern Phoebe

MC: 4, Alexander Co, 29 Dec (KJM); 4, Massac Co, 31 Dec (KJM, RMR); 3, Little Black Slough SNA, (Johnson Co), 19 Dec (SDB, MW). Others: 2, Oakwd Btms, 1 Jan (KJM, VL, SJ); 2, UCCA, 30 Dec (SDB, KJM, HDB); HLCA, 29 Dec (SDB, HDB); Rend L, 17 Dec (DMK). Reports confined to the south.

SAY'S PHOEBE

Crane L (Mason Co), 17-22 Dec (*HDB photos); see the 12th IORC report in the preceding issue of Meadowlark. One (same bird as previous??), Panther Creek SF&WA (Cass Co), 3 Jan-12 Feb (CS fide EWW-photos, fide SDB).

Loggerhead Shrike

MC: 5, Pr.Rdg, 23 Dec (JWW, m.ob.); 2, Pyramid SP (Perry Co), 9 Jan (KAM). Others: Carl.L, 14 Dec (VMK, HDB); Massac Co, 31 Dec (KJM, RMR); Clinton Co, 26 Feb (DMK). Reports confined to the south.



Northern Shrike

MC: 4, DuPage Co, 17 Dec (fide SDB); 3, Barrington (Cook Co), 19 Dec (fide SDB); 2 ad., Paul Douglas FP (Cook Co), 1 Jan, but one 1 Dec – 28 Feb (CSF, SS, fide SDB); 2 (ad. & unk), Greene Valley FP (DuPage Co), 7 Jan – 26 Feb, but one there 1 Dec – 28 Feb (m. ob. fide EES, SDB); 2 (ad. & unk), McKee Marsh (DuPage Co), 17 Dec, but ad. there thru 28 Fcb (REF, KF, JMD, fide SDB). Others: Lost Mound NWR (Carroll Co), all winter, (DGW, fide SDB); ad., Aurora West FP (Kane Co), 1 Dec – 28 Feb (SCo, JJD, fide SDB); Springbrook Prairie FP (DuPage Co), 1 Dec – 26 Feb (fide EES, SDB); Volo Bog SNA (Lake Co), 1 Dec – 28 Jan (SI fide SDB, EWW); Will

Co, 3 Dec (REF, KDF, EES); Bartel Grasslands (Cook Co), 10 Dec (CH, fide SDB); Kennekuk CP (Vermilion Co), 14 Dec (MJE, fide SDB); Freeport (Stephenson Co), 17 Dec (fide SDB); Fermi Lab (Du Page Co), 17 Dec – 27 Feb (fide EES, SDB); Morton Arboretum (Du Page Co), 18 Dec (fide SDB); Glacial P (McHenry Co), 20 Dec - 30 Jan (fide SDB); Green R WA (Lee Co), 24 Dec (KJM); ad., Rock Cut SP (Winnebago Co), 25 Dec (*EWW); ad., North Unit IBSP, 29 Dec (CSF); ad., Matthiessen SP (LaSalle Co), 1-20 Jan (CKM, JDM, TW, fide SDB); ad., Victoria (Knox Co), 6 Jan (LAu, fide SDB); ad., Rollins Savanna FP (Lake Co), 13 Jan thru period (MFI, SDB, m.ob., photos); Chain-O-Lakes SP (Lake Co), 21 Jan (MFI, fide SDB); Lee (Lee Co), 27 Jan (MFD); Wolf L, LCal, 4 Feb (CAT, TLK); Tinley Creek Woods FP (Cook Co), 20 Feb (TL, fide SDB); imm., Jim Edgar/Panther Creek SF&WA

(Cass Co), 23 Feb (KBR, fide SDB); Tri-County SP (DuPage Co), 26 Feb (fide EES, SDB). Another above average invasion but most records from northern Illinois.

Blue Jay

MC: 141, McDonough Co, 17 Dec (LLH); 132, Lee & Whiteside Cos, 24 Dec (KJM, m.ob.); 99, QC, 18 Dec (KJM, m.ob.); 99, Jackson Co, 1 Jan (KJM, VL, SJ); 95, Massac Co, 31 Dec (KJM, RMR); 82, Mercer Co, 28 Dec (KJM, m.ob.); 59, Goodenow (Will Co), 2 Jan (GAW); 43, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 41, Johnson & Pulaski Cos, 19 Dec (SDB, MW); 32, Macon Co, 17 Dec (TAM); 32, Alexander Co, 29 Dec (SDB, HDB); 32, Lyons Woods FP (Lake Co), 30 Dec (EWW); 31, Vermilion Co, 14 Dec (SDB); 27, UCCA, 30 Dec (SDB). Good numbers statewide.

American Crow

MC: 110,000 (winter roost), Danville (Vermilion Co), 14 Dec (MJE, VB, SDB,

m.ob.); 2,500 (roost), Rantoul (Champaign Co), all winter (SDB); 1,571, Lee & Whiteside Cos, 24 Dcc (KJM, m.ob.); 977, QC, 18 Dec (KJM, m.ob.); 500 (roost), Champaign (Champaign Co), all winter (SDB, m.ob.); 300, Pcoria (Peoria Co), 31 Jan (DJS); 168, Mercer Co, 28 Dec (TM, m.ob.); 160, HL, 29 Jan (KAM); 150, Johnson Co, 31 Dec (KAM, DMK); 122, Chi, 15 Fcb (GAW); 65, Macon Co, 17 Dec (TAM). Again reported in reduced numbers,

FISH CROW

Mermet L, 24 Feb > (KAM).

Horned Lark

MC: 658, Rockfd, 17 Dec (DTW); 305, McDonough Co, 17 Dec (LLH); 304, De Kalb & Kane Cos, 24 Jan (DJS); 300, Carl.L, 8 Jan



Northern Shrike at Rock Cut State Park, Rockford, Winnebago County. 25 December 2006. Photo by Eric Walters

(DMK); 274, Whiteside & Carroll Cos, 15 Dec (KJM, m.ob.); 103, Alexander Co, 29 Dec (KJM); 36, Vermilion Co, 14 Dec (SDB); 28, Union Co, 30 Dec (SDB); 27, Mercer Co, 28 Dec (JS, DF, m.ob.); 25, Macon Co, 21 Jan (TAM). Slightly less abundant this winter.

TREE SWALLOW

HLCA, 29 Dec (fide SDB). Latest December recorded by 9 days.

BARN SWALLOW

UCCA, <u>28 Dec</u> (1) (SDB), then <u>30 Dec</u> (2) (KJM, *HDB); latest Illinois winter date excluding early spring migrants in Feb.

Carolina Chickadee

MC: 95, Massac Co, 31 Dec (KJM, RMR); 84, Jackson Co, 1 Jan (KJM, VL, SJ); 64, HLCA, 29 Dec (SDB, HDB): 56, Marion Co, 26 Dec (KJM, TH); 46, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 45, Carl.L, 14 Dec (KAM, CPA); 40, Cyp Crk, 19 Dec (SDB, MW); 35, Union Co, 30 Dec (SDB); 33, Champaign Co, 17 Dec (EJC, m.ob.). Recorded in fairly typical numbers.

Black-capped Chickadee

MC: 214, QC, 18 Dec (KJM, m.ob.); 177, Rock Island Co, 4 Jan (BLB, m.ob.); 130, Mercer Co, 28 Dec (TM, m.ob.); 57, Kane Co, 17 Dec (EES); 54, Lake Forest (Lake Co), 26 Dec (GAW); 30,

Chinquapin Psv, 22 Dec (MF); 26, Macon Co, 17 Dec (TAM); 15, Champaign Co, 17 Dec (EJC, m.ob.); 12, Sand Rdg, 2 Jan (KAM, CPA). Somewhat reduced numbers reported.

Tufted Titmouse

MC: 83, Jackson Co, 1 Jan (KJM, VL, SJ); 81, Vermilion Co, 14 Dec, (SDB, m.ob.); 65, Rend L, 17 Dec (DMK); 43, Ogle & Lee Cos, 24 Dec (EWW, KRW, JD); 33, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 31, Cyp Crk, 19 Dec (SDB, MW); 31, Rock Island Co, 4 Jan (BLB, m.ob.); 30, HLCA, 29 Dec (SDB, HDB); 26, Mercer Co, 28 Dec (TM, m.ob.); 16, Goodenow (Will Co), 2 Jan (GAW); 9, Macon Co, 17 Dec (TAM); 8, Carl.L, 22 Jan (DMK). Higher numbers overall.

Red-breasted Nuthatch

MC: <u>23</u>, Champaign Co, 17 Dec (EJC, m.ob.); 8, Jasper Co, 23 Dec (CLH); 6, Carl.L, 11 Dec (DMK); 6, M.Arb., 18 Dec

(RAM, ALM); 5, Rend L, 17 Dec (DMK); 1-4, Urbana (U of I Forestry), 10 Jan – 24 Feb (SDB); 4, Sand Rdg, 2 Jan (KAM, CJL); 3, Vermilion Co, 14 Dec (SDB, et al.); 3, Little Black Slough SNA (Johnson Co), 19 Dec (SDB, MW). Widespread in small numbers.

White-breasted Nuthatch

MC: 94, Rock Island Co, 4 Jan (KJM, m.ob.); 92, Mercer Co, 28 Dec (TM, m.ob.); 88, Ogle & Lee Cos, 24 Dec (EWW, KRW, JD); 73, Vermilion Co, 14 Dec (SDB, m.ob.); 44, Jackson Co, 1 Jan (KJM, VL, SJ); 36, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 34, HLCA, 29 Dec (SDB, HDB); 31, Lake Forest (Lake Co), 26 Dec (GAW); 30, Marion Co, 26 Dec (KJM, TH); 17, Macon Co, 17 Dec (TAM); 17, Chinquapin Psv, 23 Dec (MF). Found in good numbers.



Red-breasted Nuthatch at Plum Creek Forest Preserve, Cook County. 25 January 2006. Photo by Emil Martinec.

Brown Creeper

MC: 36, Rock Island Co, 4 Jan (BLB, m.ob.); 15, Lee & Whiteside Cos, 24 Dec (SBH, m.ob.); 15, Alexander Co, 29 Dec (KJM); 13, HLCA, 29 Dec (SDB, HDB); 12, Kankakee Co, 31 Dec (EES); 9, Oakwd Btms, 1 Jan (KJM, VL, SJ); 8, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 7, Kane Co, 17 Dec (EES); 6, Little Black Slough SNA (Johnson Co), 19 Dec (SDB, MW); 3, Urbana (U of 1 Forestry), 10 Jan – 17 Feb (SDB). Widespread in fair numbers.

Carolina Wren

MC: 42, Vermilion Co, 14 Dec (SDB, m.ob.); 40, Jackson Co, 1 Jan (KJM, VL, SJ); 37, Massac Co, 31 Dec (KJM, RMR); 35, HLCA, 29 Dec (SDB, HDB); 24, Carl.L, 14 Dec (KAM, CPA); 21, UCCA, 30 Dec (SDB); 19, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 18, Cyp Crk, 21 Dec (SDB, MW); 13, McDonough Co, 17 Dec (LLH); 8, Aroma P (Kankakee Co), 31 Dec (UWG, EES); 7, Macon Co, 17 Dec (TAM); 5, Rock Island Co, 3 Jan (KJM, CB); 5, Urbana (U of I Forestry), 15 Feb (SDB). More numerous statewide.

HOUSE WREN

3, Massac Co, 31 Dec (KJM, RMR); Alexander Co, 29 Dec (KJM).

Winter Wren

MC: 13, Alexander Co, 29 Dec (KJM); 11, UCCA, 31 Dec (SDB); 9, HLCA, 29 Dec (SDB, HDB); 6, Little Black Slough SNA (Johnson Co), 19 Dec (SDB, MW); 3, Waterfall Glen FP (Du Page Co), 18 Dec (GAW); 2, Urbana, 18 Dec (EJC); 2, Copperas Creck (Fulton Co), 12 Feb (KAM). Others (central & north): 2, JP, 4 Dec< (PRC); 2, Carroll Co, 15 Dec (EAA, DGW, m.ob.); 2, Milan Bottoms (Rock Island Co), 4 Jan (BLB); 2, Urbana (U of I Forestry), 15 Feb, but 1 there 31 Jan & 7 Feb (SDB); Middlefork SF&WA (Vermilion Co), 14 Dec (EJC); Geneseo (Henry Co), 15 Dec (SBH); IBSP, 22 Jan (EWW).

SEDGE WREN

UCCA, 30 Dec (*SDB).

MARSH WREN

Moraine Hills SP (McHenry Co), 17 Dec (*BSc fide SDB); HLCA, 29 Dec (HDB).

Golden-crowned Kinglet

MC: 47, Alexander Co, 29 Dec (KJM); 34, Cyp Crk, 19 Dec (SDB, MW); 29, Massac Co, 31 Dec (KJM, RMR); 29, Jackson Co, 1 Jan (KJM, VL, SJ); 17, HLCA, 29 Dec (SDB, HDB); 14, UCCA, 30 Dec (SDB); 10, Lake Forest (Lake Co), 26 Dec (GAW); 8, Klchm Arboretum (Winnebago Co), 31 Dec (DTW); 5, Langley Bottoms (Vermilion Co), 21 Dec (SDB). Fairly typical numbers, although scarcer than usual in central and northern Illinois.

Ruby-crowned Kinglet

MC: 32, Alexander Co, 29 Dec (KJM); 17, Massac Co, 31 Dec (KJM, RMR); 14, HLCA, 29 Dec (SDB, HDB); 9, Little Black Slough SNA (Johnson Co), 19 Dec (SDB, MW). Others: 6, UCCA, 30 Dec (KJM, HDB); 4, Beall Woods SP (Wabash Co), 29 Dec (CLH); 3, Oakwd Btms, 1 Jan (KJM, VL, SJ); Two Rivers NWR (Calhoun Co), 17 Dec (WCR); Potomac (Vermilion Co), 14 Dec (SDB); Urbana, 17 Dec (SDB, GSL); HL, 1 & 15 Jan (FRH); Andalusia Slough (Rock Island Co), 3 Jan (*KJM, CB); Carl.L, 27 Jan (CLH, RES); Rcd Hills SP (Lawrence Co), 28 Jan (CLH). Good numbers; largely confined to the south.

Eastern Bluebird

MC: 93, Jackson Co, 1 Jan (KJM, VL, SJ); 81, Massac Co, 31 Dec (KJM, RMR); 79, Alexander Co, 29 Dec (KJM); 52, Rock Island Co, 3 Jan (KJM, CB); 51, Vermilion Co, 14 Dec (SDB, m.ob.); 51, Mercer Co, 28 Dec (KJM, m.ob.); 36, Cyp Crk, 19 Dec (SDB, MW); 32, UCCA, 30 Dec (SDB); 27, McDonough Co, 17 Dec (LLH); 19, Bureau Co, 17 Dec (DJS, TW, AW); 17, Waterfall Glen FP (Du Page Co), 18 Dec (GAW). Others: 76, HLCA, 29 Dec

(SDB, HDB); 59, Marion Co. 26 Dec (KJM, TH); 36, Rend L, 17 Dec (KAM); 16, Whiteside & Carroll Cos, 15 Dec (EAA, DGW, m.ob.); 12, Lake Co, 26 Dec (GAW); 10, Carl.L, 14 Jan (DMK); 9, Cook Co, 27 Dec (CSF); 8 (6 male, 2 female), Rock Cut SP (Winnebago Co), 25 Dec (*EWW); 7, Clin.L, 6 Feb (RD); 7, Macon Co, 25 Feb (TAM); 6, Edwards Co, 1 Jan (RES); 5, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 3, Geneseo (Henry Co), 15 Dec (SBH); 3, Champaign Co, 17 Dec (EJC).

Hermit Thrush

MC: 51, Alexander Co, 29 Dec (KJM); 32, Massac Co, 31 Dec (KJM, RMR); 23, Cyp Crk, 19 Dec (SDB, MW); 21, HLCA, 29 Dec (SDB, HDB); 11, northern Vermilion Co, 14 Dec (SDB, m.ob.); 10, Champaign Co, 17 Dec (EJC, m.ob.); 5, Sand Rdg, 2 Jan (KAM, CJL); 4, Klehm Arboretum (Winnebago Co), 2 Dec (KAM); 4, Green Wing Lab, 27 Dec (SBH). Others: 29, Rend L, 17 Dec (DMK); 19, Jackson Co, 1 Jan (KJM, VL, SJ); 9, UCCA, 30 Dec (KJM, HDB); 8, Carl.L, 26 Feb (DMK); 5, Marion Co, 26 Dec (KJM, TH); 5, Beall Woods SP (Wabash Co), 27 & 29 Dec (CLH); 3, QC, 18 Dec (KJM, SBH, SC); 3, Herrick L FP (Du Page Co), 4 Feb (UWG); 2, Carroll Co, 15 Dec (KJM, RTS, MK); 2, Middlefork SF&WA (Vermilion Co), 17 Jan (SDB); 2, Red Hills SP (Lawrence Co), 31 Jan (CLH); 2, Mattoon (Coles Co), 21 Feb (GC); 1 (singing), Hyde Park, Chi, 14 Dec (PRC); DePue L (Bureau Co), 17 Dec (DJS, TW, AW); Macon Co, 17 Dec (TAM); Langley Bottoms (Vermilion Co), 21 Dec (SDB); JP, 25 & 27 Dec (PRC); Mercer Co, 28 Dec (KJM, SBH, DA); Urbana (U of I Forestry), 20 Jan (SDB); Wauk., 22 Jan (CSF). Considerably larger numbers this winter, particularly in the south.

American Robin

MC: 8,000 (roost), Justice (Cook Co), 18 Dec (WJM, WSS); 1,500, Carl.L, 22 Jan (DMK); 735, HLCA, 29 Dec (SDB, HDB); 700, St. Clair Co, 30 Dec (KAM); 437, Lake Co, 28 Jan (EWW); 75, Macon Co, 15 Jan (TAM, SDB); 74, Champaign Co, 17 Dec (EJC, m.ob.). Others: 523, Jackson Co, 1 Jan (KJM, VL, SJ); 237, Alexander Co, 29 Dec (KJM); 152, Union Co, 30 Dec (KJM, HDB); 139, Waterfall Glen FP (Du Page Co), 18 Dec (GAW); 129, Marion Co, 26 Dec (KJM, TH); 126, Rend L, 17 Dec (DMK); 120, Stickney Run FP (McHenry Co), 8 Jan (SDB, SLD); 79, Cyp Crk, 21 Dec (SDB, MW); 68, Silver Springs SP (Kendall Co), 29 Jan (GAW); 63, Sand Rdg, 18 Feb (RGB, SNB); 61, Lake Co, 4 Feb (SDB). Considerably more abundant this winter statewide.

GRAY CATBIRD

Middlefork SF&WA (Vermilion Co), <u>14 Dec</u> (*EJC, *HP); Crab Orchard NWR, <u>17 Dec</u>., (*fide MB, SDB); Fermi, <u>(3)</u>, <u>17 Dec</u>, (*fide JC); Timber Ridge FP (Du Page Co), <u>17 Dec</u> (*UWG); Baldwin L. (St. Clair Co), <u>17 Dec</u> (*fide TD, SDB); M. Arb., <u>18 Dec</u> (*fide GAW); Kickapoo SP (Vermilion Co), <u>31 Dec</u> (DT et al.); Cyp Crk, <u>19 Dec</u> (*fide JH); Jackson Co, <u>1 Jan</u>, (*fide RMR); Loud Thunder FP (Rock Island Co), <u>4 Jan</u> (*KJM). Amazing number of wintering/lingering birds statewide.

Northern Mockingbird

MC: 13, Massac Co, 31 Dec (KJM, RMR); 8, Marion Co, 26 Dec (KJM, TH); 4, McDonough Co, 17 Dec (LLH); 3, Alexander Co, 30 Dec (SDB, HDB); 2, Chinquapin Psv, all winter (MF). Others (central & north): Decatur, 17 Dec & 15 Jan (TAM); Lee Co, 24 Dec (KJM); Wilmington (Will Co), 1 Jan (CA); Clin. L, 9 Jan (RD).

Brown Thrasher

MC: 9, Alexander Co, 29 Dec (SDB, HDB); 5, Cyp Crk, 19 Dec (SDB, MW); 3, Rend L, 17 Dec (DMK); 3, Massac Co, 31 Dec (KJM, RMR). Others: 2, Jackson Co, 1 Jan (KJM, VL, SJ); Genoa (De Kalb Co), 1-7 Dec (KML); Chi, 1-9 Dec (KRW); Edwards Co, 5 Dec (RES); Ark., 25 Dec (KJM); Marion Co, 26 Dec (KJM, TH); Mattoon (Coles Co), 13 Feb (DM).

European Starling

MC: 58,602, Massac Co, 31 Dec (KJM, RMR); 4,128, Rock Island Co, 4 Jan (BLB, m.ob.); 3,185, Marion Co, 26 Dec (KJM, TH); 2,200, LCal, 31 Dec (WJM, JSA, MLB); 1,969, Mercer Co, 28 Dec (KJM, m.ob.); 1,453, Kane Co, 17 Dec (EES); 800, Alexander Co, 29 Dec (SDB, HDB); 745, Silver Springs SP (Kendall Co), 29 Jan (GAW); 531, Johnson & Pulaski Cos, 19 Dec (SDB, MW); 495, Vermilion Co, 14 Dec (SDB); 229, Macon Co, 17 Dec (TAM).

American Pipit

MC: 14, Carl.L, 14 Dec (JM, TH). Others: 2, Urbana, 8 Dec (GSL); Depue L (Bureau Co), 17 Dec (*DJS, TW, AW); Mermet L,

31 Dec (KAM, DMK); IBSP, 3 Jan (EWW); Lawrence Co, 23 Feb (CLH).

Cedar Waxwing

MC: 410, Palos (Cook Co), 18 Dec (WJM, WSS); 325 (I flock), Urbana, 9 Feb (SDB); 300, Carl.L, 4 Dec (DMK); 300, East Fork L, 30 Dec (CLH); 220, Rock Cut SP (Winnebago Co), 27 Dec (DTW); 164, Vermilion Co, 14 Dec (SDB, m.ob.); 87, Mercer Co, 28 Dec (KJM, m.ob.). Others (mid-season): 30, Macon Co, 15 Jan (TAM, SDB); 30, Fabyan FP (Kane Co), 16 Jan (DJS); 28, Grant Woods FP (Lake Co), 4 Feb (SDB); 8, M.Arb., 21 Jan (KAM). Considerably greater numbers this winter throughout the state.

ORANGE-CROWNED WARBLER Urbana, 2 Dec (RLJ); HL, 17 Jan (JPZ, YH, SM).

Yellow-rumped Warbler

MC: 75, Carl.L, 22 Jan (DMK); 57, UCCA, 30 Dec (SDB); 51, HLCA, 29 Dec (SDB, HDB); 51, Oakwd Btms, 1 Jan (KJM, VL, SJ); 10, M.Arb., 22 Jan (UWG); 7, Rock Island Co, 3 Jan (KJM, CB); 4, Mercer Co, 28 Dec (KJM, SBH, DA). Others: 49, Alexander Co, 29 Dec (KJM); 47, Cyp Crk, 19 Dec (SDB, MW); 46, Massac Co, 31 Dec (KJM, RMR); 38, UCCA, 18 Jan (KAM); 4, Carroll Co, 15 Dec (KJM, RTS, MK); 3, Nachusa Grasslands (Lee Co), 24 Dec (EWW); 2, Goodenow (Will Co), 2 Jan (GAW); 2, Lake Co, 28 Jan (EWW); 1-2, Urbana (U of 1 Forestry), many dates between 10 Jan- 24 Feb (SDB); Macon Co, 17 Dec (TAM); Bureau Co, 17 Dec (DJS, TW, AW); Silver Creek FP (McHenry Co), 13 Feb (SDB). More abundant, particularly in the south.

PINE WARBLER

Little Black Slough SNA (Johnson Co), 19 Dec (SDB); Carl.L, 22 Jan & 26 Feb (DMK).

SPOTTED TOWHEE

Hampshire FP (Kane Co), 2 Dec (KAM); Evanston (Cook Co), 26 Dec (*fide TW, SDB); Copperas Creek (Fulton Co), 12 Fcb (KAM).

Eastern Towhee

MC: 25, Massac Co, 31 Dec (KJM, RMR); 15, Beall Woods SP (Wabash Co), 27 Dec (CLH). Others: 9, Perry Co, 25 Dec (KJM); 9, Jackson Co, 1 Jan (KJM, VL, SJ); 5, Rend L, 17 Dec (DMK); 2, Carl.L, 14 Dec (TAM, JPM); male, Mercer Co, 28 Dec (*KJM, SBH, DA); female, Chi, 10, 12 & 21 Jan (JSA, KRW); Homer L (Champaign Co), 18 Feb (EJC).

American Tree Sparrow

MC: 985, Rock Island Co, 4 Jan (BLB, m.ob.); 787, Rock Island & Whiteside Cos, 20 Dec (KJM, RTS, m.ob.); 512, Vermilion Co, 14 Dec (SDB, m.ob.); 325, Macon Co, 17 Dec (TAM); 301, McDonough Co, 17 Dec (LLH); 140, Volo Bog SNA (Lake Co), 13 Feb (SDB); 134, Wayne (Du Page Co), 17 Dec (GAW); 78, Ark., 25 Dec (KJM); 49, Marion Co, 26 Dec (KJM, TH).

Field Sparrow

MC: 44, Massac Co, 31 Dec (KJM, RMR); 40, Cyp Crk, 19 Dec (SDB, MW); 18, HLCA, 29 Dec (SDB, HDB); 12, Jasper Co, 31 Dec (CLH). Others: 10, Perry Co, 25 Dec (KJM); 8, Rend L, 17 Dec (DMK); 4, Carl.L, 10 Dec (DMK); 3, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 2, Lawrence Co, 31 Jan (RES); Kennekuk CP (Vermilion Co), 14 Dec (RLJ); QC, 18 Dec (KR); Lowden-Miller SF (Ogle Co), 25 Dec (EWW).

VESPER SPARROW

Hamilton Twp (Lee Co), 24 Dec (*KJM); Nachusa Grasslands (Lee Co), 24 Dec (KRW, JD).

Savannah Sparrow

MC: 19, HLCA, 29 Dec (SDB, HDB); 11, Cyp Crk, 19 Dec (SDB, MW); 8, Massac Co, 31 Dec (KAM, DMK); 5, Carl.L, 11 Dec (DMK); 5, UCCA, 30 Dec (SDB); 3, Whalon L FP (Will Co), 18 Dec (*REF, KDF); 2, Urbana, 17 Dec (SDB, GSL). Others: 4, Rend L, 17 Dec (DMK); 2, Alexander Co, 29 Dec (KJM); 2, Jackson Co, 1 Jan (KJM, VL, SJ); Rock Island Co, 20 Dec (*KJM, RTS); Jasper Co, 23 Dec (CLH); Ark., 25 Dec (KJM); Marion Co, 26 Dec (KJM, TH); HL, 1 & 8 Jan (FRH); Rollins Savanna FP (Lake Co), 8 & 21 Jan & 3 Feb (AFS, EWW & SDB resp.); Macon Co, 25 Feb> (TAM).

Le Conte's Sparrow

3, Rend L, 9 Jan (KAM); 2, HLCA, 29 Dec (SDB, HDB); Cyp Crk, 19 Dec (SDB); UCCA, 30 Dec (SDB).

County. 27 December 2005. Photo by Emil

Fox Sparrow MC: 17, Oakwd Btms, 1 Jan (KJM, VL, SJ); 15, northern Vermilion Co, 14 Dec (SDB, m.ob.); 13, Champaign Co, 17 Dec (EJC, m.ob.); 11, Milan Bottoms (Rock Island Co), 4 Jan (BLB); 8, Union Co, 30 Dec (KJM, HDB); 6, Waterfall Glen FP (Du Page Co), 18 Dec (GAW); 6, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 5, HLCA, 29 Dec (SDB, HDB); 4, Rockfd, 8-26 Dec (DTW); 4, Cyp Crk, 19 Dec (SDB, MW). Widespread in small numbers.

Song Sparrow

Fox Sparrow at Lincoln Park Zoo, Cook

Martinec.

MC: 73, QC, 18 Dec (TM, m.ob.); 68, Vermilion Co, 14 Dec (SDB, m.ob.); 63, Massac Co, 31 Dec (KJM, RMR); 62, Alexander Co, 29 Dec (SDB, HDB); 59, Perry Co, 25 Dec (KJM); 57, Union Co, 30 Dec (SDB); 51, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 49, Johnson & Pulaski Cos, 19 Dec (SDB, MW); 44, Lee & Whiteside Cos, 24 Dec (AT, ET, m.ob.); 42, McDonough Co, 17 Dec (LLH); 25, Mercer Co, 28 Dec (KJM, m.ob.); 19, Macon Co, 17 Dec (TAM); 7, Waterfall Glen FP (Du Page Co), 18 Dec (GAW).

Lincoln's Sparrow

West Du Page Woods FP (Du Page Co), 17 Dec (*REF, KDF); Grand Detour (Lee Co), 24 Dec (EWW); Massac Co, 31 Dec (KJM, *RMR).

Swamp Sparrow

MC: 150, Massac Co, 31 Dec (KAM, DMK); 120, Pulaski & Johnson Cos, 19 Dec (SDB, MW); 55, UCCA, 30 Dec (SDB); 53, HLCA, 30 Dec (SDB, HDB); 18, Milan Bottoms (Rock Island Co), 4 Jan (BLB); 14, Potomac (Vermilion Co), 14 Dec (SDB); 12, Port Louisa NWR (Mercer Co), 28 Dec (KJM, DA); 5, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 5, Green Wing Lab, 27 Dec (SBH); 2, Macon Co, 17 Dec (TAM); 2, Naperville (Will Co), 18 Dec (UWG).

White-throated Sparrow

MC: 475, Massac Co, 31 Dec (KJM, RMR); 239, Alexander Co, 29 Dec (SDB, HDB); 160, Champaign Co, 17 Dec (EJC, m.ob.); 151, Perry Co, 25 Dec (KJM); 70, Rock Island Co, 4 Jan (KJM, m.ob.); 64, Cyp Crk, 19 Dec (SDB, MW); 50, Carl.L, 22 Jan (DMK); 40, Rockfd, 17 Dec (DTW); 26, Wayne (Du Pâge Co), 17 Dec (GAW); 21, Langley Bottoms (Vermilion Co), 21 Dec (SDB).

Harris's Sparrow

male, HL, 6 & 12 Feb (KAM, FRH).

White-crowned Sparrow

MC: 140, Urbana, 17 Dec (SDB, GSL); 43, Jackson Co, 1 Jan (KJM, VL, SJ); 40, Carl.L, 11 Dec (DMK); 32, Cyp Crk, 19 Dec (SDB, MW); 15, Rock Island & Whiteside Cos, 20 Dec (KJM, RTS, m.ob.); 13, Edwards Co, 20 Feb (RES); 11, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 9, Macon Co, 17 Dec (TAM); 9, LCal, 31 Dec (WJM, JSA, MLB); 7, Grundy Co, 18 Dec (DJS, TW, AW); 5 (2 ad., 3 imm.), Nachusa Grasslands (Lee Co), 24 Dec (EWW); 5, Bureau Co, 31 Jan (DJS).

Dark-eyed Junco

MC: 911, Rock Island Co, 4 Jan (BLB, m.ob.); 785, Rock Island & Whiteside Cos, 20 Dec (KJM, RTS, m.ob.); 665, Vermilion Co, 14 Dec (SDB, m.ob.); 359, McDonough Co, 17 Dec (LLI-I); 280, Mercer Co, 28 Dec (TM, m.ob.); 200, Carl.L, 12 Feb (DMK); 189, Wayne (Du Page Co), 17 Dec (GAW); 165, Kankakee Co, 31 Dec (EES); 163, Alexander Co, 29 Dec (SDB, HDB); 154, Massac Co, 31 Dec (KJM, RMR); 99, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 75, Macon Co, 21 Jan (TAM); 60, Cyp Crk, 19 Dec (SDB, MW); 55, Sand Rdg, 2 Jan (KAM, CJL). "Oregon" Darkeycd Junco: HLCA, 29 Dec (*HDB).

Lapland Longspur

MC: 1,500, Carl.L, 22 Jan (DMK); 1,300, Lawrence Co, 25 Jan (CLH); 1,000, Richland Co, 8 Dec (CLH); 210, Champaign Co, 17 Dec (EJC, m.ob.); 133, McDonough Co, 17 Dec (LLH); 123, Lee Co, 24 Dec (KJM, SBH); 118, Carroll Co, 15 Dec (KJM, RTS, MK). Others: 290, Clinton Co, 14 Dec (TAM, JPM); 100, Seward (Winnebago Co), 21 Jan (DTW); 90, Union Co, 30 Dec (SDB); 62, St. Anne (Kankakee Co), 2 Feb (EWW); 50, Pontiac (Livingston Co), 12 Feb (EWW); 35, De Kalb Co, 21 Jan (DJS); 23, Macon Co, 17 Dec (TAM); 22, Vermilion Co, 14 Dec (SDB, n.ob.); 14, Rock Island Co, 4 Jan (KJM); 12, McLean Co, 8 Jan (KAM); 6, Ark., 25 Dec (KJM); 5, Mazon (Grundy Co), 12 Feb (CA). More abundant overall, particularly in the south.

Snow Bunting

MC: 45, Rock Island & Whiteside Cos, 20 Dec (RN, EAA, m.ob.); 41, La Salle Co, 22 Jan (DJS). Others: 20, Seward (Winnebago Co), 21 Jan (DTW); 11, Hunter (Boone Co), 25 Dec (EWW); 6, Geneseo (Henry Co), 15 Dec (SBH); 6, Lee Co, 24 Dec (KJM, SBH); 4, Rock Island Co, 4 Jan (KJM); 3, <u>Alexander Co</u>, 29 Dec (KJM); 2, Ark., 25 Dec (KJM); 2, Vermilion Co, 14 Dec (SDB, EJC); Carl.L, 14 Dec (TAM, JPM); Champaign Co, 17 Dec (EJC); De Kalb Co, 29 Jan (UWG).

Northern Cardinal

MC: 260, Vermilion Co, 14 Dcc (SDB, m.ob.); 247, Rock Island Co, 4 Jan (KJM, m.ob.); 221, Lee & Whiteside Cos, 24 Dec (KJM, m.ob.); 207, Mercer Co, 28 Dec (KJM, m.ob.); 180, McDonough Co, 17 Dec (LLH); 118, Massac Co, 31 Dec (KJM, RMR); 91, Rend L, 17 Dec (DMK); 80, Wayne (Du Page Co), 17 Dec (GAW); 79, Kankakee Co, 31 Dec (EES); 75, Macon Co, 17 Dec (TAM); 72, Clin.L, 6 Feb (RD); 70, Carl.L, 20 Feb (DMK).

INDIGO BUNTING

Carl.L, <u>11 Dec & 20 Feb</u> (*DMK); Jasper Co, <u>31 Dec & 11 Jan</u> (CLH, *RES).

Red-winged Blackbird

MC: 200,000, Ark., 25 Dec (KJM); 135,450, Massac Co, 31 Dec

(KJM, RMR); 16,750, Rend L, 17 Dec (KAM); 2,075, La Salle Co, 1 Jan (DJS); 155, QC, 18 Dec (KJM, SBH, SC). Others: 8,000, Carl.L, 26 Feb (DMK); 4,851, Alexander Co, 29 Dec (KJM); 98, Rock Island Co, 4 Jan (TM, BLB); 60, Zion (Lake Co), 10 Jan (EWW); 40, Geneseo (Henry Co), 15 Dec (SBH); 6, Chau, 8 Jan (LLH); 5, Aroma P (Kankakee Co), 31 Dec (UWG). Outside major concentrations in the south, lower numbers reported. Almost no data from central Illinois.

Eastern Meadowlark

MC: 326, Pr.Rdg, 23 Dec (JWW, m.ob.); 100, Marion Co, 26 Dec (KJM, TH); 80, Massac Co, 31 Dec (KJM, RMR); 13, Whiteside Co, 20 Dec (RN, EAA); 8, Fulton Co, 15 Dec (LLH); 6, Potomac (Vermilion Co), 14 Dec (SDB); 3, Carroll Co, 15 Dec (EAA, DGW); 3, Clin.L, 9 Jan (RD). Others: 48, Pyramid SP (Perry Co), 12 Dec (KAM); 33, Johnson & Pulaski Cos, 19 Dec (SDB, MW); 30, Alexander Co, 29 Dec (SDB, HDB); 23, Clinton Co, 14 Dec (TAM, JPM); 23, Union Co, 30 Dec (SDB); Geneseo (Henry Co), 15 Dec (SBH).

Western Meadowlark

Rock Island Co, 20 Dec (*KJM, RTS); Massac Co, 31 Dec (*KJM); Richland Co, 24 Feb (CLH); Carl.L, 25 Feb (DMK).

Rusty Blackbird

MC: 16,000, Ark., 25 Dec (KJM)—unprecedented Illinois high count (compare the previous high count of 6,750, HL, 18 Dec 1985); 2,000, Massac Co, 31 Dec (KJM, RMR); 1,550, Alexander Co, 29 Dec (KJM); 500, Carl.L, 12 Feb (DMK); 62, Little Black Slough SNA (Johnson Co), 19 Dec (SDB, MW); 25, Flagg Pond (Clay Co), 1 Jan (CLH). Others (central & north): 15, Macon Co, 25 Feb> (TAM); 11, Homer (Vermilion Co), 22 Dec (JOS fide SDB); Chau, 22 Dec (AFS).

Brewer's Blackbird

10 (4 male, 6 female), Percy (Randolph Co), 25 Dec (*KJM); 2 female, Raccoon Twp (Marion Co), 26 Dec (*KJM, TH).

Common Grackle

MC: 300,000, Ark., 25 Dec (KJM); 120,500, Massac Co, 31 Dec (KJM, RMR); 25,500, Rend L, 17 Dec (KAM); 10,000, Carl.L, 26 Feb (DMK); 3,870, Johnson & Pulaski Cos, 19 Dec (SDB, MW); 1,000, La Salle Co, 1 Jan (DJS); 46, Macon Co, 17 Dec (TAM); 14, Champaign Co, 17 Dec (EJC). Others (central & north): 11, Vermilion Co, 14 Dec (fide SDB); 5, Bushnell (McDonough Co), 16 Dec (LLH); 3, Rock Island Co, 4 Jan (TM, BLB); 2, Green Wing Lab, 27 Dec (SBH). Major concentrations throughout the south.

Brown-headed Cowbird

MC: 12.440, Massac Co, 31 Dec (KJM, RMR); 2,000, La Salle Co, 1 Jan (DJS); 1,100, Ark., 25 Dec (KJM); 633, QC, 18 Dec (KJM, m.ob.); 340, Chebanse (Kankakec Co), 14 Jan (EWW). Others: 200, Urbana, all winter (SDB, m.ob.); 200, Carl.L, 3-4 Dec (DMK); 166, Rend L, 17 Dec (KAM); 65, Lowden-Miller SF (Ogle Co), 25 Dec (EWW); 50, Green Wing Lab, 27 Dec (SBH); 41, Rock Island Co, 4 Jan (KJM, BLB); 38, Carroll Co, 15 Dec (EAA, DGW).

Purple Finch

MC: 80, Rock Island Co, 4 Jan (BLB, KJM); 35, Sand Rdg, 2 Jan (KAM, CJL); 33, Vermilion Co, 14 Dec (m.ob. fide SDB); 26, Champaign Co, 17 Dec (EJC, m.ob.); 21, Green R WA (Lee Co), 24 Dec (KJM); 17, Marion Co, 26 Dec (KJM, TH); 17, Cook Co, 8 Feb (CBT); 1-6, Urbana (U of 1 Forestry), 10 Jan – 24 Feb (SDB); 5, Carl.L, 11 Dec (DMK); 5, Jackson Co, 1 Jan (KJM, VL, SJ); 2, Edwards Co, 4 Dec (RES); 2, Little Black Slough SNA (Johnson Co), 19 Dec (SDB, MW). Somewhat greater numbers.

House Finch

MC: 128, Alexander Co, 29 Dec (KJM); 120, Macon Co, 15 Jan (SDB, TAM); 72, Kankakee Co, 31 Dec (EES); 66, QC, 18 Dec (KJM, m.ob.); 56, Rock Island & Whiteside Cos, 20 Dec (KJM,

RTS, m.ob.); 51, Mercer Co, 28 Dec (JS, DF, m.ob.); 50, Langley Bottoms (Vermilion Co), 21 Dec (SDB); 38, De Kalb Co, 29 Jan (GAW); 29, Geneseo (Henry Co), 23 Dec (SBH); 24, Lake Forest (Lake Co), 26 Dec (GAW). Less numerous overall.

Red Crossbill

7, Sand Ridge SF (Mason Co), 23 Dec (RGB, fide SDB); 5, Rockfd, 3 Dec (DTW); Fabyan FP (Kane Co), 17 Dec (*EES).

Common Redpoll

3, Cass Co, 6 Jan (EES); Carl.L, 14 Dec (RMR).

Pine Siskin

MC: 32, Highland Park (Lake Co), 4 Dec (DRD); 13, M.Arb., 10 Dec (UWG). Others: 11, Joliet (Will Co), 12 Dec-28 Feb (CA); 6, Winthrop H, 7 Jan (EWW); 4, QC, 18 Dec (KR, m.ob.); 4, Waterfall Glen FP (Du Page Co), 18 Dec (GAW); 4, Rockfd, 20 Feb (DTW); 3, Milan Bottoms (Rock Island Co), 4 Jan (BLB); 2, Bushnell (McDonough Co), 8 Dec (LLH); 2, Urbana, 11 Feb (EJC); Klehm Arboretum (Winnebago Co), 2 Dec (KAM); Geneseo (Henry Co), 5 Feb (SBH). Low numbers and almost entirely confined to north.

American Goldfinch

MC: 130, Vermilion Co, 14 Dec (SDB, m.ob.): 124, Alexander Co, 29 Dec (SDB, HDB); 121, Mercer Co, 28 Dec (KJM, m.ob.); 101, Lake Forest (Lake Co), 26 Dec (GAW); 80, Rend L, 17 Dec (DMK); 77, QC, 18 Dec (KJM, m.ob.); 66, McDonough Co, 17 Dec (LLH); 62, Langley Bottoms (Vermilion Co), 21 Dec (SDB);

61, Rockfd, 8 Dec (DTW); 43, Marion Co, 26 Dec (KJM, TH); 40, Union Co, 30 Dec (SDB); 31, Carl.L, 14 Dec (DMK); 28, Massac Co, 31 Dec (KJM, RMR); 18, Macon Co, 17 Dec (TAM).

House Sparrow

MC: 1,086, McDonough Co, 17 Dec (LLH); 978, Lee & Whiteside Cos, 24 Dec (KJM, m.ob.); 800, Carl.L, 14 Dec (DMK); 585, QC, 18 Dec (TM, m.ob.); 438, Mercer Co, 28 Dec (TM, m.ob.); 168, LCal, 31 Dec (WJM, JSA, MLB).

Eurasian Tree Sparrow

MC: 232, Mercer Co, 28 Dec (KJM, m.ob.); 146, McDonough Co, 17 Dec (LLH); 45, Rock Island Co, 4 Jan (TM, m.ob.); 10, Johnson Sauk Trail SP (Henry Co), 12-16 Dec (CMV); 20, Spring L (Tazewell Co), 8 Jan (KAM); 2, HL, 29 Jan (KAM); La Moille (Bureau Co), 3 Feb (MAM); McLean Co, 11 Feb (EJC).

EXOTIC / RELEASED SPECIES

African Collared-Dove ("Ringed Turtle-Dove")

Bolingbrook (Will Co), 18 Dec (UWG). **Note**: The name "Ringed Turtle-Dove," applied to a domestic variant of the African Collared-Dove, is now treated as an invalid species name by the American Ornithologists' Union.

— Kelly J. McKay BioEco Research and Monitoring Center 420 First Avenue P.O. Box 452 Hampton, IL 61256-0452 KellyJMcKay@aol.com

ABOUT OUR ADS AND AD RATES....The Illinois Ornithological Society accepts pertinent ads for publishing in Meadowlark. The rates and rules are as follows:

Required materials: Camera-ready copy and check payable to IOS should be sent to: Sheryl De Vore, 967 Braeburn Road, Mundelein, IL 60060.

Due dates: No. 1- Summer: February 1; No. 2 - Fall: May 1; No, 3 - Winter: August 1; No. 4 - Spring: November 1

Rates PER ISSUE: \$15 one-eighth page or equivalent of one business size card; \$30 one quarter page or equivalent of two business size cards; \$60 half page. We reserve the right to accept or deny any ad, and to limit the space set aside for ads, which will be placed at

the back of the journal.

The Illinois Ornithological Society gratefully acknowledges the following for their generous support, which helps us accomplish our mission of science, education and birding.

Patron (\$2000) Mary Ann Mahoney

Sponsor (\$500+) Ann Haverstock Sebastian T. Patti Marsha Steffen Supporting (\$100+): Frank Bennett • Dale Birkenholz • Denis M. Bohm
David Brenner • John Burke & Vicky Sroczynski • Marilyn F. Campbell • Paul R. Clyne
Robin N. Cronin • Donald & Jackie Dann • Philip D. Doncheck • Bob & Karen Fisher
Ken Flesch • Rick & Tracy Fox • Steven M. Freed, MD • Michael J. Hogg
Roger E. Hotham • Rhetta Jack • R. David Johnson • Warren Jones • Dan Kassebaum
Anne Kotowski • Marj Lundy & Jamie Godshalk • Travis Mahan • Brendan J. McCooey
and family • Alex & Marilyn Meloy • Patricia Miller • Wilbur & Baiba Rosenkranz
Harriet W. Rylaarsdam • Bob & Marcia Shelby • Connie Smith • Douglas F. Stotz &
Francie Muraski-Stotz • Peter S. Weber • Mr. & Mrs. Charles A. Westcott
Daniel & Barbara Williams • Geoffrey & Christine Williamson • John Wisnewski

Contributing (\$50-\$99): Jill Anderson • Steven D. Bailey • Richard Bjorklund • Todd Bugg • Florence Burek Chicago Ornithological Society • David Cugier • Bill and Mary Kay De Baets • Rich DeCoster • Tammy Devine Sheryl DeVore • Al Dierkes • Jon J. Duerr • Thad R. Edmonds • Barbara C. Elftman • Carolyn & Chuck Fields Glenn Gabanski • Urs Geiser • Rob Gough • J. Patrick Graham • Willard A. Hartman • Brian Herriot • Steve Hossler L. Barrie Hunt • Glenn & Cindy Johnson • Janet Jokela • Anthony and Amy Jones • Robert Karraker Tom & Katie (Wolfley) Kelly • Arlene Koziol • Marcia Lonergan • Julie Long • Peter Lowther • Karen Lund Keith A. McMullen • Robert A. Montgomery • North Central Illinois Ornithological Society • Randy Nyboer Helen M. Parker • JoAnne Rittenberg • R. Sue Robert • Rev. Gregory S. Sakowicz • Rick Sanders • Darrell Shambaugh Muriel Smith • Anne Straight • Bill M. Strausberger • Wayne Svoboda • M. A. & M. S. Traylor • Tony Ward & family Ted Wolff • Ann B. Maine & Gordon C. Wood • John T. and Lynda L. Woodson • Ken Wysocki

Send Seasonal Reports to:

Winter Field Notes

Due by 7 March (1 Dec through 28 Feb)

Send to: Kelly McKay

420 First Ave., PO Box 452, Hampton, IL 61256-0452

E-mail: KellyJMcKay@aol.com

Spring Field Notes

Due by 7 June (1 Mar through 31 May)

Send to: Travis A. Mahan

2476 Marquette Ct., Decatur, IL 62521

E-mail: calidris_1004@yahoo.com

Breeding Season Field Notes

Due by 7 August (1 June through 31 July)

Send to: Steven D. Bailey

Illinois Natural History Survey

1816 South Oak St., Champaign, IL 61820

E-mail: sdbailey@mail.inhs.uiuc.edu

Fall Season Field Notes

Due by 7 December (1 Aug through 30 Nov)

Send to: Douglas Stotz


Conservation Ecologist/Ornithologist Environmental and Conservation Programs

Field Museum of Natural History 1400 S. Lake Shore Drive, Chicago, IL 60605

Email address: dstotz@fieldmuseum.org

Support Meadowlark

Advertise Here!!



The Illinois Ornithological Society accepts pertinent ads for publishing in *Meadowlark*.

See advertising information on page 79.

Springhouse begins where the travel

brochures leave off.

Read about the real Southern Illinois: History, Folklore, humor, recipes, and letters always plenty of letters.

One year subscription (6 issues) \$25.00

Springhouse

P.O. Box 61 • Herod, IL 62947 Phone: (618) 252-3341

Submission Information

- We welcome manuscripts, photographs, and illustrations for possible publication in Meadowlark.
- Article topics include unusual bird sightings and nesting accounts, technical papers on bird research, and other articles such as bird finding guides and field identification tips. Joy of birding articles will be considered.
- Manuscripts should be typewritten or computergenerated, double spaced and on only one side of numbered pages. Please send two copies of your manuscript and make sure you keep another for yourself.
- **We require a computer disc in Word or Word Perfect or an electronic file.
- We prefer clear black and white or color print photographs. Digital or electronic files (200-300 dpi.) are also acceptable.
- T Include name, address, and day and night time phone numbers. Other pertinent information about your qualifications and background is also helpful.
- The We reserve the right to review and edit articles according to style, grammar, accuracy, and readability. Send articles, photographs, illustrations & inquiries to:

Sheryl De Vore, Chief Editor 967 Braeburn, Mundelein, IL 60060 e-mail address: sheryl.devore@comcast.net

JOIN IOS TODAY!


Members of the Illinois Ornithological Society receive *Meadowlark*, the quarterly journal, plus Wings Over The Prairie, the IOS newsletter. Members are also invited to special field trips, the annual meeting, and other IOS functions.

To join or send a gift subscription, send your name or that of the gift recipient, address, and telephone number along with fee to:

IOS P.O. Box 931 Lake Forest, IL 60045

Fees: Individual \$25; Family \$35; Full-time student \$15; Contributor \$50 - \$99; Supporter \$100 - \$999; Sponsor \$1000

Back issues of Volumes 1 through 12 are still available for \$5 each.



Three male Harlequin Ducks at North Avenue Beach, Chicago, Cook County, 22 February 2006. Photo by Emil Martinec.